



3M



DBI Sala



Kimberly Clark



Honeywell

MSA



SOURCING AND PROCUREMENT OF CONSTRUCTION & INDUSTRIAL SUPPLIES

## BVI Resources

340 N. Sam Houston Parkway E | Suite A263 | Houston, TX 77060  
[www.bviresourcesusa.com](http://www.bviresourcesusa.com) | [info@bviresourcesusa.com](mailto:info@bviresourcesusa.com)

Phone: 281-674-5044

# Table of Contents

**Being your complete source means more than just offering you a full line of safety equipment — it also means we will provide you with the knowledge and tools to select the right product, for the right application, at the right price.**

New Products .....	2 – 19
<b>PPE Safety Products .....</b>	<b>20 – 207</b>
Eye Protection .....	22 – 45
Head & Face Protection .....	46 – 59
Hearing Protection .....	60 – 73
Respiratory Protection .....	74 – 89
Hand Protection .....	90 – 131
Welding & FR Safety .....	132 – 141
Footwear .....	142 – 149
Ergonomics .....	150 – 153
Fall Protection .....	154 – 173
Water Safety .....	174 – 179
Protective Clothing .....	180 – 193
Cold Weather Gear .....	194 – 201
Hi-Viz Apparel .....	202 – 207

## **Plant & Work Zone**

<b>Safety Products .....</b>	<b>208 – 239</b>
Instrumentation .....	210 – 213
Confined Space .....	214 – 217
Heat Stress .....	218 – 221
First Aid .....	222 – 223
Showers & Eyewash .....	224 – 229
Lockout/Tagout .....	230 – 231
Wipes & Cleaners .....	232 – 233
Sorbents .....	234 – 235
Hazardous Storage .....	236 – 239
Resources & Index .....	240 – 256

As you find the safety products you need within our catalog, keep a lookout for helpful information to guide you along the way.



**For Your Information** icons provide you with generalized (non-regulatory) information about associated products.



**Cross References** will direct you to another page, and can help you find related products throughout our catalog.



**Shipping** icons indicate products that require shipping directly from the manufacturer.



**Stock** icons indicate a specific SKU's availability.  
♦ Non-stock item. Minimum quantity may apply.





## Safe Bucket

Designed to be used at height with a built-in closure system that helps prevent dropped objects. Includes multiple connection points that can be tethered to. Vinyl bucket is load rated for 250 lbs. Hook-and-loop closure system helps prevent accidental drops. Indicator tabs show when bucket is in lockdown mode or easy access mode. Hard composite plating sewn into bottom protects bucket from accidental punctures. Protective leather sleeve covers inserts and is resilient to the elements and harsh work environments. Includes heavy-duty hoisting/shoulder strap and high-quality, lightweight aluminum twist-lock carabiner load rated for 6,700 lbs. 15" x 12 1/2" dia.

Page  
155



## Small Parts Pouch

Innovative self-closure system that traps objects inside, the pouch makes it nearly impossible for objects to fall out once placed in the bag. Easy to retrieve objects since no opening or closing is necessary. Compatible with most tool belts. Black canvas.

Page  
155



## Tool Holsters

- **Scaffold Wrench Holster with Retractor:** Quickly holster scaffold wrenches while working at height. Features Beacon™ Hi-Vis Reflectors.
- **Drill Battery Holster/Sleeve:** Unique sleeve design conforms to the size of virtually any drill battery. Sleeve is cinched to the drill, allowing the drill to be tethered off while being used at height. 10-lb. load rating.

Page  
155



## Single Tool Holster

Equipped with D-rings that are load rated for 5 lbs. Beacon™ Hi-Vis Reflectors are easy to identify and locate, even when left in dark spaces. Highly reflective material is stitched into the front and back of the holster allowing it to be detected in low light conditions with a flashlight. Quick-Mag™ magnetic tool staging system speeds up workflow and reduces how often tools need to be holstered. Allows tools to simply stick to the holster ensuring that tools are always at the ready. Drain vent helps keep the holster dry by allowing water to pass through, protecting tools from rusting and protecting holster from dry rot. Retractor is load rated for 1.5 lbs.

Page  
155



1500105  
HOL-1TOOLXD<sup>[1]</sup>



1500107  
HOL-2TOOLBLTRET



1500109  
HOL-2TOOLHARRET



1500102  
HOL-1TOOLBLTRET



1500104  
HOL-1TOOLHARRET

## SINGLE AND DUAL TOOL HOLSTERS

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DESCRIPTION	RETRACTORS INCLUDED
1500103	HOL-1TOOLHAR	Single Tool Harness Holster	None
1500104	HOL-1TOOLHARRET	Single Tool Harness Holster with Retractor	1x
1500101	HOL-1TOOLBLT	Single Tool Belt Holster	None
1500102	HOL-1TOOLBLTRET	Single Tool Belt Holster with Retractor	1x
1500105	HOL-1TOOLXD	Extra-Deep Single Tool Belt Holster	None
1500108	HOL-2TOOLHAR	Dual Tool Harness Holster	None
1500109	HOL-2TOOLHARRET	Dual Tool Harness Holster with Retractors	2x
1500106	HOL-2TOOLBLT	Dual Tool Belt Holster	None
1500107	HOL-2TOOLBLTRET	Dual Tool Belt Holster with Retractors	2x

[1] Hook2Loop Bungee Tether Sold Separately

- Single and Dual Tool Holsters are equipped with D-Rings that are load rated for 5 lbs (2.3 kg)
- Several variants of these holsters come with Python Safety Retractors (indicated above)  
Retractors are load rated for 1.5 lbs (0.7 kg)
- Single and Dual Tool Holsters feature Beacon™ Hi-Vis Reflectors and the Quick-Mag™ magnetic tool staging system
- A bottom drain vent allows the holster to work even in wet conditions




## Uvex HydroShield Anti-Fog Coating

### 60X Longer-Lasting\* Fog-Free Performance

Foggy lenses are the number one challenge that users of safety eyewear face on the job. This revolutionary new lens coating is engineered to keep workers fog-free for longer than ever before. HydroShield has been tested under the most rigorous anti-fog tests in the world. The results are groundbreaking.

### CLEARER. LONGER. SAFER.

\*HydroShield was tested under the most stringent anti-fog standard in the world, the European EN 166/168 standard. Under this time-lapsed test, a lens is soaked in water for two hours to simulate the cumulative moisture lenses are subjected to over time from sweat, washing and work environments. After drying, steam is projected onto the lens and the time-to-fog is measured. During this test, HydroShield lenses remained fog-free 60X longer than our next best coating (for over 2 minutes).



**UVEX**  
by Honeywell

### Genesis® Safety Glasses with HydroShield™

Features dual 9-base curve, wraparound lenses for peripheral protection, flexible nosepiece fingers for reduced slippage, elastomer browguard for impact protection, and adjustable spatulite temples and lens inclination. Impact-resistant polycarbonate lenses block 99.9% of UV radiation. HydroShield anti-fog lens coating is permanently-bonded and provides up to 60X longer lasting fog-free performance, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance than our next best coating. Lifetime frame guarantee. Meets the ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. Lens tints meet Military V<sub>0</sub> Ballistic Test for Impact. 10/Box.




Page  
24

**UVEX**  
by Honeywell

## Uvex Protégé® Safety Glasses with HydroShield™

Proprietary Floating Lens™ technology offers increased flexibility for a more comfortable fit. Includes standard 6-base curve lens. Features expandable wraparound brow, ultra-lightweight design (only 25 grams), soft cushioned temple tip pads and soft nose pads. HydroShield anti-fog lens coating is permanently-bonded and provides up to 60X longer lasting fog-free performance, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance than our next best coating. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. Also meets Military V<sub>0</sub> Ballistic Test for Impact. 10/Box.



Page  
25

**UVEX**  
by Honeywell

## Genesis XC® Safety Glasses with HydroShield™

Features extended wraparound lens and soft, flexible nose fingers. Using Multi-Material Technology®, the frame cushions the points where eyewear contacts the face, brow, nose and ear. Adjustable temples and lens inclination for personal fit. HydroShield anti-fog lens coating is permanently-bonded and provides up to 60X longer fog-free performance, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance than our next best coating. Lifetime frame guarantee. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. Meets Military V<sub>0</sub> Ballistic Test for Impact. 10/Box.





**Page 26**

**UVEX**  
by Honeywell

### Uvex Livewire™ Sealed Eyewear with HydroShield™

Delivers the fit, performance and protection required in extreme environments, protecting workers against intense wind, sun, dirt, dust and debris, as well as high heat and humidity. Optimized design ensures excellent, comfortable fit for almost any wearer. Streamlined, wraparound frame design accommodates respirators and other PPE, while the low-profile temples fit comfortably with earmuffs. Foam-lined subframe is precision engineered to offer maximum comfort and a gap-free seal around the eyes to keep debris out. Padded temples are engineered to provide ideal tension and flex for superior comfort and fit. Ratcheting temples adjust lens angle by up to 15° for optimal coverage and air circulation. HydroShield anti-fog lens coating is permanently-bonded and provides up to 60X longer lasting fog-free performance, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance than our next best coating. Can be worn with a headband like a goggle or with temples like a spectacle. Highly adjustable, flame-resistant cloth headband provides an excellent fit and is latex-free. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

## Uvex Livewire™



Clear — Ideal for most indoor work applications



Espresso — minimizes strong outdoor sunlight and glare



Amber — ideal for low-light applications where enhanced contrast is needed



Gray — minimizes outdoor sunlight and glare



SCT-Reflect 50 — light mirror coating is ideal for varying light conditions



SCT-Gray — minimizes outdoor glare and offers true color recognition



SCT-Low IR — when peripheral IR protection is required



Shade 3.0 — welding shade for torch brazing operations



Shade 5.0 — welding shade for cutting operations



Uvex Livewire sealed eyewear comes complete with removable temples and headband.

### ORDERING INFORMATION

#### EYEWEAR

ITEM #	FRAME COLORS	LENS TINT	LENS COATING
S2600XP	Matte Black	Clear	Uvextreme Plus AF
S2600D	Matte Black	Clear	Dura-streme HC/AF
S2601XP	Matte Black	Espresso	Uvextreme Plus AF
S2602XP	Matte Black	Amber	Uvextreme Plus AF
S2604XP	Matte Black	SCT-Reflect 50	Uvextreme Plus AF
S2605XP	Matte Black	SCT-Gray	Uvextreme Plus AF
S2607XP	Matte Black	Shade 3.0	Uvextreme Plus AF
S2608XP	Matte Black	Shade 5.0	Uvextreme Plus AF
S2609XP	Matte Black	SCT-Low IR	Uvextreme Plus AF
S2620XP	Silver	Clear	Uvextreme Plus AF
S2621XP	Silver	Gray	Uvextreme Plus AF
S2624XP	Silver	SCT-Reflect 50	Uvextreme Plus AF
S2600HS	Matte Black	Clear	HydroShield AF
S2601	Matte Black	Espresso	HydroShield AF

Uvex® brand safety eyewear is offered for sale by Honeywell Safety Products exclusively in the Americas.



[uvex.us / livewire](http://uvex.us/livewire)

Build a culture of safety. Honeywell can help.  
To learn more visit [www.honeywellsafety.com/Culture](http://www.honeywellsafety.com/Culture)

**Honeywell**





Page  
40

## Uvex Stealth® Goggles with HydroShield™

Features lightweight, comfortable, low-profile design, and toric lenses for superior optics and peripheral vision. Unique lens system for quick and simple replacement. HydroShield anti-fog lens coating is permanently-bonded and provides up to 60X longer lasting fog-free performance, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance than our next best coating. Quick-adjust neoprene headband clips permit fast and easy fitting even on hard hats. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.



Page  
23



## Uvex Hypershock™ Safety Glasses

Delivers high-performance protection and aggressive sport-inspired styling. Full frame design offers high impact protection, with streamlined padded temples and a molded nosepiece for a secure, comfortable fit. Lightweight, wrap-around frame is engineered to fit a wide range of workers, providing increased coverage, side protection and superior peripheral vision. 100% Dielectric. Can be worn in environments where accidental exposure to electrical charge is possible. Available with Uvextreme Plus® anti-fog lens coating for superior, long-lasting fog free vision that lasts up to 10X longer and provides 2X better scratch resistance than our next best coating. Also offered with scratch-resistant hardcoat lens coating for long-lasting protection from scuffing, scratching, and a variety of chemicals. Meets ANSI Z87.1-2010 standard. 10/Box.





## Mack® Turbo

This 6" hiking style, lace up boot with steel toe is designed for the warehouse and transport industries. The Turbo features a reflective upper overlay in the heel to improve visibility in low light. Constructed of nubuck full grain leather and nylon mesh for durability and breathability. The combination of a cushioned PU midsole, HeelBevel and ForefootFlex helps ease the feet through a long day on the job. TPU Outersole provides heat resistance to 302° F. Includes scuff cup to improve durability in high wear zones. Water and slip-resistant. Steel toe. Fitting: Wide heel and arch region. Complies with ASTM F2413-11. Black.



Page  
145



## Mack® Rider

The 6" Rider is a lightweight, slip on boot made of cowhide full grain leather and double elastic gusset. Designed with a steel toe for protection and Cambrelle® lining to provide comfort, durability and moisture management. The high heat resistance rubber outersole (572° F) is ideal for workers exposed to sparks and molten material and require a quick exit. The Phylon cushioned midsole, PU innersole and ForefootFlex deliver flexibility and comfort. Water and slip-resistant. Steel toe. Fitting: High arched, narrow foot shape. Complies with ASTM F2413-11. Rocky brown or black.



Page  
146



## Mack® Rigger

The 11" Rigger slip on boot is built for petroleum, petrochemical, welders, boiler makers, riggers and other workers who need lace free protection. This stylish steel toe boot is designed with a padded ankle, collar and Cambrelle® lining offering comfort, durability and moisture management. The Phylon midsole provides premium cushioning and shock attenuation for a smooth ride. The TPU outersole is slip-resistant and provides high heat protection up to 527° F. Steel toe. Fitting: High arched, narrow foot shape. Complies with ASTM F2413-11. Rocky brown.



Page  
147





## Spectro™ Safety Glasses

Sporty wraparound frame design with non-slip adjustable rubber nosepiece. High-impact polycarbonate lenses with anti-fog and scratch-resistant coatings provide 99.9% UV protection. Meets current ANSI Z87.1+ standard. 12/Case.

Page  
23



Page  
28



## Vulcan™ Safety Glasses

Features foam padded browguard, detachable/adjustable elastic fabric strap, and non-slip rubber nosepiece. High-impact polycarbonate lenses with anti-fog and scratch-resistant coatings provide 99.9% UV protection. Meets current ANSI Z87.1+ standard. 12/Case.



Page  
92



## SHOWA® 306 Gloves

Nylon/polyester 13-gauge liner with engineered full foam breathable latex coating. Offers high levels of grip and abrasion resistance. Ideal for automotive, construction, maintenance, manufacturing and general purpose applications. 12 Pk/Cs.





## USS Defense® Safety Glasses

Sleek co-injected TPR over polycarbonate temples. Fixed closed cell foam-lined option available. Available with MAX6™ anti-fog coating, which is proven to provide six times greater fog-resistance and dissipation. Meets ANSI Z87+. Meets Military Ballistic High Velocity Standard. 12/Box.



Page  
31



## USS Defense Safety Glasses Premium Series Specification Sheet

Item No:	Lens Options:	Lens Coating:	Scratch Resistant:	VLT%:	Frame Color:	Temple Color:	Temple Sleeve:
UD119	Indoor / Outdoor	BossMan Mirror Duramass HC	Yes	48	Gun Metal	Gun Metal	Gray
UD11R	Fire Mirror	BossMan Mirror Duramass HC	Yes	9	Gun Metal	Gun Metal	Gray
UD11RZ	Fire Mirror	Polarized BossMan Mirror Duramass HC	Yes	9	Gun Metal	Gun Metal	Gray
UD120P	Clear	MAX3 Hard Coat	Yes	90	Trans Dark Blue	Trans Dark Blue	Gray
UD120PF	Clear	MAX6 Anti-Fog	Yes	90	Trans Dark Blue	Trans Dark Blue	Gray
UD122P	Gray	MAX3 Hard Coat	Yes	15	Trans Dark Blue	Trans Dark Blue	Gray
UD122PF	Gray	MAX6 Anti-Fog	Yes	15	Trans Dark Blue	Trans Dark Blue	Gray
UD128B	Blue Diamond Mirror	BossMan Mirror Duramass HC	Yes	12	Trans Dark Blue	Trans Dark Blue	Gray
UD128BZ	Blue Diamond Mirror	Polarized BossMan Mirror Duramass HC	Yes	12	Trans Dark Blue	Trans Dark Blue	Gray
UD129	Indoor / Outdoor	BossMan Mirror Duramass HC	Yes	48	Trans Dark Blue	Trans Dark Blue	Gray
UD210PF	Clear	MAX6 Anti-Fog	Yes	90	Black	Black	Black
UD212PF	Gray	MAX6 Anti-Fog	Yes	15	Black	Black	Black
UD2130G	Filter 3.0	Duramass Hard Coat	Yes	12	Black	Black	Black
UD2150G	Filter 5.0	Duramass Hard Coat	Yes	2	Black	Black	Black
UD217	Silver Mirror	BossMan Mirror Duramass HC	Yes	12	Black	Black	Black
UD219AF	Indoor / Outdoor	BossMan Mirror Duramass AF	Yes	48	Black	Black	Black





Page  
109

SHOWA

## SHOWA® CHM Gloves

Features neoprene-over-natural rubber construction for abrasion, tear and puncture resistance. Self-flushing, tractor-tread grip encourages runoff of fluids. Features 12" length, cotton flock liner and 26-mil thickness. Black with blue cuff. 12 Pk/Cs.



Page  
207

OccuNomix

## Classic Three-Way Black Bottom Bomber Jacket

Made of 100% ANSI polyester mesh with PU coating and 2" silver reflective tape. Features sealed seams, roll-away hood, (2) outer pockets, (1) inner pocket, (1) radio pocket, (1) pencil pocket, (2) mic tabs, and black bottom front, collar, cuffs and waistband. Waterproof. ANSI 107-2010 Class 3 compliant. Yellow.



TILLMAN™  
The Brand Pros Demand



Page  
138

## Combination FR Cotton Torso and DualTec FR Sleeves

Body made of 9 oz., 100% cotton, Westex® FR7A® cool and comfortable fabric. Designed to self-extinguish, and will not shrink, melt or drip molten residues. Flame-retardant and washable up to 50 home or 25 commercial washings. Features inside pocket and anodized button snaps to prevent arc flashback.

Sleeves made of 9 oz., 40% Twaron®/60% Lenzing FR® fabric. "Leather like" performance, but lighter and cooler. Permanently flame-retardant, and meets cut resistance standard EN388 Level 2. Meets NFPA Category 2 ARC resistance.

Designed for light-duty welding only. Must keep clean to insure protection.



Page  
93



## Jackson Safety\* G29 Solvent Gloves

Provides up to 4X longer protection against certain solvents, hydraulic fluids, oils and greases. Reduces the number of times gloves need to be replaced. Neoprene blend construction with textured fingertips for wet/dry grip. Silicone-free, powder-free. Features 12-mil thickness at fingers, 9-mil at palm and 12" length. 10 Bx/Cs.

The Jackson Safety\* G29 Solvent glove allows workers handling solvents to do their job in a safe and productive manner while providing a level of dexterity similar to thin mil gloves.

### FEATURES:

- 12-mil thick (at finger); 9 mil thick (at palm)
- 12" length
- Neoprene blend construction designed for protection from solvents
- Textured fingertips for wet or dry grip
- Ambidextrous to improve usage efficiency
- Silicone-free
- Powder-Free
- Not made with natural rubber latex
- Highest level of dexterity per EN420:2003 standard

### TYPICAL USES:

- Handling hydraulic fluids
- Working with solvents - see G29 Chemical selection Guide for list of chemicals
- Wiping down parts and machinery with solvents
- Janitorial cleaning



## Memphis™ Cut Pro™ Cut-Resistant Sleeves

Seamless knit liner offers excellent general purpose protection and provides comfortable abrasion and cut resistance. Made from 13-gauge HPPE/synthetic fiber. Ideal for agriculture, assembly, automotive, construction and material handling. ANSI cut level 2. 120/Cs.

Page  
105





Page  
165

**MSA Workman Arc Flash Harness** provides excellent arc flash protection in a sleek, black design that's lightweight and comfortable. It's the economical choice for workers needing protection for arc flash and fall arrest. The high strength nylon is designed to maintain its integrity after exposure to an arc flash and in the event of a fall. The Workman Arc Flash Harness is a cost effective option for safety managers and contractors who need to be compliant to the latest electrical requirements without breaking the budget.



## **Workman® Arc Flash Harness**

Designed to protect a worker during a fall after an arc-flash exposure at 40 cal/ cm<sup>2</sup>. Durable nylon material will not melt or drip in the event of an arc flash. Features steel back D-ring; Y-shaped D-locator pad that keeps torso straps off of the user's neck to prevent chafing; Velcro® lanyard keepers for lanyard stowage when not in use; and tongue-buckle leg straps. Arc Flash symbol for easy identification. Meets ANSI Z359.1, ASTM F887, OSHA 1910.269 and CSA Z259.10 requirements.



**TILLMAN™**  
The Brand From Demand

## **1493 Kevlar® TrueFit™ Ultra Gloves**

Top-grain goatskin back with added flame-resistant, Kevlar stretch inserts that flex with contours of hand, enhancing comfort and fit. No spandex. Padded top-grain goatskin double palm extends to base of fingers for added protection. Features double-reinforced fingertips, reinforced thumb and tapered cuff with internal elastic for a precise fit. Smaller hook-and-loop closure for less bulk and adjustability. Entirely Kevlar stitched for strength and flame resistance.





Page  
130



## Predator™ CT Cut-Resistant Gloves

Constructed with tire tread thermoplastic rubber (TPR) on back of hand and thumb for extra protection. Synthetic leather palm has unique polymer on finger tips, palm and thumb crotch for enhanced grip and abrasion resistance. Features red 2-way Spandex® back and hook-and-loop closure with ID pad. Ideal for automotive, carpentry, construction, material handling and oil/gas industry. ANSI cut level 2. 72 Pr/Cs.



## Predator™ Synthetic Leather Palm Gloves

Textured PU-coated synthetic leather palm offers enhanced grip and durability. Tire tread thermoplastic rubber (TPR) on back of hand and thumb for extra protection. Features hi-viz lime 2-way Spandex® back, reinforced thumb crotch and hook-and-loop closure with ID pad. Ideal for oil and gas industry, assembly, construction and landscaping. 72 Pr/Cs.

Page  
131




## Predator™ Cow Grain Leather Multi-Task Gloves

Made from brown synthetic leather back with premium cow grain leather palm and tire tread thermoplastic rubber (TPR) on back of hand and thumb for extra protection. Features grain leather reinforced thumb crotch and hook-and-loop closure with ID pad. Ideal for agriculture, automotive, construction, heavy equipment operator, landscaping and material handling. 72 Pr/Cs.



## Predator™ Multi-Task Gloves

Features synthetic leather palm with black 2-way Spandex® back, tire tread thermoplastic rubber (TPR) on back of hand, polymer pads on fingertips, palm and thumb crotch and hook-and-loop closure with ID panel. Ideal for agriculture, automotive, construction, mechanics and warehousing. 72 Pr/Cs.



Page  
188



## KleenGuard\* A45 Liquid and Particle Protection Coveralls

TAA-compliant protective apparel constructed with Reflex\* design. Features snap front closure and open wrists and ankles. All components are specified as silicone-free. Contains no components made from natural rubber latex. Passes NFPA 99 for anti-static materials. White.



Page  
233



## Kimtech\* Wettask\* Dual Performance Wiping System

Innovative wipes feature a purple, textured side to make cleaning hard to remove substances easier. Use white side for regular cleaning and purple side for tougher jobs when extra scrubbing power is needed. Leaves surfaces looking and feeling cleaner. Measures: 12" x 12.5".



## Tuff Nougies® Doo Rags

Made of 100% absorbent cotton fabric with rear ties for secure fit and double layer of cotton around forehead for added comfort and absorption. FR versions are flame-resistant through 50 home washes. Universal.



Page  
58

## MOLDEX MX-5 and MX-6 Earmuffs



Features soft cushion-ribbed open air headband for cool comfort all day long. Overmolded headband is durable for rugged wear over many shifts. Larger ear cushions allow freedom to fit almost all ears comfortably. Lightweight wire frame allows easy cup adjustment yet holds its position for lasting comfort. Cool looks and comfort to promote worker acceptance and compliance. Extra soft foam/low pressure cushions and headband are PVC-free. Glossy surface for easy cleaning and longer wear. MX-6 features exclusive waffled cup foam for superior NRR protection. 10/Case.

### MX SERIES COOL LOOK, COOL COMFORT



6130 MX-6



The MX-5 and MX-6 are a cool and comfortable upgrade in earmuffs. The larger cup openings are designed to fit most ear sizes. The cushion-ribbed headband allows cool comfort all day long and the non-slip wire makes adjustments easy. The MX-5 and MX-6 are easy to wear and durable, have a sharp, cool look and increase compliance.

### MX-5 AND MX-6

- Soft cushion-ribbed open air headband for cool comfort all day long
- Overmolded headband is durable for rugged wear over many shifts
- Larger ear cushions allow freedom to fit almost all ears comfortably
- Lightweight wire frame allows easy cup adjustment yet holds its position for lasting comfort
- Cool looks and comfort to promote worker acceptance and compliance
- Extra soft foam/low pressure cushions and headband are PVC-Free
- Glossy surface for easy cleaning and longer wear
- Independently tested for protection you can count on
- MX-6 features exclusive waffled cup foam for superior protection
- PVC-Free for a greener alternative

Page  
73



6120 MX-5





## ExoFit™ XP Arc Flash Harnesses

Designed in the shape of an "X" that wraps around for the ultimate in no-tangle donning and comfort, while soft edging prevents rubbing or chafing. Made of soft, lightweight, yet extremely durable 7,000-lb. nylon. Ergonomic Nomex®/Kevlar® back, shoulder and leg padding provides ultimate comfort and is even removable. Features back and front rescue web loops, pass-through buckles, and PVC-coated hardware. Capacity: 310 lbs. Arc flash-resistant up to 40 cal/cm², ASTM F887-04 compliant. Meets or exceeds all applicable OSHA regulations and ANSI Z359.11 standard.

Page  
159

## ExoFit™ XP Arc Flash Harness

ExoFit™ XP delivers the ultimate in comfort. It is the culmination of our experience including the original comfort harness ExoFit™, ongoing research, new materials and innovative features. Its design incorporates a single piece of material that wraps around you in the shape of an X, for the ultimate in no-tangle donning and comfortable security. Its state-of-the-art 3-D mesh lining allows moisture to evaporate and cool air to circulate throughout the shoulder, back, hip and leg pads. This padding is removable and completely washable. XP materials are soft and lightweight, yet extremely durable.

### FEATURES:

**Removable Nomex®/Kevlar® fiber shoulder, back and leg comfort padding**

**PVC coated back D-ring**

**PVC coated pass-thru buckle leg straps**

**PVC coated pass-thru torso buckles**

**Nomex/Kevlar fiber webbing**

**Protected labels, equipped with i-Safe™**



## Single Serve Hot Stik Tubes

Each great-tasting serving is filled with essential electrolytes, minerals and vitamins to help to stimulate the body and keep it protected during increased exposure to the cold. Green Tea has a natural caffeine content of 13.7 mg per stick. Available in Apple Cider, Green Tea and Orange Spice. Yield: .16 oz. makes 8-10 oz. drink. 10 Stiks/tube, 20 tubes/case.

Page 201



Page 111



## Astro Grip™ Nitrile Gloves

Made from 6-mil nitrile with dual-sided scale grip and beaded cuff. Bright orange for high visibility while offering superior puncture and abrasion resistance. Free from latex and powders. Orange. 100/Bx. 10 Bx/Cs.



Page 177



## Powerboat™ Flotation Jackets


Bomber-style float coat incorporates comfortable fit with improved wrist and waistband that will not expand as it gets wet. Water-resistant construction and design. Features soft Suisse Aire™ foam with coated nylon outer shell, multiple pockets with hook-and-loop closure, (4) outside pockets, sleeve utility pocket, inside chest pocket, and 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755. Includes internal adjustable belt for secure fit. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III.





# PPE Safety Products

Personal protective equipment, commonly referred to as "PPE", is equipment worn to minimize exposure to serious workplace injuries and illnesses. These injuries and illnesses may result from contact with chemical, radiological, physical, electrical, mechanical, or other workplace hazards. Personal protective equipment may include items such as gloves, safety glasses and shoes, earplugs or muffs, hard hats, respirators, or coveralls, vests and full body suits.







**Eye Protection**  
22 – 45



**Head & Face Protection**  
46 – 59



**Hearing Protection**  
60 – 73



**Respiratory Protection**  
74 – 89



**Hand Protection**  
90 – 131



**Welding & FR Safety**  
132 – 141



**Footwear**  
142 – 149



**Ergonomics**  
150 – 153



**Fall Protection**  
154 – 173



**Water Safety**  
174 – 179



**Protective Clothing**  
180 – 193



**Cold Weather Gear**  
194 – 201



**Hi-Viz Apparel**  
202 – 207





# Eye Protection

Ensuring employee safety is required! Training and proper fitting of protective eyewear is key in preventing eye injuries. Eyewear must be selected specifically for and best suited to the tasks.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.



## Uvex HydroShield™ Anti-Fog coating Clearer. Longer. Safer.

HydroShield is a groundbreaking anti-fog lens coating, our best ever. Permanently bonded to the lens, HydroShield requires no application and no maintenance. Its dual-action properties work together by first absorbing and then repelling moisture away from the lens once a saturation point has been reached.

HydroShield Anti-Fog Coating is available only from Uvex, on these top selling eye protection products.

**Uvex Genesis®** - Engineered for comfort, protection and style. Built with MMT—Multi-Material Technology® and a high level of adjustability, Genesis provides workers with extraordinary all-day comfort and raises the bar on compliance

**Uvex Genesis XC®** - The all-in-one solution in protective eyewear, Genesis XC eyewear sets the standard for extra coverage and extra comfort on the job. Its design extends protection and offers more than 180 degrees of peripheral coverage. Additionally, its ergonomically balanced MMT — MultiMaterial Technology® frame provides exceptional all-day comfort. With the Rx lens insert, it offers an alternative for workers requiring vision correction

**Uvex Protégé®** - Designed with proprietary Uvex® Floating Lens® technology, an expandable wrap-around brow, soft temple tip pads and nose piece, the Uvex Protégé provides workers with exceptional comfort and flexible style. The Uvex Protégé delivers sport-styling, lightweight comfort and flexible design — all weighing less than an ounce. Comfort never felt so light.

**Uvex Livewire®** - Uvex Livewire Sealed Eyewear is ENGINEERED for the EXTREME to deliver fit, performance and protection required in extreme environments. With a simple temple-to-headband exchange system that makes switching between temples or headband quick and easy, Uvex Livewire protects workers against intense wind, sun, dirt, dust and debris, as well as high heat and humidity.

**Uvex Stealth®** - Never before have goggles offered such comfort and protection as well as sleek, futuristic styling. The Uvex Stealth goggle combines modern design, technology, materials and high-performance lens coatings to create the highest levels of worker comfort and acceptance. One of the most popular goggles on the market, the Uvex Stealth makes it easy — even fashionable — to wear goggles on the job.

[www.uvex.us](http://www.uvex.us)

**Honeywell**





## Uvex Hypershock™ Safety Glasses

Delivers high-performance protection and aggressive sport-inspired styling. Full frame design offers high impact protection, with streamlined padded temples and a molded nosepiece for a secure, comfortable fit. Lightweight, wrap-around frame is engineered to fit a wide range of workers, providing increased coverage, side protection and superior peripheral vision. 100% Dielectric. Can be worn in environments where accidental exposure to electrical charge is possible. Available with Uvextreme Plus® anti-fog lens coating for superior, long-lasting fog free vision that lasts up to 10X longer and provides 2X better scratch resistance than competitive anti-fog coated products. Also offered with scratch-resistant hardcoat lens coating for long-lasting protection from scuffing, scratching, and a variety of chemicals. Meets ANSI Z87.1-2010 High Impact standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S2951XP	341597571	Matte black	SCT-Blue, Uvextreme Plus	Ea
S2960XP	341597581	Smoke brown	Clear, Uvextreme Plus	Ea
S2961XP	341597591	Smoke brown	Espresso, Uvextreme Plus	Ea
S2964	341597611	Smoke brown	Gold mirror, hardcoat	Ea
S2969	341597621	Smoke brown	Espresso polarized, hardcoat	Ea
S2970XP	341597631	Clear ice	Clear, Uvextreme Plus	Ea
S2974	341597641	Clear ice	Red mirror, hardcoat	Ea
S2975	341597651	Clear ice	Blue mirror, hardcoat	Ea



## Genesis® Safety Glasses with HydroShield™

Features dual 9-base curve, wraparound lenses for peripheral protection, flexible nosepiece fingers for reduced slippage, elastomer browguard for impact protection, and adjustable spatulite temples and lens inclination. Impact-resistant polycarbonate lenses block 99.9% of UV radiation. HydroShield anti-fog coating is permanently-bonded and lasts up to 60X longer than other anti-fog lens coatings, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance than competitive anti-fog coated products. Lifetime frame guarantee. Meets the ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. Meets Military V<sub>0</sub> Ballistic Test for Impact. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S3200HS	314032001	Black	Clear, HydroShield	Ea
S3201HS	314032011	Black	Espresso, HydroShield	Ea



## Genesis® Safety Glasses

Features dual 9-base curve, wraparound lenses for peripheral protection, flexible nosepiece fingers for reduced slippage, elastomer browguard for impact protection, and adjustable spatulite temples and lens inclination. Impact-resistant polycarbonate lenses block 99.9% of UV radiation. Lenses available with Uvextreme® anti-fog coating, Ultra-dura® hardcoat, or Infra-dura® welding tint. Lifetime frame guarantee. Meets the ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. Clear, Espresso, Amber, and Gold Mirror lens tints meet Military V<sub>0</sub> Ballistic Test for Impact. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S3200	341532271	Black	Clear, Ultra-dura	Ea
S3200X	341532281	Black	Clear, Uvextreme	Ea
S3201	341532291	Black	Espresso, Ultra-dura	Ea
S3201X	341532301	Black	Espresso, Uvextreme	Ea
S3202	341532311	Black	Amber, Ultra-dura	Ea
S3203	341532331	Black	Gold mirror, Ultra-dura	Ea



ITEM #	ORDER #	FRAME	LENS	UOM
S3207	341532371	Black	Shade 3.0 Infra-dura, Ultra-dura	Ea
S3208	341532381	Black	Shade 5.0 Infra-dura, Ultra-dura	Ea
S3209	341532391	Black	SCT-Low IR, Ultra-dura	Ea
S3240	341532511	Vapor blue	Clear, Ultra-dura	Ea
S3240X	341532521	Vapor blue	Clear, Uvextreme	Ea





### Spitfire® Safety Glasses

Features a dual 9-base, wraparound unilens design for superior optical clarity and peripheral protection. Frameless design uses flexible adjustments for temple length and spatulate temples for comfort. Impact-resistant, replaceable polycarbonate lenses absorb greater than 99.9% of UV rays and are available with either Uvextreme® anti-fog coating or Ultra-dura® hardcoat. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S1800X	341531031	Spitfire	Black	Clear, Uvextreme	Ea
S1801	341531041	Spitfire	Black	Espresso, Ultra-dura	Ea



### Uvex Astrospec 3000® Safety Glasses

Sport-styled, protective eyewear offers single, panoramic, polycarbonate lens with molded sideshields and browguard.

Features adjustable temples, patented adjustable lens inclination, and universal nosebridge. Choose from standard flat spatula or soft cushioned Duoflex® temple styles. Lenses available with Uvextreme® anti-fog coating, Ultra-dura® hardcoat, and Infra-dura® welding tint. Lifetime frame guarantee. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. Clear lens meets Military V<sub>0</sub> Ballistic Test for Impact. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
<b>Astrospec 3000, Spatula Temple</b>				
S135	341530621	Black	Clear, Ultra-dura	Ea
S1112	341530471	Black	Shade 5.0 Infra-dura, Ultra-dura	Ea
<b>Astrospec 3000, Duoflex Temple</b>				
S1359	341530641	Black	Clear, Ultra-dura	Ea
S1359C	341530651	Black	Clear, Uvextreme	Ea



### Uvex Astro OTG® 3001 Safety Glasses

"Over-the-Glass" style provides an economical alternative to prescription eyewear. Features soft Duoflex® cushioned temples, adjustable ratchet lens inclination, universal nosebridge, and single panoramic polycarbonate lens with molded sideshields and browguard. Lenses available with Uvextreme® anti-fog coating, Ultra-dura® hardcoat, and Infra-dura® welding tint. Lifetime frame guarantee. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. Clear and Gray lens tints meet Military V<sub>0</sub> Ballistic Test for Impact. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S2500	341531611	Black	Clear, Ultra-dura	Ea
S2500C	341531621	Black	Clear, Uvextreme	Ea
S2504	341531651	Black	Gray, Ultra-dura	Ea
S2508	341531701	Black	Shade 3.0 Infra-dura, Ultra-dura	Ea
S2509	341531711	Black	Shade 5.0 Infra-dura, Ultra-dura	Ea



### Uvex Protégé® Safety Glasses with HydroShield™

Proprietary Floating Lens™ technology offers increased flexibility for a more comfortable fit. Includes standard 6-base curve lens. Features expandable wraparound brow, ultra-lightweight design (only 25 grams), soft cushioned temple tip pads and soft nose pads. HydroShield anti-fog coating is permanently-bonded and lasts up to 60X longer than other anti-fog lens coatings, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance than competitive anti-fog coated products. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. Meets Military V<sub>0</sub> Ballistic Test for Impact. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S4200HS	314042001	Metallic black	Clear, HydroShield	Ea
♦ S4201HS	314042011	Metallic black	Gray, HydroShield	Ea



### Uvex Protégé® Safety Glasses

Proprietary Floating Lens™ technology offers increased flexibility for a more comfortable fit. Includes standard 6-base curve lens. Features expandable wraparound brow, ultra-lightweight design (only 25 grams), soft cushioned temple tip pads and soft nose pads. Lenses available with Uvextreme® anti-fog coating or Ultra-dura® hardcoat. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. Meets Military V<sub>0</sub> Ballistic Test for Impact. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S4200	341533181	Metallic black	Clear, Ultra-dura	Ea
S4200X	341533191	Metallic black	Clear, Uvextreme	Ea
S4201	341533221	Metallic black	Gray, Ultra-dura	Ea
S4201X	341533231	Metallic black	Gray, Uvextreme	Ea
S4202	341533261	Metallic black	SCT-Reflect 50, Ultra-dura	Ea




## Uvex Instinct™ Safety Glasses

Provides high-performance protection with a sleek design and lightweight frame, featuring a variety of adjustability features for a comfortable, customized fit. Equipped with a dual, 7-base wraparound lens for uncompromised peripheral vision, with a fully integrated, cushioned browguard to comfortably diffuse and deflect impact energy. Ratcheting temples, flexible nosepiece and padded temple tips provide a comfortable, tension free fit. Available with Uvextreme® Plus anti-fog lens coating for superior fog-free vision that lasts up to 10X longer and provides 2X better scratch-resistance than competitive anti-fog coated products. Also offered with Supra-Dura® anti-scratch lens coating for high-particulate environments where lens scratching is a severe problem. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. Meets Military V<sub>0</sub> Ballistic Test for Impact. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S2820	341569701	Matte black	Clear, Supra-Dura	Ea
♦ S2820XP	341569711	Matte black	Clear, Uvextreme Plus	Ea
S2821	341569721	Matte black	Gray, Supra-Dura	Ea
♦ S2821XP	341569731	Matte black	Gray, Uvextreme Plus	Ea
♦ S2822	341569741	Matte black	Amber, Supra-Dura	Ea

ITEM #	ORDER #	FRAME	LENS	UOM
♦ S2822XP	341569751	Matte black	Amber, Uvextreme Plus	Ea
♦ S2823	341569761	Matte black	Blue mirror, Supra-Dura	Ea
♦ S2824	341569771	Matte black	SCT-Reflect 50, Supra-Dura	Ea
S2825XP	341569781	Matte black	SCT-Gray, Uvextreme Plus	Ea
♦ S2829XP	341569791	Matte black	SCT-Low IR, Uvextreme Plus	Ea



**Genesis XC® Safety Glasses with HydroShield™**

Features extended wraparound lens and soft, flexible nose fingers. Using Multi-Material Technology®, the frame cushions the points where eyewear contacts the face, brow, nose and ear. Adjustable temples and lens inclination for personal fit. HydroShield anti-fog coating is a permanently-bonded, anti-fog lens coating that lasts up to 60X longer than other anti-fog lens coatings, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance than competitive anti-fog coated products. Lifetime frame guarantee. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. Meets Military V<sub>0</sub> Ballistic Test for Impact. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S3300HS	314033001	Black	Clear, HydroShield	Ea
♦ S3301HS	314033011	Black	Gray, HydroShield	Ea



## Tomcat® Safety Glasses

Sleek, sporty wraparound metal frame design is lightweight and durable. Includes adjustable saddle nose pads for improved fit and flexible rubber temple grips for increased comfort. Dual, 10-base curve, impact-resistant polycarbonate lenses feature anti-scratch hardcoat and absorb greater than 99.9% of UVA and UVB. Meets ANSI Z87.1+ High Impact standard. 10/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
S2450	341531571	Gunmetal	Clear, anti-scratch	Ea
S2451	341531581	Gunmetal	Gray, anti-scratch	Ea
S2453	341531591	Gunmetal	Silver mirror, anti-scratch	Ea
S2454	341531601	Gunmetal	SCT-Reflect 50, anti-scratch	Ea




## Genesis XC® Safety Glasses

Features extended wraparound lens and soft, flexible nose fingers. Using Multi-Material Technology®, the frame cushions the points where eyewear contacts the face, brow, nose and ear. Adjustable temples and lens inclination for personal fit. Lenses available with Uvextreme® anti-fog coating or Ultra-dura® hardcoat. Lifetime frame guarantee. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. Meets Military V<sub>0</sub> Ballistic Test for Impact. 10/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
S3300	341532621	Black	Clear, Ultra-dura	Ea
S3300X	341532631	Black	Clear, Uvextreme	Ea

**UVEX**  
by Honeywell

**Bandit™ Safety Glasses**

Sporty design features contemporary wraparound styling with molded-in sideshields and browguards. Lenses coated with Ultra-dura® hardcoat (enhanced chemical and scratch resistance). Adjustable spatulite temples ensure comfortable, custom fit. Lifetime frame guarantee. Meets ANSI Z87.1+ High Impact standard. Meets Military V<sub>0</sub> Ballistic Test for Impact. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S1600	341530791	Black	Clear, Ultra-dura	Ea
S1601	341530811	Black	Amber, Ultra-dura	Ea
S1603	341530821	Black	Espresso, Ultra-dura	Ea
S1604	341530841	Black	Gold mirror, Ultra-dura	Ea



## Skyper® Safety Glasses

Polycarbonate unilens and wraparound sideshields provide peripheral vision. Includes simple lens replacement system and adjustable Duoflex® temples. Lenses coated with Ultra-dura® hardcoat. Lifetime frame guarantee. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. Meets Military V<sub>0</sub> Ballistic Test for Impact. 10/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
S1900	341531091	Black	Clear, Ultra-dura	Ea



## UVEX Livewire™ Sealed Eyewear with HydroShield™

Delivers the fit, performance and protection required in extreme environments, protecting workers against intense wind, sun, dirt, dust and debris, as well as high heat and humidity. Optimized design ensures excellent, comfortable fit for almost any wearer. Streamlined, wraparound frame design accommodates respirators and other PPE, while the low-profile temples fit comfortably with earmuffs. Foam-lined subframe is precision engineered to offer maximum comfort and a gap-free seal around the eyes to keep debris out. Padded temples are engineered to provide ideal tension and flex for superior comfort and fit. Ratcheting temples adjust lens angle by up to 15° for optimal coverage and air circulation. HydroShield anti-fog coating is permanently-bonded and lasts up to 60X longer than other anti-fog lens coatings, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance than competitive anti-fog coated products. Can be worn with a headband like a goggle or with temples like a spectacle. Highly adjustable, flame-resistant cloth headband provides an excellent fit and is latex-free. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
S2600HS	314032001	Matte black	Clear, HydroShield	Ea
S2601HS	314032011	Matte black	Espresso, HydroShield	Ea



## UVEX Seismic® Sealed Eyewear

Contemporary, flexible design can be worn with or without the removable temples. Includes flame-resistant, adjustable headband and cushioned subframe. Protects against impact, sun, wind, dust and airborne debris, making it ideal for dirty, high-particulate work environments. Includes soft nasal pads, face cushioning and padded temple tips. Wraparound 8-base dual-lens style for maximum peripheral coverage. Available with Uvextra® anti-fog or hardcoat anti-scratch coating options. Top and bottom indirect ventilation helps to minimize fogging. Meets ANSI Z87.1+ High Impact standard for use with and without cushion-lined frame. Certified to the requirements of the CSA Z94.3 standard only with subframe in place. 10/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
S0600	341560741	Black	Clear, anti-scratch	Ea
S0600X	341558841	Black	Clear, Uvextra	Ea
S0604X	341559391	Black	SCT-Reflect 50, Uvextra	Ea
S0620X	341539181	Metallic blue	Clear, Uvextra	Ea



## UVEX Ambient™ OTG Safety Glasses

Stylish alternative to prescription safety glasses offers "Over-the-Glass" coverage. Available in two sizes which fit over a variety of Rx eyewear; medium lens is 13% smaller than the large. Lightweight, wraparound, unilens design offers peripheral protection, cushioned nose piece, bendable wire-core temples for flexibility and soft nasal fingers to minimize slippage. Ratcheting temples with 3-position lens inclination for custom fit. Ultra-dura® anti-scratch lens hardcoat. Easy lens replacement. Size large. Lifetime frame guarantee. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
S3150	341559561	Blue	Clear, Ultra-dura	Ea



## A400 Series Safety Glasses

Lightweight protection offers sporty, 1-piece, wraparound unilens made of 100% impact-resistant polycarbonate. Provides over 99.9% UV protection. Features durable frame with integrated side protection and universal nosebridge. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
A400	341529321	Clear	Clear, hardcoat	Ea
A401	341529331	Gray	Gray, hardcoat	Ea
A403	341529351	Gray	Silver mirror, hardcoat	Ea





## Uvex Livewire™ Sealed Eyewear

Delivers the fit, performance and protection required in extreme environments, protecting workers against intense wind, sun, dirt, dust and debris, as well as high heat and humidity. Optimized design ensures excellent, comfortable fit for almost any wearer. Streamlined, wraparound frame design accommodates respirators and other PPE, while the low-profile temples fit comfortably with earmuffs. Foam-lined subframe is precision engineered to offer maximum comfort and a gap-free seal around the eyes to keep debris out. Padded temples are engineered to provide ideal tension and flex for superior comfort and fit. Ratcheting temples adjust lens angle by up to 15° for optimal coverage and air circulation. Uvextreme Plus® anti-fog lens coating provides long-lasting, fog-free vision. Can be worn with a headband like a goggle or with temples like a spectacle. Highly adjustable, flame-resistant cloth headband provides an excellent fit and is latex-free. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S2600XP	341563841	Livewire	Matte black	Clear, Uvextreme Plus	Ea
S2601XP	341592641	Livewire	Matte black	Espresso, Uvextreme Plus	Ea
S2602XP	341592651	Livewire	Matte black	Amber, Uvextreme Plus	Ea
S2604XP	341592661	Livewire	Matte black	SCT-Reflect 50, Uvextreme Plus	Ea
S2607XP	341592681	Livewire	Matte black	Shade 3.0, Uvextreme Plus	Ea
S2608XP	341592691	Livewire	Matte black	Shade 5.0, Uvextreme Plus	Ea
S2609XP	341592701	Livewire	Matte black	SCT-Low IR, Uvextreme Plus	Ea



S2600XP



S2602XP



S2608XP



T5900LTK



## Adaptec™ Safety Glasses

Each temple hinge ratchets to seven positions for 30° of custom adjustability allowing lens to be angled for optimal eye protection and ideal space for air circulation. Adjustable nosebridge centers eyes to reduce fatigue. Self-adjusting nose pads add to worker comfort. Features vented, cushioned frame and easy-to-replace lenses. The 4A lens coating ensures excellent anti-fog, anti-static and scratch-resistant properties plus 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER #	SIZES	FRAME	LENS	UOM
T5900LTK	347690561	Regular	Black/red	Clear	Ea

ITEM #	ORDER #	SIZES	FRAME	LENS	UOM
T5900WTK	347690631	Wide	Black/red	Clear	Ea



## Uvex Tirade™ Sealed Eyewear

Offers protection in high particulate environments where dust, dirt and debris present the risk of eye injury. Features a large unilens design for a wide field of unobstructed peripheral vision, and a soft foam subframe to ensure a comfortable gap-free fit. Indirect ventilation channels on the foam and subframe provide superior dust filtration keeping debris out of the eyes. Quick-release hinge system converts easily from temples to headband. Available in a variety of lens tints with Uvextra® anti-fog lens coating. Dependable, cost-effective solution for indoor and outdoor environments requiring sealed eyewear protection. Removable temples and standard adjustable headband included; hypoallergenic latex-free option available. 100% Non-conductive dielectric design. Can be worn in environments where accidental exposure to electrical charge is possible. Meets the ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard (with and without foam subframe in place). Not for chemical splash applications. 10/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S4040	341564881	Tirade	Gloss black	Clear, Uvextra	Ea
S4041	341569801	Tirade	Gloss black	Gray, Uvextra	Ea
S4042	341569811	Tirade	Gloss black	Amber, Uvextra	Ea
S4043	341569821	Tirade	Gloss black	Silver mirror, Uvextra	Ea
S4044	341569831	Tirade	Gloss black	SCT-Reflect 50, Uvextra	Ea
S4049	341569841	Hypo-allergenic, latex-free fabric headband			Ea



S4041

S4042



A801

A804

A805

## A800 Series Safety Glasses

Features sports-styled temples, extra flexible, padded inserts and soft nose piece for a non-slip fit. The 9-base curve, polycarbonate, hardcoated lens provides 180° field of distortion-free vision and 99.9% UV protection. Available with the Uvextra® anti-fog lens coating that minimizes fogging. Meets ANSI Z87.1-2010 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
A800	341529431	Clear	Clear, hardcoat	Ea
A801	341529441	Gray	TSR® gray, hardcoat	Ea
A804	341529451	Gray	Silver mirror, hardcoat	Ea
A805	341529461	Clear	Clear, Uvextra	Ea



## A700 Series Safety Glasses

Lightweight design with sport temples and soft temple tip pads provide secure, wraparound fit. Features molded universal nosebridge, 9-base polycarbonate hardcoated lenses that provide 180° field of distortion-free vision, and optional Uvextra® coating that minimizes lens fogging. Provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
A700	341529371	Clear	Clear, hardcoat	Ea
A701	341529381	Gray	TSR® gray, hardcoat	Ea
A702	341529391	Amber	Amber, hardcoat	Ea
A703	341529401	Gray	Blue mirror, hardcoat	Ea
A704	341529411	Gray	I/O mirror, hardcoat	Ea
A705	341529421	Clear	Clear, Uvextra	Ea



## Ultra-spec® 2001 OTG Safety Glasses

Lightweight, "Over-the-Glass," unilens design fits over Rx eyewear. Features adjustable Duoflex® spatula temples to provide an added level of comfort and a wraparound design with browguards and sideshields. Lenses coated with Ultra-dura® hardcoat. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
S0112	341529931	Clear	Clear, Ultra-dura	Ea



## Ultra-spec® 2000 Safety Glasses

Polycarbonate, wraparound, unilens design is lightweight and impact-resistant. Adjustable spatula temple length provides added comfort. Lenses are available with either Uvextreme® anti-fog coating or Ultra-dura® hardcoat (enhanced chemical and scratch resistance). Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
S0250X	341529971	Clear	Clear, Uvextreme	Ea
S0300	341530001	Clear	Clear, Ultra-dura	Ea
S0360X	341530031	Orange	SCT-Orange, Uvextreme	Ea



## VX9™ Safety Glasses

Sporty wraparound frame design with non-slip rubber nose piece and temples. High-impact polycarbonate lenses with anti-fog and scratch-resistant coating provide 99.9% UV protection. Meets current ANSI Z87.1+ standard. 12/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
5510-01	G73579871	Black	Clear	Ea
5510-02	G73579891	Black	Gray	Ea
♦ 5510-03	G73579901	Black	Yellow	Ea
♦ 5510-04	G73579911	Black	Smoke mirror	Ea



More Safety Eyewear  
in Welding, Page 135.



## Vulcan™ Safety Glasses

Features foam padded brow guard, detachable/adjustable elastic fabric strap, and non-slip rubber nose piece. High-impact polycarbonate lenses with anti-fog and scratch-resistant coating provide 99.9% UV protection. Meets current ANSI Z87.1+ standard. 12/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
5512-01	G73579961	Black	Clear	Ea
5512-02	G73579971	Black	Gray	Ea
♦ 5512-03	G73579981	Black	Yellow	Ea
♦ 5512-04	G73579991	Black	Smoke mirror	Ea



## Spectro™ Safety Glasses

Sporty wraparound frame design with non-slip adjustable rubber nose piece. High-impact polycarbonate lenses with anti-fog and scratch-resistant coating provide 99.9% UV protection. Meets current ANSI Z87.1+ standard. 12/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
5511-01	G73579921	Black	Clear	Ea
5511-02	G73579931	Black	Gray	Ea
♦ 5511-03	G73579941	Black	Yellow	Ea
♦ 5511-04	G73579951	Black	Smoke mirror	Ea



### NSX™ Turbo Safety Glasses

Lightweight, high-impact polycarbonate lens with wraparound design and scratch-resistant coating. Provides 99.9% UV protection. No slip temples. Meets current ANSI Z87.1+ standard. 12/Case.

ITEM #	ORDER #	LENS	UOM
5330	G73553301	Clear	Ea
5331	G73553311	Gray	Ea
♦ 5332	G73553321	Yellow	Ea
♦ 5333	G73553331	Light blue	Ea
5334	G73553341	I/O mirror	Ea



### Diamondbacks™ Safety Glasses

Features wraparound design and non-slip nose piece and temples. High-impact polycarbonate lenses with scratch-resistant and anti-fog coatings provide 99.9% UV protection. Meets current ANSI Z87.1+ standard. 12/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
540-0200	G73502001	Black	Clear	Ea
540-0203	G73502031	Black	Smoke mirror	Ea



### Backdraft® Safety Glasses

Lightweight, contoured frameless design features soft TPR internal sideshields for an added layer of protection from particles or debris, and also added comfort and stability. Dielectric. Lenses coated with MAX6™ anti-fog coating. Dielectric break away cord included. Meets ANSI Z87+. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
BD110PF	331441891	Backdraft	Gun metal	Clear, anti-fog	Ea
♦ BD112PF	331442391	Backdraft	Gun metal	Gray, anti-fog	Ea



### NSX™ Safety Glasses

Lightweight, high-impact polycarbonate lens with wraparound design and anti-fog, scratch-resistant coating on NSX models; NSX econo does not have anti-fog or scratch-resistant lens coating. Provides 99.9% UV protection. Meets current ANSI Z87.1+ standard. 12/Case.

ITEM #	ORDER #	DESCRIPTION	LENS	UOM
5340	G73553401	NSX	Clear	Ea
5341	G73553411	NSX	Yellow	Ea
5342	G73553421	NSX	Orange	Ea
♦ 5343	G73553431	NSX	Gray	Ea
5344	G73553441	NSX	Gold mirror	Ea
5346	G73553461	NSX	Shade 5.0	Ea
5347-00	G7358004	NSX econo visitor spec	Clear	100/Bx



### Zion X™ Safety Glasses

Features indirect ventilated rubber seal and adjustable elastic fabric 1" head strap. High-impact polycarbonate lenses with anti-fog and scratch-resistant coating provide

99.9% UV protection. Meets current ANSI Z87.1+ standard. 12/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
♦ 5104-01	G73580001	Black	Clear	Ea
5104-02	G73580011	Black	Gray	Ea
5104-03	G73580021	Black	Yellow	Ea
♦ 5104-04	G73580031	Black	Smoke mirror	Ea



### Yukon® and Yukon XL® Visitor Glasses

Low-cost safety eyewear for temporary workers or visitors. Features contemporary, wraparound style, increased angular coverage, improved peripheral vision, molded-in browguard, and vented sideshields. Uncoated for extra cost savings. Yukon XL is an enlarged version which can be worn over regular Rx eyewear. Meets ANSI Z87.1+ High Impact standard. 12/Box.



ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
9800	331405321	Yukon	Clear	Clear, uncoated	Ea
9800XL	331405351	Yukon XL	Clear	Clear, uncoated	Ea





## BearKat® Safety Glasses

Popular "frameless" safety glasses feature wide, 1-piece wraparound, polycarbonate lens for unobstructed vision and close fit. Flexible, bayonet temples and black, rubber temple sleeves for use with breakaway cords. Treated with Duramass® scratch-resistant coating; also available with Duramass A4 anti-fog coating. Provide 99.9% UV protection. Smaller sizes available for smaller face shapes. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
BK110	331401111	BearKat	Frost	Clear, anti-scratch	Ea
BK110AF	331400211	BearKat	Frost	Clear, anti-scratch, anti-fog	Ea
BK112	331400221	BearKat	Frost black	Gray, anti-scratch	Ea
BK112AF	331400231	BearKat	Frost black	Gray, anti-scratch, anti-fog	Ea
BK113	331400241	BearKat	Frost blue	Light blue, anti-scratch	Ea
BK114	331401141	BearKat	Translucent yellow	Amber, anti-scratch	Ea
BK117	331411171	BearKat	Frost black	Silver mirror, anti-scratch	Ea
BK118	331400251	BearKat	Smoke	Blue mirror, anti-scratch	Ea
BK119	331411191	BearKat	Frost	I/O, clear mirror, anti-scratch	Ea

BK112AF

BK113



## Rubicon® Safety Glasses

Features curved, frameless lens design and resilient, spring-hinge temples. Curved lens offers 180° optically correct viewing area with a close orbital seal for increased protection. Non-slip gel temple sleeves and soft, secure gel nosepiece reduce slippage. Provides 99.9% UV protection. Includes carrying case and breakaway cord. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
T4110AF	331404131	Platinum	Clear, anti-fog	Ea
T4112AF	331404141	Platinum	Gray, anti-fog	Ea
T4113AF	331404151	Platinum	Light blue, anti-fog	Ea
T411G	331404111	Platinum	Emerald mirror	Ea
T411R	331404121	Platinum	Fire mirror	Ea

T411G



## CK2® Safety Glasses

Features super-lightweight design, nearly total eye-orbital seal, flexible bayonet temples, gel temple sleeves and universal gel nosebridge. Strong, lightweight polycarbonate lens features single lens design with wraparound sideshields. Choose from Duramass® scratch-resistant or Duramass AF4 anti-fog lens coating. Filters over 99.9% of UV radiation. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
CK210	331412101	Smoke	Clear, anti-scratch	Ea
CK210AF	331400331	Smoke	Clear, anti-fog	Ea
CK212	331400341	Smoke	Gray, anti-scratch	Ea
CK212AF	331400351	Smoke	Gray, anti-fog	Ea

CK210



SS110



## Stratos® Safety Glasses

Stylish wraparound design with lightweight frame. One-piece polycarbonate lens with integral sideshields provides 99.9% UV protection and is treated with Duramass® scratch-resistant coating. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
SS010	331402921	Black	Clear, uncoated	Ea
SS110	331441101	Black	Clear, anti-scratch	Ea
SS130	331402961	RWB	Clear, anti-scratch	Ea



## Tomahawk® Safety Glasses

Features fully adjustable, 5-position, ratchet-action temples. Offers stylish wraparound design, 1-piece polycarbonate lens treated with Duramass® scratch-resistant coating, integral sideshields, and lightweight frame. Available with patriotic red/white/blue (RWB) frame option. Provides more than 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
TK110	331464011	Black	Clear, anti-scratch	Ea
TK112	331403541	Black	Gray, anti-scratch	Ea

ITEM #	ORDER #	FRAME	LENS	UOM
TK120	331464021	Blue	Clear, anti-scratch	Ea
TK130	331464031	RWB	Clear, anti-scratch	Ea



TK120



## CheckMate® Safety Glasses

Super-lightweight design offers nearly total eye-orbital seal, flexible bayonet temples and universal nosebridge.

Strong, lightweight polycarbonate lens.

Available with Duramass® scratch-resistant coating, Duramass A4 anti-fog lens coating or uncoated. Provides 99% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
CK100	331400271	Clear	Clear, uncoated	Ea
CK110	331401101	Clear	Clear, anti-scratch	Ea
CK110AF	331400281	Clear	Clear, anti-fog	Ea
CK112	331401121	Gray	Gray, anti-scratch	Ea
CK114	331400291	Amber	Amber, anti-scratch	Ea
CK117	331400301	Silver mirror	Silver mirror, anti-scratch	Ea
CK118	331400311	Rainbow mirror	Rainbow mirror, anti-scratch	Ea
CK119	331400321	I/O clear mirror	I/O clear mirror, anti-scratch	Ea



## Checklite® Safety Glasses

Flexible spatula temple design for comfortable fit during long use.

Nearly total eye-orbital seal assures the highest level of protection, and lightweight, polycarbonate lens filters over 99.9% of UV radiation.

Available uncoated or with Duramass® scratch-resistant or Duramass A4 anti-fog lens coatings. Meets ANSI Z87.1+ High Impact standard. 12/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
CL010	331400461	Clear	Clear, uncoated	Ea
CL110	331400471	Clear	Clear, anti-scratch	Ea
CL110AF	331400481	Clear	Clear, anti-fog	Ea
CL112	331400491	Smoke	Gray, anti-scratch	Ea
CL119	331400511	I/O	Clear mirror, anti-fog	Ea



## USS Defense® Safety Glasses

Sleek co-injected TPR over polycarbonate temples. Fixed closed cell foam-lined option available. Available with MAX6™ anti-fog coating, which is proven to provide six times greater fog-resistance and dissipation. Meets ANSI Z87+. Meets Military Ballistic High Velocity Standard. 12/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
♦ UD110PF	331442401	Gun metal	Clear, anti-fog	Ea
♦ UD112PF	331442411	Gun metal	Gray, anti-fog	Ea
♦ UD11RZ	331442421	Gun metal	Polarized fire mirror	Ea
♦ UD120PF	331442431	Trans dark blue	Clear, anti-fog	Ea

ITEM #	ORDER #	FRAME	LENS	UOM
♦ UD122PF	331442441	Trans dark blue	Gray, anti-fog	Ea
♦ UD128B	331442451	Trans dark blue	Blue diamond mirror	Ea
♦ UD210PF	331442461	Black	Clear, anti-fog	Ea
♦ UD212PF	331442471	Black	Gray, anti-fog	Ea



## Klondike® Safety Glasses

Popular frame style fits a variety of head shapes. Features strong, lightweight polycarbonate lens with 11-base curve, optional Duramass® anti-fog coating, adjustable temples and soft gel nosepiece. Provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
KD110	331432011	Black	Clear	Ea
KD110AF	331402101	Black	Clear, anti-fog	Ea
KD11B	331401531	Black	Brown	Ea
KD112	331401541	Black	Gray	Ea
KD113	331401131	Black	Light blue	Ea
KD114	331401561	Black	Amber	Ea
KD117	331401571	Black	Silver mirror	Ea
♦ KD119	331401191	Black	I/O clear mirror	Ea
KD120	331402121	Blue	Clear	Ea



## Storm® Safety Glasses

Face-flattering eyewear features 5-position ratchet-action temples and non-slip temple sleeves for adjustable fit. Lightweight, polycarbonate lens delivers advanced visual acuity. Treated with Duramass® scratch-resistant coating; also available with Duramass AF4 anti-fog coating. Meets ANSI Z87.1+ High Impact standard. 12/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
ST110	331464051	Black	Clear, anti-scratch	Ea
ST110AF	331401311	Black	Clear, anti-scratch, anti-fog	Ea
ST112	331402991	Black	Gray, anti-scratch	Ea
ST112AF	331403001	Black	Gray, anti-scratch, anti-fog	Ea
ST114	331403021	Black	Amber, anti-scratch	Ea
ST117	331401171	Black	Silver mirror, anti-scratch	Ea
ST119AF	331403041	Black	I/O clear mirror, anti-scratch, anti-fog	Ea
ST1130	331403011	Black	Shade 3.0, anti-scratch	Ea
ST1150	331403031	Black	Shade 5.0, anti-scratch	Ea



### Blackjack® Safety Glasses

Sleek, wraparound chrome metal frame design. Duramass® scratch-resistant coated lenses; Duramass AF4 anti-fog coating optional. Provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.



S2119

ITEM #	ORDER #	FRAME	LENS	UOM
S2110	331421111	Chrome	Clear, anti-scratch	Ea
S2110AF	331403111	Chrome	Clear, anti-scratch, anti-fog	Ea
S2112	331403121	Chrome	Gray, anti-scratch	Ea
S2112AF	331403131	Chrome	Gray, anti-scratch, anti-fog	Ea
S2119	331421191	Chrome	I/O, clear mirror, anti-scratch	Ea
S2119AF	331403181	Chrome	I/O, anti-scratch, anti-fog	Ea



### Swagger™ Safety Glasses

Features soft material co-injected onto temples, thermoplastic rubber (TPR) nose grips, breakaway cord and wider temples for better side protection. Excellent orbital seal. Lenses have Duramass® scratch-resistant hard coating. Strong polycarbonate lens blocks 99.9% UV. Meets ANSI Z87.1+ High Impact standard. 12/Box.



SR122AF

SR137

ITEM #	ORDER #	FRAME	LENS	UOM
SR110	331440861	Black	Clear, anti-scratch	Ea
SR112	331440871	Black	Gray, anti-scratch	Ea
SR114	331440931	Black	Amber, anti-scratch	Ea
SR118B	331440881	Black	Blue diamond, anti-scratch	Ea
SR11R	331440951	Black	Fire mirror, anti-scratch	Ea
SR120	331440891	White	Clear, anti-scratch	Ea
SR122AF	331451021	White	Gray, anti-scratch, anti-fog	Ea
SR128B	331440911	White	Blue diamond, anti-scratch	Ea
SR137	331440971	Red	Silver mirror, anti-scratch	Ea
SR13R	331440981	Red	Fire mirror, anti-scratch	Ea



### Inertia™ Safety Glasses

Features a dielectric, lightweight polycarbonate frame with a single, flexible lens. Flarefit™ temple design for style. Non-slip, wraparound thermoplastic rubber (TPR) temple sleeve and adjustable, TPR soft nose pad for comfort. Lenses are treated with the Duramass® scratch-resistant coating and block 99.9% UV. Anti-fog coating optional. Meets ANSI Z87.1+ High Impact standard. 12/Box.



IA112

ITEM #	ORDER #	FRAME	LENS	UOM
IA110	331468061	Black	Clear, anti-scratch	Ea
IA112	331468081	Black	Gray, anti-scratch	Ea
IA113	331468101	Black	Light blue, anti-scratch	Ea
IA120AF	331439201	Silver	Clear, anti-scratch, anti-fog	Ea
IA122AF	331439211	Silver	Gray, anti-scratch, anti-fog	Ea
IA128B	331438761	Silver	Blue diamond mirror, anti-scratch	Ea
IA130AF	331439071	White	Clear, anti-scratch, anti-fog	Ea
IA132AF	331468141	White	Gray, anti-scratch, anti-fog	Ea
IA137	331468151	White	Silver mirror, anti-scratch	Ea



### ForceFlex® and ForceFlex® 2 Safety Glasses



FF122

Designed with opaque polycarbonate frame and sleek, polycarbonate dual lens. Features Duramass® scratch-resistant coating, bayonet temples and universal nosebridge. ForceFlex 2 feature a half-frame design. Carrying case included. Provides 99.9% UV protection. Lifetime frame warranty. Meets ANSI Z87.1+ High Impact standard. Meets MIL-PRF-31013 clause 3.5.1.1 for High Velocity Impact Protection. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
<b>ForceFlex</b>				
FF120	331438281	Opaque black	Clear, anti-scratch	Ea
FF122	331456821	Black	Gray, anti-scratch	Ea
FF124	331438271	Opaque black	Amber, anti-scratch	Ea
FF128B	331438381	Black	Blue diamond, anti-scratch	Ea
FF132	331456811	Translucent orange	Gray, anti-scratch	Ea
FF137	331438261	Translucent orange	Silver mirror, anti-scratch	Ea
<b>ForceFlex 2</b>				
FF210	331439861	Black w/ black rubber	Clear, anti-scratch	Ea
FF212	331439611	Black w/ black rubber	Clear, anti-scratch	Ea
FF214	331438271	Black w/ black rubber	Amber, anti-scratch	Ea
FF220	331452201	Translucent brown w/ white rubber	Clear, anti-scratch	Ea
FF222	331439901	Translucent brown w/ white rubber	Gray, anti-scratch	Ea
FF232	331492321	Translucent yellow w/ white rubber	Gray, anti-scratch	Ea



### Mantis™ Safety Glasses

Features a unique design with rotating temples for compact storage. Rotating design also allows for user to adjust lens angle while wearing. Dielectric, containing no metal pieces that could conduct electricity. Soft, secure, TPR nose pad adds comfort and hybrid, non-slip rubber head grips hold eyewear in place. Excellent orbital seal. Lightweight polycarbonate, wraparound lenses, coated with Duramass® scratch-resistant coating, filters 99.9% of UV. Anti-fog coating optional. 12/Box.



MT129

ITEM #	ORDER #	FRAME	LENS	UOM
MT110AF	331477171	Black	Clear, anti-fog	Ea
MT112AF	331477191	Black	Gray, anti-fog	Ea
MT114	331477201	Black	Amber	Ea
MT119	331477221	Green	I/O clear mirror	Ea
MT120	331477231	Green	Clear	Ea
MT122	331477241	Green	Gray	Ea
MT127	331477251	Green	Silver mirror	Ea
MT129	331477261	Green	I/O clear mirror	Ea
MT130	331477271	White	Clear	Ea
MT132	331477281	White	Gray	Ea
MT139	331477291	White	I/O clear mirror	Ea





## 3M 3M™ Virtua™ Safety Eyewear

Features lightweight frame design, unisex styling and a high-wrap lens for front and side impact protection. Lenses available with anti-fog coating or hardcoat. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. 20/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
11326-00000-20	665564381	Clear	Clear, hardcoat	Ea
11327-00000-20	665570141	Gray	Gray, hardcoat	Ea
11328-00000-20	665570151	Clear	I/O mirror, hardcoat	Ea

ITEM #	ORDER #	FRAME	LENS	UOM
11329-00000-20	665570161	Clear	Clear, anti-fog	Ea
11330-00000-20	665570171	Gray	Gray, anti-fog	Ea
11331-00000-20	665570181	Blue mirror	Blue mirror, hardcoat	Ea



11328-00000-20

## 3M 3M™ Virtua™ V4 Safety Eyewear

Soft, dual-injected temples for all-day comfort. Lightweight design and unisex styling. Polycarbonate wraparound lens. Meets ANSI Z87.1+ High Impact standard. 20/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
11670-00000-20	665564111	Black	Clear, hardcoat	Ea
11671-00000-20	665564121	Black	Gray, hardcoat	Ea

ITEM #	ORDER #	FRAME	LENS	UOM
11672-00000-20	665573851	Black	Clear, anti-fog	Ea
11673-00000-20	665570321	Black	Gray, anti-fog	Ea



11671-00000-20

## 3M 3M™ Virtua™ AP Protective Eyewear

Sleek, unisex styling, lightweight comfort and exceptional value. Frameless design with high-wrap polycarbonate lenses and integral sideshields to provide comfortable fit and ultimate protection. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
11819-00000-20	665525241	Clear	Clear, hardcoat	Ea
11815-00000-20	665570451	Gray	Gray, hardcoat	Ea
11818-00000-20	665550751	Clear	Clear, anti-fog	Ea
11847-00000-20	665540231	Mirror	I/O mirror, hardcoat	Ea



11847-00000-20

## 3M 3M™ Virtua™ CCS Protective Eyewear with Foam Gasket

Comfortable, lightweight frame features the Cord Control System (CCS) with a removable foam gasket attachment. CCS is designed to keep a corded earplug attached, untangled, and ready for use. Foam gasket helps limit eye exposure to nuisance dust while providing additional cushioning. Anti-fog polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER #	LENS	UOM
11872-00000-20	665527311	Clear, anti-fog	Ea
11873-00000-20	665527301	Gray, anti-fog	Ea



11873-00000-20

## 3M 3M™ SecureFit™ Protective Eyewear

3M™ Pressure Diffusion Temple Technology means there are no moving parts and nothing to adjust, while the versatile design is suited for a wide variety of faces. Lightweight, weighs less than 1 oz. Continually self-adjusting for a secure, comfortable fit. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
SF202AS	665527811	Gray	Gray, anti-scratch	Ea
♦ SF203AS	665527821	Amber	Amber, anti-scratch	Ea



SF202AS

## 3M 3M™ SecureFit™ 400-Series Protective Eyewear

Stylish design weighs less than 1 oz., has a soft adjustable nosepiece to help reduce slippage, incorporates dual-material on temples to provide cushioned comfort plus enhanced style and features the proprietary 3M™ Pressure Diffusion Temple Technology – a scientific advancement that helps diffuse pressure over the ear, enhanced temple comfort while not compromising the security of fit across diverse workforces. Polycarbonate lens absorbs 99.9% UV. Meets the ANSI Z87.1+ High Impact standard. 20/Case.

ITEM #	ORDER #	LENS	UOM
SF401AF	665527831	Clear, anti-fog	Ea
SF402AF	665527851	Gray, anti-fog	Ea
♦ SF410AS	665527841	I/O mirror	Ea



SF401AF

### WARNING

These eye and face protection products help provide limited eye and face protection. Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death. For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read User Instructions and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.



## 3M 3M™ BX™ Safety Eyewear

Contoured, fully adjustable design features soft nosebridge, three lens angles for custom fit, and polycarbonate lenses that absorb 99.9% UV. Adjustable soft-tip temples. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
11380-00000-20	665522531	BX	Silver/black	Clear, anti-fog	Ea



11380-00000-20

## 3M 3M™ Lexa™ Safety Eyewear

Aspheric lens follows and blends with facial outline to provide optimum, full coverage. Adjustable length temples and lens angle adjustment for customized fit. Polycarbonate lens absorbs 99.9% UV. DX™ anti-fog hardcoat helps protect lens from fog, scratching, and many chemicals. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER #	DESCRIPTION	SIZES	FRAME	LENS	UOM
15100-00000-20	665522211	Lexa	L	Metallic slate	Clear, DX	Ea
15200-00000-20	665572331	Lexa	M	Metallic slate	Clear, DX	Ea
15258-00000-100	665572461	Lexa Fighter	M	American RWB	Clear, DX	100/Cs



15100-00000-20

15258-00000-100

## 3M 3M™ Nūvo™ Safety Eyewear

Lightweight, retro-styled protective eyewear features adjustable temples, an integral brow bar and soft nosepiece. Contoured frame and sideshields offer additional comfort. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
11411-00000-20	665522821	Gray	Clear, anti-fog	Ea
11412-00000-20	665522831	Gray	Gray, anti-fog	Ea



11412-00000-20

## 3M 3M™ KX™ 1000 Safety Eyewear

Stylish, value choice for visitor safety. Lightweight, contoured design and Duralite® polycarbonate lenses provide a panoramic view. Seamless lens with built-in sideshields offers excellent eye coverage and 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

12150-00000-20

ITEM #	ORDER #	FRAME	LENS	UOM
12150-00000-20	665522621	Black	Clear, uncoated	Ea



11343-10000-20

## 3M 3M™ Metaliks™ and Metaliks Sport Safety Eyewear

Features silver-plated metal frame, spatula temples, 10-base de-centered lens, and adjustable fit. Polycarbonate lenses with choice of anti-fog or hardcoat. Metaliks Sport features the popular sports style lens design. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
11343-10000-20	665521191	Metaliks Sport	Nickel	Clear, anti-fog	Ea
15170-10000-20	665521141	Metaliks	Silver	Clear, anti-fog	Ea
15172-10000-20	665564181	Metaliks	Silver	I/O mirror, hardcoat	Ea



11650-00000-10



11654-00000-10

## 3M 3M™ Fuel2™ Safety Eyewear

Nylon frame construction with soft touch nosebridge. Hardcoat lens helps improve scratch resistance. Lens absorbs 99.9% UV. Includes lanyard and microfiber bag. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
11650-00000-10	665522111	Metallic sand	Red mirror	Ea
♦ 11652-00000-10	665522121	Silver	Blue mirror	Ea
11653-00000-10	665522161	Silver	Clear, anti-fog	Ea
11654-00000-10	665520821	Black	Gray, anti-fog	Ea

### ⚠ WARNING

These eye and face protection products help provide limited eye and face protection. Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death. For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read User Instructions and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.



**3M**

### 3M™ Privo™ Safety Eyewear

Features color-accented temples and European-inspired styling. Soft-tipped temples for comfortable fit. Polycarbonate lenses absorb 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Box.



12261-00000-20

ITEM #	ORDER #	FRAME	LENS	UOM
12261-00000-20	665522631	Black	Clear, anti-fog	Ea

**3M**

### 3M™ Smart Lens™ Photochromic Safety Eyewear

Light reactive lens lightens and darkens with changing outdoor light conditions: light to dark in less than 20 seconds, dark to light in less than 3 minutes. Nylon brow and magnesium alloy temples. Spring-hinged temples for a narrow or wide fit. Soft, adjustable nosebridge. Polycarbonate lens absorbs 99.9% UV. Meets the High Impact requirements of ANSI Z87.1-2003. 5/Case.



13407-00000-5

Note: Safety directors should assess their particular workplace and make all Smart Lens wearers aware of the time required for the lens transition. Special care should be taken when moving from outdoors to indoors. Outdoor temperatures may affect lens transition time.

ITEM #	ORDER #	FRAME	LENS	UOM
13407-00000-5	665522461	Black	Photochromic, anti-fog	Ea

**3M**

### 3M™ Tour-Guard™ III Safety Eyewear

Ideal for visitors and temporary workers. Polycarbonate construction features integral sideshields. Regular size designed to fit over most personal Rx eyewear. Lenses absorb 99.9% UV. 100/Dispenser box. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 100/Box.



41110-00000-100

ITEM #	ORDER #	FRAME	LENS	UOM
41110-00000-100	665564291	Clear	Clear	Ea

**3M**

### 3M™ OX™ 2000 Safety Eyewear

Fits over most prescription eyewear. Adjustable length temples and Secure-Grip temple tips. Polycarbonate lens with DX™ anti-fog hardcoat protects lens from fog, scratching and many chemicals. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Box.



12166-00000-20

ITEM #	ORDER #	FRAME	LENS	UOM
12166-00000-20	665574651	Black	Clear, DX	Ea

**3M**

### 3M™ Moon Dawg™ Safety Eyewear

Surf-style sunwear features wide temples, rectangular lenses and a lightweight, comfortable frame. Polycarbonate lenses absorb 99.9% UV. Meets ANSI Z87.1+ High Impact standard. 20/Box.



11215-00000-20

ITEM #	ORDER #	FRAME	LENS	UOM
11215-00000-20	665574381	Black	Gray, anti-fog	Ea
11216-00000-20	665574391	Black	I/O mirror	Ea

**3M**

### 3M™ Light Vision™ and Light Vision2™ Safety Eyewear with LED Lights

Features hands-free, adjustable direct lighting, (2) bright, adjustable LED lights, wraparound design, and cushioned brow, nosebridge and temple tips for comfort. Polycarbonate lenses absorb 99.9% UV. Includes replaceable CR2032 3 V batteries, microfiber storage bag and lanyard. Both models meet ANSI Z87.1+ High Impact standard; Light Vision2 also certified to the requirements of the CSA Z94.3 standard. 10/Box.



11356-00000-10

ITEM #	ORDER #	FRAME	LENS	UOM
11356-00000-10	665520801	Gray	Clear, anti-fog	Ea
11476-00000-20	665574241	Gray	Clear, anti-fog	Ea

**3M**

### 3M™ Maxim™ GT Safety Eyewear

Lightweight frame is designed with a high-wrap lens for extended coverage and optical clarity. Features elastomeric browguard and dual-injected adjustable temples with 3-position lens adjustment for better fit. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Box.



14246-00000-20

ITEM #	ORDER #	FRAME	LENS	UOM
14246-00000-20	665542461	Silver/black	Clear, anti-fog	Ea

**3M**

### 3M™ OX™ 1000 Safety Eyewear

Designed to fit over most personal prescription eyewear. Standard spatula temples. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Box.



12159-00000-20

ITEM #	ORDER #	FRAME	LENS	UOM
12159-00000-20	665570201	Black	Clear, uncoated	Ea

**3M**

### 3M™ HIE6 Safety Eyewear

Attaches directly to hard hat suspension, nearly eliminating the weight of the eyewear on the nose and temples. Retracts between hard hat suspension and shell, helping to protect the lens when not in use. Stable, stays in place and secure when not in use. Easy to maneuver and adjust for closeness and height. Comfort: no temples, minimal weight on nosebridge. 20/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
♦ HIE601AF	66552930	Black	Clear, anti-fog	Cs
♦ HIE602AF	66552931	Black	Amber, anti-fog	Cs
♦ HIE603AF	66552932	Black	Gray, anti-fog	Cs



HIE602AF





14470



### Jackson Safety\* V20 Visio\* Safety Eyewear

One-piece polycarbonate lens with 3-point adjustable temples for a comfortable fit. Unique duo-tone frame. Base curve 8 lens. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 12/Box.



14475

ITEM #	ORDER #	FRAME	LENS	UOM
14470	C24119131	Black/silver	Clear	Ea
14471	C24119891	Black/silver	Clear, anti-fog	Ea
14472	C24119151	Black/silver	Smoke	Ea
14473	C24119901	Black/silver	Smoke, anti-fog	Ea
14474	C24119171	Black	Amber	Ea
14475	C24119181	Black	Blue mirror	Ea
14476	C24119191	Black	Indoor/outdoor	Ea



### Jackson Safety\* V30 Nemesis\* VL Safety Eyewear

Frameless, lightweight no-brow design increases upward and peripheral vision. Features slip-stop temples. Compact profile accommodates smaller faces. Neck cord included. Provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.



29111

ITEM #	ORDER #	FRAME	LENS	UOM
29111	C24120731	Gunmetal	Clear, anti-fog	Ea
25704	C24120741	Gunmetal	Smoke	Ea



### Jackson Safety\* V40 Hellraiser\* Safety Eyewear

Streamlined, sunglass styling with lightweight and flexible design. Features flex-point temples for comfort and stability and 8-base curve lens. Meets ANSI Z87.1+ High Impact standard. Models 28615, 25714 and 25716 are CE Certified. 12/Box.



20543

ITEM #	ORDER #	FRAME	LENS	UOM
20539	C24121001	Black	Clear	Ea
20541	C24121031	Black	Amber	Ea
20543	C24121061	Black	Blue mirror	Ea
20544	C24121071	Black	IRUV 3.0	Ea
20545	C24121081	Black	IRUV 5.0	Ea
25714	C24121021	Black	Smoke	Ea
25716	C24121041	Black	Indoor/outdoor	Ea
28615	C24121011	Black	Clear, anti-fog	Ea



### Smith & Wesson® Elite\* Safety Glasses

Lightweight, "retro-style" design with wide temples and wraparound, anti-scratch, dual base curve 8 lenses. Provides 99.9% UV protection. Includes micro-fiber carry pouch that doubles as a cleaning cloth. Meets ANSI Z87.1+ High Impact standard. 12/Box.



21302

ITEM #	ORDER #	FRAME	LENS	UOM
21302	C24163121	Black	Clear, anti-fog	Ea
21303	C24163131	Black	Smoke, anti-fog	Ea



### Smith & Wesson® Magnum® 3G Safety Glasses

Ergonomic design provides 3-point fit, built-in hinge helps prevent scratches. Self-adjusting nose pads with rubber fingers for comfort. Base curve 7 lens. Provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.



19823

ITEM #	ORDER #	FRAME	LENS	UOM
19794	C24121331	Black	Clear, anti-fog	Ea
♦ 19796	C24121341	Black	Copper blue block	Ea
19799	C24121351	Black	Clear	Ea
19823	C24121371	Black	Smoke	Ea
19826	C24121391	Black	Amber	Ea
19831	C24121441	Metallic gray	Gradient indoor/outdoor	Ea
19961	C24121911	Platinum	Clear	Ea



### Jackson Safety\* V30 Nemesis\* Safety Eyewear

Sporty, flexible, lightweight design with wraparound, 8-base curve lens and soft-touch temples for added comfort. Lenses provide 99.9% UV protection. Neck cord included. Meets ANSI Z87.1+2010 High Impact standard. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
14481	C24133581	V30 Nemesis*	Black	Blue mirror	Ea
19642	C24120311	V30 Nemesis*	Black	Copper blue shield	Ea
22475	C24124701	V30 Nemesis*	Black	Smoke, anti-fog	Ea
25659	C24119491	V30 Nemesis*	Black	Amber	Ea
25671	C24119511	V30 Nemesis*	Black	IRUV 5.0	Ea
25676	C24119441	V30 Nemesis*	Black	Clear	Ea
25679	C24119451	V30 Nemesis*	Black	Clear, anti-fog	Ea
25685	C24124161	V30 Nemesis*	Black	Indoor/outdoor	Ea
25688	C24126061	V30 Nemesis*	Black	Smoke mirror	Ea
25692	C24119501	V30 Nemesis*	Black	IRUV 3.0	Ea
19644	C24120321	V30 Nemesis*	Camouflage	Bronze	Ea
22608	C24129781	V30 Nemesis*	Camouflage	Clear, anti-fog	Ea
22609	C24124441	V30 Nemesis*	Camouflage	Smoke, anti-fog	Ea
22610	C24137081	V30 Nemesis*	Camouflage	Amber, anti-fog	Ea
19639	C24120301	V30 Nemesis*	Blue	Light blue	Ea
22611	C24124381	V30 Nemesis*	Inferno red	Smoke	Ea
28635	C24186351	V30 Nemesis* Polarized	Gunmetal	Polarized smoke	Ea
♦ 28637	C24186371	V30 Nemesis* Polarized	Brown	Polarized brown	Ea



### StarLite® Safety Glasses

Popular design resembles sunglasses to encourage worker compliance. Scratch-resistant, hardcoated 100% polycarbonate lenses with dual 9.75 base curve enhance the wearer's range of visibility and block 99.9% of UV light. Features full brow protection and deep, universal-fit temples. Independently, third-party tested and certified by UL® to meet ANSI Z87.1+ and CSA Z94.3. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
4675	323346751	Amber	Amber	Ea
4679	323346791	Clear	Clear, anti-fog	Ea
4680	323346801	Clear	Clear	Ea



### StarLite® Squared Safety Glasses

Squared design offers fashionable fit for both men and women. Lightweight eyewear weighs less than 1 oz. Soft, pliable temples provide comfort, and fingertip nosepiece minimizes slippage. Scratch-resistant, hardcoated 100% polycarbonate lens for long life. Independently, third-party tested and certified by UL® to meet ANSI Z87.1+ and CSA Z94.3. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
4476	323300391	Blue	Pacific blue	Ea
4479	323300401	Clear	Clear, anti-fog	Ea
4480	323300421	Clear	Clear	Ea
4483	323300431	Gray	Gray	Ea
440M	323300371	Clear	Clear mirror	Ea
448M	323300411	Gray	Silver mirror	Ea



### Flight® Safety Glasses

Cushioned temple 'wings' softly hug the user's head, alleviating pinching. Floating lens design fights fogging and provides ultramodern style. Lightweight construction and soft rubber nosepiece. Independently, third-party tested and certified by UL® to meet ANSI Z87.1+ and CSA Z94.3. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
35BK83	323327121	Black/gray	Gray	Ea
♦ 35BK8M	323327141	Black/gray	Silver mirror	Ea
35BK9M	323327131	Black/gray	Blue mirror	Ea
♦ 35GY79	323327111	Gray/black	Clear, anti-fog	Ea
♦ 35GY80	323327101	Gray/black	Clear	Ea



### Mirage™ Safety Glasses

Sleek design allows perfect fit for both men and women, ensuring worker acceptance. Optically correct and distortion-free lenses feature scratch-resistant hardcoat. Dual wraparound 9.75-base lens provides a nearly perfect orbital seal. Weighs less than 1 oz. Provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
MR0110ID	336531751	Clear	Clear, hardcoat	Ea
MR0111ID	336531761	Clear	Clear, hardcoat, anti-fog	Ea
MR0120ID	336531771	Smoke	Smoke, hardcoat	Ea

MR0190ID



MR0120ID



### Conqueror® Protective Eyewear

Cost-effective eye protection in a sleek, sporty style. Features durable polycarbonate wraparound lens, soft, comfortable nosepiece and ergonomic, contoured temple tips. Adjustable length retainer included with each pair. Independently, third-party tested and certified by UL® to meet ANSI Z87.1+ and CSA Z94.3. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
28CM5M	323302851	Camo	Bronze mirror	Ea
♦ 28CM78	323327031	Camo	Gray, anti-fog	Ea
♦ 28GB79	323327011	Black	Clear, anti-fog	Ea
28GB80	323327001	Black	Clear	Ea
♦ 28GB83	323327021	Black	Gray	Ea



28GB83



### DEWALT® DPG52-Contractor Pro™ Safety Glasses

High-performance eyewear in a lightweight design. Tough, distortion-free polycarbonate lens provides impact resistance and 99.9% UV protection. Features rubber-tipped temple pads and soft rubber nosepiece for all-day comfort. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
DPG52-1D	336535731	Clear	Clear	Ea
DPG52-2D	336535751	Smoke	Smoke	Ea
DPG52-6D	336535761	Silver mirror	Silver mirror	Ea



DPG52-1D



DPG54-1D



### DeWALT® DPG54-Protector™ Safety Glasses

Sleek, unisex design features rubber-tipped temples for a secure fit and distortion-free optics for fatigue-free use. Weighs less than 1 oz., providing lightweight comfort. Tough, impact-resistant polycarbonate lens provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
DPG54-1D	336535791	Clear	Clear	Ea
DPG54-2D	336535811	Smoke	Smoke	Ea



RS1-20



### Rad-Sequel™ Safety Glasses

Lightweight design features rubber-tipped temples and soft, rubber nosepiece for secure, custom fit. Polycarbonate lens provides impact resistance and 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
RS1-10	336531461	Clear	Clear, hardcoat	Ea
RS1-11	336531471	Clear	Clear, hardcoat, anti-fog	Ea
RS1-20	336531481	Smoke	Smoke, hardcoat	Ea



DPG59-110



### DeWALT® DPG59 Reinforcer Rx™ Safety Glasses

Combines safety glasses with reading glasses. Magnification diopter is molded into the polycarbonate lens, eliminating the need for clip-ons or (2) pairs of glasses. Features ergonomically positioned handgrip pattern on the temple for a secure grip and soft, non-slip rubber nosepiece and cushioned non-slip temple pads for all-day comfort. Impact-resistant polycarbonate lens provides 99.9% UV protection, and scratch-resistant hardcoat protects lens and maintains optical clarity for fatigue-free use. Protective eyeglass sleeve included. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	LENS	UOM
DPG59-110	336536011	Clear, +1.0	Ea
DPG59-115	336536021	Clear, +1.5	Ea
DPG59-120	336536031	Clear, +2.0	Ea
DPG59-125	336536041	Clear, +2.5	Ea
DPG59-130	336536051	Clear, +3.0	Ea



### 3M™ BX™ Readers Safety Eyewear

Contoured, fully adjustable design features soft nosebridge, three lens angles for custom fit, and polycarbonate lenses that absorb 99.9% UV. Adjustable soft-tip temples. Integrated bifocal reader for workers who need extra magnification during close-up work. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.



11374-00000-20

ITEM #	ORDER #	FRAME	LENS	UOM
11374-00000-20	665570241	Silver/black	Clear, anti-fog, +1.5	Ea
11375-00000-20	665520811	Silver/black	Clear, anti-fog, +2.0	Ea
11376-00000-20	665564091	Silver/black	Clear, anti-fog, +2.5	Ea
11377-00000-20	665522521	Silver/black	Gray, anti-fog, +1.5	Ea
11378-00000-20	665522001	Silver/black	Gray, anti-fog, +2.0	Ea
11379-00000-20	665522711	Silver/black	Gray, anti-fog, +2.5	Ea



### 3M™ Nūvo™ Readers Safety Eyewear

"Retro" styling with molded-in magnifying diopters on the lower lens. Features adjustable temples, integral brow bar and soft nosepiece. Designed for workers who have difficulty reading small print or who are engaged in small detail work. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.



11436-00000-20

ITEM #	ORDER #	FRAME	LENS	UOM
11434-00000-20	665563881	Gray	Clear, +1.5	Ea
11435-00000-20	665574221	Gray	Clear, +2.0	Ea
11436-00000-20	665574231	Gray	Clear, +2.5	Ea



### WARNING

These eye and face protection products help provide limited eye and face protection. Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death. For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.





## UVEX Genesis® Readers

by Honeywell

Dual, 9-base curve wraparound lens provides peripheral vision and protection. Soft flexible fingers adjust and conform to any nasal profile and minimize slippage. Elastomer browguard diffuses and deflects impact. Diopters available from +1.0 to +3.0. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
◆ S3760	341586001	Black	Clear, +1.0	Ea
S3761	341586011	Black	Clear, +1.5	Ea
S3762	341586021	Black	Clear, +2.0	Ea
◆ S3763	341586031	Black	Clear, +2.5	Ea
S3764	341586041	Black	Clear, +3.0	Ea



S3760



## Jackson Safety\* V60 Safeview\* Safety Eyewear with Rx Inserts

Lightweight safety glass with adjustable temples for a custom fit. Universal fit. Close fit Rx insert behind the polycarbonate eye shield that doesn't impede peripheral vision with a chunky frame. Base curve 8.25 lens. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
◆ 38503	C24185031	Black	Clear, anti-fog	Ea



38503



## Jackson Safety\* V60 Nemesis\* Rx Safety Eyewear

"Cheaters" style with diopters for vision assistance. Larger lens provides wraparound impact protection. Enhanced nosepiece design channels away sweat. Base curve 8 lens. Neck cord included. Clear lenses, diopter +1.0, +1.5, +2.0, +2.5 and +3.0 are CE certified compliant and certified to the requirements of the CSA Z94.3 standard. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
28618	C24120551	Black	Clear, +1.0	Ea
28621	C24120561	Black	Clear, +1.5	Ea
28624	C24120571	Black	Clear, +2.0	Ea
28627	C24120581	Black	Clear, +2.5	Ea
28630	C24120591	Black	Clear, +3.0	Ea
22516	C24124291	Black	Smoke, +1.5	Ea
22518	C24124681	Black	Smoke, +2.0	Ea
22519	C24124621	Black	Smoke, +2.5	Ea



28618



## Uvex Seismic® Sealed Eyewear with Reading Magnifiers

Superior coverage provided in dirty, high-particulate work environments such as grinding and sanding. Flexible design can be worn with temples or adjustable headband as conditions change. Headband and subframe are cushion-lined, flame-resistant and replaceable. Soft, high-quality face cushioning and padded temple tips for comfort. Available in clear with Uvextra® anti-fog coating. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
◆ S0661X	341588321	Black	Clear, Uvextra, +1.5	Ea
◆ S0662X	341588331	Black	Clear, Uvextra, +2.0	Ea
◆ S0663X	341588341	Black	Clear, Uvextra, +2.5	Ea



S0661X



## BearKat Magnifier® Safety Glasses



BKH10

BKH15G

One-piece, wraparound, polycarbonate lens offers unobstructed vision and filters more than 99.9% of UV radiation. Flexible temples enhance comfort. Non-slip, rubber head grips are notched for a clip-on breakaway cord. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
BKH10	331400031	Clear	Clear, +1.0	Ea
BKH15	331400051	Clear	Clear, +1.5	Ea
BKH20	331400071	Clear	Clear, +2.0	Ea
BKH25	331400091	Clear	Clear, +2.5	Ea
BKH15G	331400061	Smoke	Gray, +1.5	Ea
BKH20G	331400081	Smoke	Gray, +2.0	Ea
BKH25G	331400201	Smoke	Gray, +2.5	Ea



## UVEX by Honeywell **Uvex Stealth® Goggles with HydroShield™**

Features lightweight, comfortable, low-profile design, and toric lenses for superior optics and peripheral vision. Unique lens system for quick and simple replacement. HydroShield anti-fog coating is a permanently-bonded, anti-fog lens coating that lasts up to 60X longer than other anti-fog lens coatings, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance than competitive anti-fog coated products. Quick-adjust neoprene headband clips permit fast and easy fitting even on hard hats. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
♦ S3960HS	314039601	Gray/gray	Clear, HydroShield	Ea
♦ S3961HS	314039611	Gray/gray	Gray, HydroShield	Ea



## **Uvex Stealth® Goggles**

Features lightweight, comfortable, low-profile design, and toric lenses for superior optics and peripheral vision. Unique lens system for quick and simple replacement. Uvextreme® anti-fog coating and indirect ventilation system minimize fogging and direct airflow over the lens. Quick-adjust neoprene headband clips permit fast and easy fitting even on hard hats. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.



ITEM #	ORDER #	FRAME	LENS	UOM
S3960C	341533001	Gray/gray	Clear, Uvextreme	Ea
S39610C	341533021	Teal/gray	Clear, Uvextreme	Ea



## **Uvex Stealth® OTG Goggles**

Low-profile, wraparound style provides complete coverage. Dura-streme™ dual lens coating combines Uvextreme® anti-fog coating on the interior and Ultra-dura® anti-scratch on the exterior. Pivoting headband clip and wide adjustable-slide headband allow a full range of adjustability. High-quality elastomer body conforms and contours for secure fit. Can be worn over most Rx eyewear. Ideal for impact, dust/airborne particles, chemical splash and optical (UV and welding/heat) radiation. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.



ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S3970D	341558741	Stealth OTG w/ neoprene headband	Navy	Clear, Dura-streme	Ea



## **Fury® Goggles**

Frameless design combines fit of a goggle with styling of a spectacle. The 9-base curve polycarbonate unilens provides wraparound protection. Lenses absorb more than 99.9% of UV light and feature Uvextreme® anti-fog coating. Ideal for use in dust/mist conditions. Soft, flame-resistant, ventilated face foam and adjustable headband. Not designed for chemical applications. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.



ITEM #	ORDER #	FRAME	LENS	UOM
S1890X	341531081	Black	Clear, Uvextreme	Ea



## **Flex Seal® Goggles**

Lightweight, all-silicone body conforms to almost any facial profile and fits easily over most Rx eyewear. Stays soft and supple in extreme temperatures. Features low-profile frame, optically correct polycarbonate lens and indirect ventilation system. Lenses feature Uvextreme® anti-fog coating. Pivoting clips allow for positioning on a hard hat or adjusting the neoprene headband above the ears. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.



ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S3400X	341534001	Flex Seal, indirect vent	Navy	Clear, Uvextreme	Ea



## Uvex Classic™ Goggles

Two models for dust, mist or chemical splash protection: indirect vented or indirect hooded. Soft, PVC body is flexible for increased comfort, and durable neoprene headband prevents slippage and chemical attack. Impact-resistant polycarbonate lenses feature Uvextreme® anti-fog coating and absorb 99.9% of UV light. Fit over most Rx eyewear. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S350	341532881	Classic, indirect hooded vent	Clear	Clear, Uvextreme	Ea
S360	341532901	Classic, indirect vent	Clear	Clear, Uvextreme	Ea



## Uvex Futura™ Goggles

Wraparound sports style with neoprene headband provides excellent panoramic vision. Frosted browguard reduces glare, and indirect venting increases airflow, adding to overall comfort. Uvextreme® anti-fog coating on lens. Fits over most Rx eyewear. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
S345C	341532851	Frosted clear	Clear, Uvextreme	Ea



## Uvex Strategy® Goggles

"Over-the-Glass" (OTG) goggles provide protection against impact, chemical splash, dust, sand and debris. Lightweight, TPE body provides exceptional comfort and a snug fit. Lenses feature the Uvextra® anti-fog coating and offer more than 99.9% UV protection. Neoprene headband for chemical applications. Fits over most Rx eyewear. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S3810	341532941	Strategy, indirect vent	Gray	Clear, Uvextra	Ea



## Uvex Carbonvision™ Goggles

Compact, lightweight, low-profile design weighs just over an ounce and a half and is ideal for wearing with disposable respirators and protective caps. Flexible, soft frame adapts perfectly to face to ensure a perfect fit and seal around eyes for high-performance protection and all-day comfort. Soft, flexible body is permanently fixed to the frame, making it easy to clean and maintain. Convenient clip makes it easy to remove headband before cleaning. For protection from impact, dust/airborne particles as well as chemical splash hazards. High-quality headband available in neoprene or fabric and offers a comfortable fit and long-lasting durability. NOTE: Fabric headband is not for use in chemical applications. Available in clear and gray lens tints with Dura-streme® dual anti-fog/anti-scratch coating that combines two lens coatings for 3x longer lens life. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S1650D	341563091	Carbonvision, neoprene headband	Black/gray	Clear, Dura-streme	Ea
S1651D	341562791	Carbonvision, neoprene headband	Black/gray	Gray, Dura-streme	Ea
S1650DF	341562731	Carbonvision, fabric headband	Black/gray	Clear, Dura-streme	Ea







40660-00000-10

## 3M 3M™ 334 Splash Goggles

Indirect vent goggles help provide protection against liquid splash applications. Lightweight design features impact-resistant, clear polycarbonate lens that absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. 10/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
40660-00000-10	665574851	334 Splash goggles	Clear	Clear	Ea
40661-00000-10	665573051	334AF Splash goggles	Clear	Clear, anti-fog	Ea



40301-00000-10

## 3M 3M™ Centurion™ Goggles

Impact-resistant, wraparound lens offers exceptional peripheral vision. Large lens opening fits over most Rx eyewear. Two styles available: impact (direct vented) and splash (indirect vented). Polycarbonate lens with anti-fog coating provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
40301-00000-10	665572951	Centurion impact goggles	Clear	Clear, anti-fog	Ea
♦ 40304-00000-10	665572961	Centurion splash goggles	Clear	Clear	Ea
40305-00000-10	665572971	Centurion splash goggles	Clear	Clear, anti-fog	Ea



16644-00000-10

## 3M 3M™ Lexa™ Splash GoggleGear™

Lightweight, low-profile, contoured design with soft PVC shroud that gently hugs the face. Patented ellipsoidal lens extends the viewing range in every direction. Indirect ventilation allows air to circulate and helps reduce fogging. Comes fully assembled with Lexa eyewear and headstrap. DX™ anti-fog hardcoat helps protect lens from fog, scratching and many chemicals. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Case.

ITEM #	ORDER #	DESCRIPTION	SIZES	FRAME	LENS	UOM
16644-00000-10	665522731	Lexa Splash GoggleGear	M	Clear	Clear, DX	Ea
16645-00000-10	665522741	Lexa Splash GoggleGear	L	Clear	Clear, DX	Ea



16400-00000-10

## 3M 3M™ Fectogoggles™

DX™ anti-fog hardcoat helps protect lens from fog, scratching and many chemicals. Wraparound design features adjustable lens angle and choice of elastic headband or adjustable length temples for custom fit. Foam flange seals perimeter of lens to help keep out particulates. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Case.

ITEM #	ORDER #	DESCRIPTION	SIZES	FRAME	LENS	UOM
16400-00000-10	665572031	Fectogoggles, elastic headband	M	Black	Clear, DX	Ea
16420-00000-10	665572591	Fectogoggles, adjustable temple	L	Black	Clear, DX	Ea



40686-00000-10

## 3M 3M™ Maxim™ 2 x 2 Goggles

Ideal when protection from dust, wind and the sun is needed. Polycarbonate lenses absorb 99.9% UV. Features high-impact nylon frame construction, vented design to help reduce heat and fogging, interchangeable lenses, strap and temples. Meets ANSI Z87.1+ High Impact standard. 10/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
40686-00000-10	665570271	Maxim 2 x 2	Black	Clear, anti-fog	Ea
♦ 40687-00000-10	665522401	Maxim 2 x 2	Black	Gray, anti-fog	Ea

### ⚠ WARNING

These eye and face protection products help provide limited eye and face protection. Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death. For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.



## Goggles™

Switch from glasses to goggles with a simple push, pull and snap. Foam padding forms a snug fit to keep out dust and airborne particles. Lenses provide 99.9% UV protection. Anti-fog, anti-scratch coating on lenses. Includes goggle strap and eyeglass temples for easy interchangeability. Meets current ANSI Z87.1+ standard. 12/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
5103	G73551031	Black	Clear	Ea
5103-01	G73551041	Black	Gray	Ea
5103-02	G73551051	Black	Yellow	Ea



2310AF



5103-02



5103-01



5103



## Stryker™ Safety Goggles

Transparent PVC body works with most half-mask respirators and protects against impact and splash. Features wide lens for unobstructed field of vision and indirect vents for chemical splash protection. Lens treated with Duramass® AF4 anti-fog coating. Easy adjusting rubber strap ensures personal fit. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
2310AF	331404701	Black	Clear, anti-fog	Ea



## Protective Safety Goggles

Provides an unobstructed field of vision and can be worn with most half-mask respirators. Transparent PVC body permits comfortable fit over Rx eyewear while protecting against impact. Indirect vents on chemical splash models prevent the direct passage of liquid. Meets ANSI Z87.1+ High Impact standard.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
2120	331404551	Perforated goggles, small	Clear	Clear	Ea
2220R	331479911	Perforated goggles w/ rubber strap	Clear	Clear	Ea
2230R	331404681	Chemical splash goggles, indirect vent	Clear	Clear	Ea
2235R	331422351	Chemical splash goggles, indirect vent	Clear	Clear, anti-fog	Ea



2220R



2230R



## Swap® Safety Eyewear

Change from glasses to goggles to quickly and easily meet your needs. Temples and adjustable head strap included, which can be switched out with the simple push of a button. Foam-lined frame helps block dust and debris, with venting channels to minimize fogging. Independently, third-party tested and certified by UL® to meet ANSI Z87.1+. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
21GB79	323321791	Black	Clear, anti-fog	Ea
21GB78	323321781	Black	Gray, anti-fog	Ea
21GB0F	323321601	Black	Clear I/O mirror, anti-fog	Ea
21GB9F	323327201	Black	Blue mirror, anti-fog	Ea



21GB9F



21GB79



21GB78





## Jackson Safety\* V80 Wildcat\* Goggle Protection

Extreme heat resistance; will not melt, drip or ignite at 350° F for 5 minutes. Adjustable side vents to help increase airflow. Fits naturally to contour of the face. Lightweight and comfortable. Pivot headband allows for optimal placement. Provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.

ITEM #	ORDER #	FRAME	LENS	UOM
20525	C24120951	Black	Clear, anti-fog	Ea
20529	C24120991	Black	IRUV 5.0, anti-fog	Ea



## Jackson Safety\* V80 Monogoggle\* XTR\* OTG Goggle Protection

Stylish goggle protects against splashes, while providing increased visibility due to the cylindrical lens. Soft pliable frame conforms to the face and is easy to clean and sanitize. Indirect ventilation. Can be worn over most Rx eyewear. Meets ANSI Z87.1+ High Impact standard.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
18624	C24120021	V80 Monogoggle* XTR*	Blue	Clear, anti-fog	Ea



## Jackson Safety\* V90 Monoshield\* Goggle Protection

Combines goggle and faceshield into a one-piece face protection system by attaching PVC gaskets to the Monogoggle 211. Polycarbonate shield provides splash and impact protection. Meets ANSI Z87.1+ High Impact standard.



16671

ITEM #	ORDER #	FRAME	LENS	UOM
16671	C24150591	Green	Clear, VisiClear*	Ea



18633



18629



## Jackson Safety\* V90 Shield\* Goggle Protection

Features Monogoggle\* XTR\* with indirect ventilation and polycarbonate shield for full face protection. Curved polycarbonate faceshield conforms to the shape of face offering added protection. Shield detaches from goggle. Can be used over most Rx eyewear. Provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard.

ITEM #	ORDER #	FRAME	LENS	UOM
18629	C24120111	Blue	Clear, anti-fog	Ea
18633	C24120131	Black	IRUV 5.0, anti-fog	Ea



## 3M™ Clear Eyewear Side Covers

Can be used with many different spectacle styles. 20 Pair/case.

WARNING: This product does not meet the side impact performance requirement of ANSI Z87.1+ High Impact standard. If user is exposed to potential side impacts, use ANSI Z87.1 compliant safety spectacles with side protection, goggles or faceshields with primary eye protection to avoid serious eye injuries.

ITEM #	ORDER #	UOM
23451-00030-20	665572621	Ea

23451-00030-20



## WARNING

These eye and face protection products help provide limited eye and face protection. Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death. For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.





## Uvex Clear® Lens Cleaning Tissues

High-absorbency, non-abrasive tissues are specially formulated for anti-fog and scratch-resistant hardcoats. Tough enough to remove grit and grime from safety eyewear, but gentle enough not to leave abrasive marks. For best results, use with Uvex Clear cleaning solution. 60 Boxes/case.

ITEM #	ORDER #	DESCRIPTION	UOM
S462	341533465	Lens cleaning tissues	500/Bx



\$462



## Eyewear Hang Cord

Provides convenient access to safety eyewear and encourages greater compliance. Universal cord fits all Uvex® spectacles. Black. 25/Bag.

ITEM #	ORDER #	DESCRIPTION	UOM
S501	341533571	Universal hang cord	Ea



\$501



\$468



\$467



## Uvex Clear® Disposable Lens Cleaning Station

Ideal for construction sites or remote locations where a permanent access location is not available. Includes everything needed to keep eyewear clean and in good condition: 16 oz. lens cleaning spray bottle and (500) tissues, packaged in a disposable box. 6/Case.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
S467	341533491	Disposable lens cleaning station	6/Cs	Ea
S468	341533505	Lens cleaning towelettes	10 Bx/Cs	100/Bx



LCT



## Fog Eliminator® Cloths

Protect against the potentially dangerous temporary loss of vision that occurs when lenses fog up. Reusable and safe for all types of lenses and lens coatings. Each cloth provides 40 applications. Streak- and film-free, alcohol- and silicone-free, non-flammable and non-toxic. Individually wrapped. 8 Boxes/case.



\$477

ITEM #	ORDER #	DESCRIPTION	UOM
S477	341533515	Fog eliminator cloths	100/Bx



\$461



\$463



## Uvex Clear® Permanent Lens Cleaning Station

Easy-to-use, easy-to-install and reminds employees to frequently clean safety eyewear. Refill capabilities eliminate replacing the entire system. Unit includes 16 oz. Uvex Clear cleaning solution, (4) boxes of (500) tissues, 3 1/2" x 4 1/2" mirror, screw mounts and adhesive foam for quick mounting.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
S461	341533451	Permanent lens cleaning station	1/Cs	Ea
S463	341533471	Lens cleaning solution refill, 16 oz.	12/Cs	Ea
S464	341533481	Lens cleaning solution refill, 1 gal.	4/Cs	Ea



## Lens Cleaning Products

Towelettes are pre-moistened with anti-fog and anti-static cleaning solution. Each box contains (100) individually wrapped towelettes. Lens cleaning station contains (1) 8 oz. bottle of anti-fog, anti-static cleaning spray and (2) boxes of (300) tissues. Convenient, portable and ready to hang on the wall.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
LCT	331400105	Lens cleaning towelettes	10 Bx/Cs	100/Bx
LCS1	331402351	Lens cleaning station	6/Cs	Ea



# Head & Face Protection

Workers are required to wear the correct PPE whenever working in areas where there's potential of falling or flying objects or exposure to chemical splash.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.



## Above-the-Neck Safety Products

MSA offers a comprehensive line of safety products for the parts that make you, well... you. From the iconic V-Gard® Helmet with three sizes for a custom fit, to the V-Gard System of face protection products that cover almost every hazard, our durable "Above-the-Neck" products work hard to get you home safely.

**V-Gard Helmets offer:**

- Custom printing with a best-in-class logo and striping program
- Cap styles with or without slots and vents, plus slotted full brim hats
- The new Fas-Trac® III Suspension

**V-Gard System offers:**

- 50+ face protection products, including visors, frames and chin protectors, designed and tested to work with MSA helmets and MSA hearing protection and retain compliance with applicable Standards
- Global Standards compliant, including ANSI/ISEA Z87.1-2010, EN166, and CSA Z94.3

**WE KNOW WHAT'S AT STAKE.**



© MSA 2015 • ID 5675-AD



## V-Gard® Standard Caps

Durable, injection-molded, high-density polyethylene (HDPE) shell designed with accessory slots to accommodate many add-on features. Available with two types of suspensions: Fas-Trac® III ratchet suspension: 4-point webbed system with large knob for easy adjustment or Staz-On® pinlock suspension: comfortable, 4-point webbed system. Includes sweatband and adjustable crown straps. Meets ANSI/ISEA Z89.1-2009, Type 1, Class E.

ITEM #	ORDER #	DESCRIPTION	COLOR	SUSPENSION	UOM
463942	308571271	V-Gard standard cap	White	Staz-On Pinlock	Ea
463943	308571281	V-Gard standard cap	Blue	Staz-On Pinlock	Ea
463944	308571301	V-Gard standard cap	Yellow	Staz-On Pinlock	Ea
463945	308571321	V-Gard standard cap	Orange	Staz-On Pinlock	Ea
463946	308571291	V-Gard standard cap	Green	Staz-On Pinlock	Ea
463947	308571311	V-Gard standard cap	Red	Staz-On Pinlock	Ea
463948	308571331	V-Gard standard cap	Gray	Staz-On Pinlock	Ea
815558	308505581	V-Gard standard cap	Bright lime green	Staz-On Pinlock	Ea
475358	308503581	V-Gard standard cap	White	Fas-Trac III Ratchet	Ea
475359	308553601	V-Gard standard cap	Blue	Fas-Trac III Ratchet	Ea
475360	308553621	V-Gard standard cap	Yellow	Fas-Trac III Ratchet	Ea
475361	308553611	V-Gard standard cap	Orange	Fas-Trac III Ratchet	Ea
♦ 475363	308553691	V-Gard standard cap	Red	Fas-Trac III Ratchet	Ea
815565	308522681	V-Gard standard cap	Bright lime green	Fas-Trac III Ratchet	Ea
10061512	308536791	V-Gard standard cap	Hi-viz yellow/green	Fas-Trac III Ratchet	Ea

475358

815558


463944

475359



## V-Gard® GREEN Protective Helmets

Produced from green high-density polyethylene (GHDPE), a biopolymer made from sugarcane-based ethanol. Can be recycled. Offers the added benefits of cutting carbon emissions and reducing atmospheric CO<sub>2</sub>. Available in standard size with Fas-Trac® III ratchet suspension, in five popular colors (white, yellow, blue, green and red). Third-party SEI certified as Type I, Class E under ANSI/ISEA Z89.1-2009 and CSA Z94.1-2005.



10150222

10150221

10150223

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
♦ 10150199	308501991	V-Gard GREEN helmet	White	Ea
♦ 10150200	308502001	V-Gard GREEN helmet	Yellow	Ea
♦ 10150221	308502211	V-Gard GREEN helmet	Blue	Ea
♦ 10150222	308502221	V-Gard GREEN helmet	Green	Ea
♦ 10150223	308502231	V-Gard GREEN helmet	Red	Ea



## V-Gard® Protective Full-Brim Hard Hats

Constructed of durable, high-density polyethylene (HDPE) shell with choice of Staz-On® pinlock or Fas-Trac® III ratchet suspension system. Also includes sweatband and adjustable crown straps. Meets ANSI Z89.1-2009, Type 1, Class E and voluntary standard for low temperature [LT] and reverse donning.

475369

10021292



ITEM #	ORDER #	COLOR	SUSPENSION	UOM
♦ 454730	308547531	Yellow	Staz-On Pinlock	Ea
♦ 454732	308547541	Blue	Staz-On Pinlock	Ea
454733	308547331	White	Staz-On Pinlock	Ea
♦ 454734	308547551	Orange	Staz-On Pinlock	Ea
♦ 454735	308547561	Green	Staz-On Pinlock	Ea
454736	308547361	Red	Staz-On Pinlock	Ea
475366	308555661	Yellow	Fas-Trac III Ratchet	Ea
475367	308555671	Gray	Fas-Trac III Ratchet	Ea
475368	308553681	Blue	Fas-Trac III Ratchet	Ea
475369	308553701	White	Fas-Trac III Ratchet	Ea
475370	308555681	Green	Fas-Trac III Ratchet	Ea
♦ 475371	308553711	Red	Fas-Trac III Ratchet	Ea
815570	308599251	Bright lime green	Fas-Trac III Ratchet	Ea
10021292	308520351	Hi-viz orange	Fas-Trac III Ratchet	Ea





## Freedom Series™ V-Gard® Protective Hard Hat

Stay compliant while protecting head and expressing. Bright designs are unique, with a superior shiny finish. Comes equipped with MSA's Fas-Trac® III suspension and meets all applicable requirements for a Type I (top impact) helmet as outlined in ANSI/ISEA Z89.1-2009 (Class E) and CSA Z94.1-2005 (Class E). Also meets the ANSI/ISEA Z89.1-2009 voluntary standard for reverse donning. Look for the official reverse donning logo to determine if hard hat may be worn backwards without voiding approvals.

ITEM #	ORDER #	DESCRIPTION	UOM
10052945	308536521	American Stars & Stripes	Ea



## V-Gard® Advance Caps

Provides cooling vents for improved air circulation and comfort. Features Glaregard® surface underbrim to reduce reflective glare, lateral contours above ear for easy hearing protection integration and rain trough that extends all the way around the brim. Comes equipped with MSA's Fas-Trac® III suspension and meets all applicable requirements for a Type I (top impact) helmet as outlined in ANSI/ISEA Z89.1-2009: Vented (Class C). Also meets the ANSI/ISEA Z89.1-2009 voluntary standard for low temperature [LT] and reverse donning.

ITEM #	ORDER #	DESCRIPTION	COLOR	SUSPENSION	UOM
10034018	308528161	Advance cap	White	4-Point	Ea
10034019	308528171	Advance cap	Blue	4-Point	Ea
10034020	308528181	Advance cap	Yellow	4-Point	Ea
10034027	308540271	Advance cap	White	6-Point	Ea
10034029	308528231	Advance cap	Yellow	6-Point	Ea



10034019



10034029



10115730



10154622



## V-Gard® Frames

Offers helmet-mounted frames for various work conditions and user helmets. Sloped design allows liquids, chips and other materials to slide off frame and away from the line of sight. Meets ANSI/ISEA Z87.1-2010 requirements.

ITEM #	ORDER #	DESCRIPTION	UOM
10115730	3085850D1	V-Gard frame for slotted caps w/ debris control	Ea
10121266	3085851D1	V-Gard frame for slotted caps w/out debris control	Ea
10115822	3085852D1	V-Gard universal frame for slotted caps w/ debris control	Ea
10121268	3085853D1	V-Gard universal frame for slotted caps w/out debris control	Ea
♦ 10115821	308558281	V-Gard frame ET for slotted caps w/ debris control	Ea
10154622	308546221	V-Gard frame for slotted hats	Ea



## V-Gard® Visors

A full line of visors for use with V-Gard chin protectors and frames. Made of wire mesh, polycarbonate (PC) or propionate (prop). Only works with V-Gard frames. Meets ANSI/ISEA Z87.1-2010 requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 10116557	3085854D1	V-Gard visor, wire mesh w/ plastic edge	7 1/2" x 17" x .10"	Ea
♦ 10115840	308507381	V-Gard visor, clear, PC, flat	8" x 17" x .06"	Ea
10115855	3085340E1	V-Gard visor, clear, prop, formed	8" x 17" x .10"	Ea
10115836	3085355E1	V-Gard visor, clear, PC, side-contours	8" x 17" x .04"	Ea



10116557

10115855



10115840



## V-Gard® Accessory Kits

V-Gard accessory kits are designed to offer easy customer solutions for a variety of needs, in one convenient box.

### 10118694 Contains:

- Hi-viz orange V-Gard cap with ratchet suspension (488146)
- V-Gard frame for slotted caps with debris control (10115730)
- V-Gard mesh nitrometer (10116558)
- V-Gard retractable chin protector (10115828)
- Left/right, high (NPR 28 db) cap-mounted earmuffs (10087422)

### 10118697 Contains:

- V-Gard universal frame for caps with debris control (10115822)
- V-Gard clear, polycarbonate visor, 8" x 17" x .04" (10115836)
- Does not contain a MSA safety helmet

ITEM #	ORDER #	DESCRIPTION	UOM
♦ 10118694	308586981	V-Gard forestry kit	Ea
♦ 10118697	308586971	V-Gard accessory system kit w/out V-Gard cap	Ea



10118694

10148708



10087218



10153385

## Replacement Suspensions for V-Gard® Caps and Hats

MSA's line of hard hat suspensions are available in a variety of sizes. Hard hat sold separately.

- Fas-Trac® III suspension is a 4-point webbed system with a large knob for easy adjustment
- Staz-On® suspension is a comfortable, 4-point webbed system

ITEM #	ORDER #	DESCRIPTION	UOM
10148708	308587081	Fas-Trac III suspension for V-Gard 500 caps	Ea
10087218	3085196C1	Staz-On suspension for V-Gard caps or hats, standard	Ea
10153385	308501811	Fas-Trac III suspension for Skullgard® & Comfo-Cap® helmets	Ea



## Terri-Band Sweatbands

Custom design sweatband with plastic snaps fits all MSA helmets. Washable.

ITEM #	ORDER #	DESCRIPTION	UOM
696688	308566885	Custom terri-band sweatband	10/Pk



696688



475407

454617



## Skullgard® Protective Hats and Caps

Features heavy-duty construction for use in steel mills and other heavy industries where elevated temperatures are common. Natural tan. Meets all applicable requirements for a Type I (top impact) helmet as outlined in ANSI/ISEA Z89.1-2009 (Class G). Also meets the ANSI/ISEA Z89.1-2009 voluntary standard for low temperature [LT].

ITEM #	ORDER #	SUSPENSION	UOM
<b>Skullgard Cap</b>			
♦ 454617	308547221	Staz-On® Pinlock	Ea
475395	308555791	Fas-Trac® III Ratchet	Ea
<b>Skullgard Full Brim Hat</b>			
454664	308547301	Staz-On Pinlock	Ea
475407	308555861	Fas-Trac III Ratchet	Ea



## **Bullard® Classic Series Hard Hats**

Designed with a wide profile which offers heightened protection from elements, including UV rays. Standard 1" (2.54 cm) wide seamless nylon straps increase balance and comfort. Comes with 6-point, Flex-Gear® suspensions with ratchet adjustment. Meets ANSI/ISEA Z89.1-2014, Type I, Class E and G. Also meets CSA Z94.1-2005, Type I, Class E and G.

ITEM #	ORDER #	COLOR	UOM
<b>Model C30R Cap</b>			
C30WHR	164805231	White	Ea
C30YLR	164805251	Yellow	Ea
C30RDR	164805131	Red	Ea
C30FGR	164804841	Forest green	Ea
C30KBR	164804951	Kentucky blue	Ea
C30ORR	164805091	Orange	Ea

ITEM #	ORDER #	COLOR	UOM
<b>Model C33R Full Brim Hard Hat</b>			
C33WHR	164806251	White	Ea
C33YLR	164806271	Yellow	Ea
C33RDR	164806151	Red	Ea
C33KBR	164805971	Kentucky blue	Ea

## **Bullard® Model S51 Hard Hats**

Flat front, trim profile shell design combines a perfect fit with a look that workers prefer. Features rain trough and poly brow pad for comfort. Lightweight, high-density polyethylene (HDPE) construction for durability. Available with 4-point suspension with self-sizing pinlock or Flex-Gear® ratchet size adjustment. Meets ANSI/ISEA Z89.1-2014, Type I, Class E and G and CSA Z94.1-2005, Type 1, Class E and G. Custom logo printing available.

ITEM #	ORDER #	COLOR	UOM
<b>Pinlock, Suspension</b>			
51WHP	164807661	White	Ea
51YLP	164807701	Yellow	Ea
51KBP	164807111	Kentucky blue	Ea
<b>Ratchet, Suspension</b>			
51WHR	164807681	White	Ea
51YLR	164807721	Yellow	Ea
51KBR	164807131	Kentucky blue	Ea



## **Bullard® Model S61 Hard Hats**

Features lightweight, high-density polyethylene (HDPE) construction and low-profile, rounded front design. The 4-point suspension includes cotton brow pad and Flex-Gear® ratchet size adjustment. Meets ANSI/ISEA Z89.1-2014, Type I, Class E and G. Custom logo printing available.

ITEM #	ORDER #	COLOR	UOM
61WHR	164808131	White	Ea
61YLR	164808151	Yellow	Ea
♦ 61RDR	164808091	Red	Ea
61KBR	164808011	Kentucky blue	Ea
61HORR	164807971	Hi-viz orange	Ea

## **Bullard® Bump Caps**

Offers wearer a sleek style combined with user comfort and maximum versatility. Provides protection against minor bumps, bruises and lacerations. Features double hoop design for greater reinforcement and durability along with an easy-to-assemble user replaceable suspension. Lightweight, high-density polyethylene (HDPE). Interchangeable brow pad available in easy-to-clean vinyl and absorbent polyester for comfortable fit.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
BCWHV	164823321	Bump cap w/ vinyl brow pad	White	Ea
♦ BCWHP	164823331	Bump cap w/ polyester brow pad	White	Ea
BCYLV	164823341	Bump cap w/ vinyl brow pad	Yellow	Ea
♦ BCYLP	164823351	Bump cap w/ polyester brow pad	Yellow	Ea








## Bullard Faceshield Bracket

Securely attach hard hats with the faceshield bracket that suits your needs. Gold Line® aluminum faceshield brackets, made from resilient, gold-anodized aluminum, resist corrosion and heat, making them ideal for chemical handling and high-heat industrial applications. Front-mounting. Meets ANSI/ISEA Z87.1-2015 High Impact.

ITEM #	ORDER #	DESCRIPTION	UOM
100G	164804331	Aluminum bracket, fits cap Models C30, S51, S61, S62, 911C & bump cap	Ea



100G

## Bullard Visors

Flat acetate is for chemical applications and light impact protection. Heat-formed polycarbonate is for high-heat applications with little or no exposure to chemicals. (Heat-formed visors are curved to the shape of the bracket to minimize stress cracking and improve ease of attachment). Meets ANSI/ISEA Z87.1-2015 Basic Impact.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
840M	164808201	Flat acetate visor, basic impact	8" x 15" x .040"	Clear	Ea
♦ 840MG	164808811	Flat acetate visor, basic impact	8" x 15" x .040"	Dark green	Ea
860P	164808871	Polycarbonate visor, basic impact	8" x 15" x .060"	Clear	Ea



840M



860P



840MG

## Bullard Dielectric Faceshield Brackets

Securely attach hard hats with faceshield bracket. Dielectric brackets are constructed from lightweight, durable nylon and are suited for general-duty applications. Front-mounting. Meets ANSI Z87.1-2015 High Impact when used in combination with Bullard headgear or faceshield brackets. Fits cap Models C30, Advent®, S51, S61, bump cap and S62.

ITEM #	ORDER #	DESCRIPTION	UOM
300BW	164805271	Dielectric bracket w/ neoprene gasket	Ea
300B	164805261	Dielectric bracket	Ea



300BW



300B

## Bullard Replacement Brow Pads

Brow pads cushion while absorbing moisture to keep wearers feeling cool and clean. Replaceable on all Standard and Classic Series hard hats. Velcro® easily in place over original pads, ensuring comfort and protection. RBPCOOL replacement brow pad is made of Polartec® wicking material that moves sweat away from the worker's brow. RBPCOTTON is a large, absorbent cotton replacement pad. Both styles fit all current Bullard® hard hats.

ITEM #	ORDER #	DESCRIPTION	UOM
RBPCOOL	164810511	Polartec® replacement brow pad	Ea
RBPCOTTON	164802961	Large cotton replacement brow pad	Ea



RBPCOOL



RBPCOTTON



14831



## Jackson Safety\* SC-16 Fiberglass Caps

Fiberglass protection for higher heat applications. Smooth dome design. Firm, comfortable fit with padded, absorbent brow pad. Accessory slots for attaching additional personal protective equipment. 4-Point ratchet suspension. Head sizes 6 1/2" to 8". Meets ANSI Z89.1, Class G and C.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
14829	C24115841	SC-16 hard hat	Yellow	Ea
14831	C24115851	SC-16 hard hat	White	Ea



## Jackson Safety\* SC-6 Hard Hats

Smooth dome design. Lightweight, molded from dielectric high-density polyethylene (HDPE). Features 4-point comfort ratchet suspension and accessory slots for attaching additional personal protection equipment. Head sizes 6 1/2" to 8". Meets ANSI Z89.1, Class C, G and E.

Note: Dielectric means all exposed parts are plastic or rubber.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
14833	C24115871	SC-6 Hard hat	Yellow	Ea
14834	C24115881	SC-6 Hard hat	White	Ea
14837	C24115901	SC-6 Hard hat	Green	Ea
14838	C24115911	SC-6 Hard hat	Blue	Ea
14839	C24115921	SC-6 Hard hat	Orange	Ea
14841	C24115931	SC-6 Hard hat	Red	Ea



14838



14837



14839



20698



20699



## Jackson Safety\* Blockhead\* Hard Hats

Full 360° brim protects wearer from nature's elements. Lightweight for comfort. Molded from high-density polyethylene (HDPE). Features 8-point ratchet suspension. Soft, absorbent cloth absorbs sweat, keeping wearer comfortable. Meet ANSI Z89.1, Type 1, Class G, E and C.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
20697	C24121131	Blockhead* hard hat	White	Ea
20698	C24121141	Blockhead* hard hat	Yellow	Ea
20699	C24121151	Blockhead* hard hat	Blue	Ea
20701	C24121161	Blockhead* hard hat	Orange	Ea



## Jackson Safety\* 382-B Cap Adapter

Blade-mounted for slotted hats. Totally dielectric and includes spark deflector. Faceshield sold separately. Fits SC-6, Sentry III\* and Charger\* hard hats.

Note: Dielectric means all exposed parts are plastic or rubber.

ITEM #	ORDER #	DESCRIPTION	UOM
14944	C24116191	382-B cap adapter	Ea



14944



## Jackson Safety\* 170-SB Headgear

Enables attachment of Jackson Safety\* faceshields. Headgear with large spark deflector. Ratchet suspension.

ITEM #	ORDER #	DESCRIPTION	UOM
14940	C24116141	170-SB headgear	Ea



14940



## Jackson Safety\* Faceshields

**Polycarbonate:** Impact performance. Good performance against heat. Excellent cold flexibility.

**Acetate:** Robust combination of weight and strength. Excellent cold flexibility.

**Propionate:** Lightweight.

**Polycarbonate Special:** Perform well in high heat or cold environments for specialty applications.

**Wire Mesh:** Wear with faceshield to dissipate heat. Ideal for flying debris applications. Airflow for comfort.

Headgear sold separately. Meets ANSI Z87.1-2010 standards.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>F20 Polycarbonate Faceshields</b>				
29087	C24118581	34-60-PC Clear, unbound	8" x 15.5" x .060"	Ea
29099	C24153781	8140 Clear, unbound	8" x 15.5" x .040"	Ea
<b>F30 Acetate Faceshields</b>				
29052	C24114231	8154 Clear, bound	8" x 15.5" x .040"	Ea
29053	C24114301	8154M Medium green, bound	8" x 15.5" x .040"	Ea
29054	C24114341	8156 Clear, bound	8" x 15.5" x .060"	Ea
29079	C24118381	34-40 Clear, bound	9" x 15.5" x .040"	Ea
29082	C24118471	34-41 Light green, bound	9" x 15.5" x .040"	Ea
29091	C24118671	34-40 Clear, bound, bulk	9" x 15.5" x .040"	Ea
29090	C24118641	34-42 Dark green, bound, bulk	9" x 15.5" x .040"	Ea
<b>F40 Propionate Faceshields</b>				
29084	C24118561	915-60 Clear, unbound	8" x 15.5" x .060"	Ea
<b>F50 Polycarbonate Special Faceshields</b>				
29080	C24118401	34-65 IR/UV 5.0, bound	9" x 15.5" x .060"	Ea
<b>F60 Wire Faceshields</b>				
29102	C24126011	6513 Wire mesh, bound	6.5" x 15.5" x .020"	Ea
29055	C24114221	815 Wire mesh, bound	8" x 15.5" x .020"	Ea



## Jackson Safety\* 37 Hatshield

Curved aluminum channel and coil spring attachment allows attachment of any Jackson Safety\* faceshield to protective full brim hat.



14945

ITEM #	ORDER #	DESCRIPTION	UOM
14945	C24116201	37 Hatshield, metal	Ea
14393	C24112701	Model-H bracket hat adapter	Ea



## Jackson Safety\* HDG 10 Model K Headgear

Ratchet headgear with spark deflector. Soft, absorbent, wraparound, foam-cushioned sweatband gently hugs the natural shape of the head.



14381

ITEM #	ORDER #	DESCRIPTION	UOM
14381	C24112961	Model K ratchet headgear w/ spark deflector	Ea



## Jackson Safety\* Capshields

**337 Capshield** is a fully dielectric device for non-slotted caps. Features curved channel that fits over the bill of the cap for bill forward wear and secures with adjustable rubber headband that stretches around the exterior cap crown. Faceshields secured with integral plastic lugs.

**437 Blade-mount capshield** is a fully dielectric plastic attachment for slotted caps. Curved channel fits over bill of cap for bill forward wear and includes pivoting blades, which snap easily into cap slots. Faceshields secured with integral plastic lugs.

**137 Capshield** is a metal device for non-slotted caps. Features curved aluminum channel that fits over bill of cap for bill forward wear and secures with coiled spring that stretches around the exterior cap crown. Faceshields secured with integral plastic lugs.

Note: Dielectric means all exposed parts are plastic or rubber.

ITEM #	ORDER #	DESCRIPTION	UOM
14946	C24116211	337 Capshield	Ea
14947	C24116221	437 Blade-mount capshield	Ea
14948	C24116231	137 Capshield	Ea







## UVEX Bionic® Faceshields and Replacement Visors

Provides excellent optics, visibility, and enhanced protection from airborne debris. Ideal for workers exposed to falling or flying objects, impact, chemical splash and other debris. Features extended chin and top-of-head protection, lightweight and balanced design to reduce head and neck strain, cell foam on back of headgear, and breathable, washable sweatband up front. Dual position visors are easy to replace and attach securely. Comfortably worn with most goggles, eyewear and respirators. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.

ITEM #	ORDER #	DESCRIPTION	COLOR	LENS	UOM
S8500	341535081	Bionic faceshield, polycarbonate visor, uncoated	Black matte	Clear	Ea
S8510	341535101	Bionic faceshield, polycarbonate visor, anti-fog/hardcoat	Black matte	Clear, Anti-scratch hardcoat	Ea
<b>Replacement Visors</b>					
S8550	341535121	Polycarbonate visor, uncoated, clear	Clear	Clear	10/Cs
S8555	341535131	Polycarbonate visor, anti-fog/hardcoat	Clear	Clear, Anti-scratch hardcoat	10/Cs
♦ S8560	341535141	Polycarbonate visor, uncoated	Shade 3.0	Shade 3.0	10/Cs
♦ S8565	341535151	Polycarbonate visor, uncoated	Shade 5.0	Shade 5.0	10/Cs



## Uvex Turboshield™

Perfect for workers exposed to falling or flying objects, impact, splash and airborne debris; it can also be comfortably worn with most goggles, respirators and earmuffs. Flexible head-cushioning suspension cradle provides 300% greater contact area than traditional suspensions to eliminate pressure points for all-day wear. Simple push-button release system allows for easy visor exchange in seconds. Feel safer with 50% more chin coverage compared to traditional visors, without the need for bulky attachments. Control knobs are large and ergonomically designed for easy adjustment, even while wearing gloves. Visor slides back 7", improving balance and weight distribution. Headgear features breathable, removable, washable headband; toric lens provides excellent optics, increased field of view and added chin coverage without bulky attachments. Clear and Gray lenses available with dual anti-scratch/anti-fog coating for longer visor life and reduced fogging. Ergonomically designed ratcheting headgear mechanism assures quick, easy adjustment to achieve an optimal fit. Hard hat adapter accessory is compatible with multiple hard hats, including Fibre-Metal®, North® and most major competitor styles. Positive-locking hinge secures visor in raised and lowered positions. Integrated brim guard ensures gap-free fit and protection from overhead debris. Meets ANSI Z87.1-2010 and CSA Z94.3 standards. Faceshields offer secondary protection and must be worn with spectacles or goggles.



ITEM #	ORDER #	DESCRIPTION	UOM
S9500	341595011	Turboshield ratchet headgear, black	Ea
S9510	341595101	Turboshield hard hat adapter, black	Ea

ITEM #	ORDER #	DESCRIPTION	UOM
<b>Polycarbonate Replacement Visors</b>			
♦ S9550	341595501	Clear, uncoated	Ea
♦ S9555	341595551	Clear, hardcoat, anti-fog	Ea
♦ S9575	341595751	Gray, hardcoat, anti-fog	Ea
♦ S9560	341595601	Shade 3.0, uncoated	Ea
♦ S9565	341595651	Shade 5.0, uncoated	Ea



## Protecto-Shield® Prolok® Headgear and Visors

Tough thermoplastic headgear provides impact and splash protection and feature heat-resistant browguard. Specially designed with chemical splash drip edge to prevent fluids from splashing down inside the visor. Easy sizing and tension adjustment for individual visor positioning. Visors measure 8 1/2" x 15" x .070" and attach easily without snaps, posts or levers. Meets ANSI Z87.1-2010 and CSA Z94.3 standards.

Note: Faceshields [and face screens] provide secondary eye protection only and must be worn along with approved primary eye protection, such as safety glasses or goggles, in order to provide complete eye protection.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
11380048	341500481	VSN Prolok headgear w/ ratchet adjustment & sweatband	Medium green	Ea
<b>Molded Replacement Visors</b>				
11390065	341500471	Polycarbonate visor, poly bag	Clear	Ea
11390064	341500441	Propionate visor, poly bag	Clear	Ea
11390069	341537891	Propionate visor	Shade 6.0	Ea



by Honeywell

## Roughneck™ P2 Hard Hats

Made of an injection-molded fiberglass compound. Solid color resin for permanent, no-chip, no-peel finish. Features smooth, matte finish for cleaner, crisper logo imprints. Impact resistance up to 500° F. Compatible with Quick-Lok® or Speedy® Loop helmet attachment system for faceshields and welding helmets. SEI third-party certified. Meets ANSI-Z89.1-2009, Type 1, Class G and CSA Z94.1-2005, Type 1, Class G or C (Class C for Quick-Lok model).



ITEM #	ORDER #	COLOR	SUSPENSION	UOM
◆ P2HNRW71A000	347686651	Blue	Ratchet	Ea
P2HNRW01A000	347686681	White	Ratchet	Ea

ITEM #	ORDER #	COLOR	SUSPENSION	UOM
◆ P2HNQRW74A000	347691211	Green	Quick-Lok	Ea
P2HNQRW71A000	347688661	Blue	Quick-Lok	Ea



by Honeywell

## SuperEight® Caps and Hats

High-quality thermoplastic hats and caps feature unique, smooth crown that eliminates the danger of falling objects being trapped by ribs, ridges or slots. Wearer can adjust head size by using rear-located ratchet mechanism and tilting the headband. All hats and caps include 8-point suspension and available with Fibre-Metal non-slip/non-strip ratchet, SwingStrap™ or TabLok™ headgear. All styles are SEI certified to meet ANSI Z89.1-2009, Type 1, Class E.

Note: Available in a variety of colors. E2 cap is compatible with Quick-Lok® or Speedy® Loop helmet attachment system for faceshield and welding helmets. Call customer service for more information.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
E2RW01A000	614609301	Hard cap	White	Ea
E2RW02A000	614609321	Hard cap	Yellow	Ea
E2RW15A000	614609311	Hard cap	Red	Ea
E2RW71A000	347686911	Hard cap	Blue	Ea
E1RW01A000	614609151	Full brim hard hat	White	Ea
E1RW02A000	614609251	Full brim hard hat	Yellow	Ea
E1RW15A000	614609261	Full brim hard hat	Red	Ea
E1RW71A000	614609271	Full brim hard hat	Blue	Ea

E2RW02A000



E1RW71A000



by Honeywell

## F300, F400, F500 and Dual Crown Series Faceshield Headgear

A variety of faceshield headgear with crown protectors provides the level of protection you need. All models feature lightweight and heat-resistant Noryl® (the same material used in welding helmets) crown protectors and ratchet headbands (windows sold separately). Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.

**F300** lightweight faceshield headgear provides general face protection for light-duty applications. Easily fits over spectacles, leaving room for air circulation to prevent fogging. Accommodates standard size (8" x 11 1/2") windows.

**F400** features a deeper 4" crown protector to extend protection without increasing weight. Incorporates wide-vision (8" x 17") wraparound windows and screens which provide 40% more protective area than standard size faceshields. Fits easily over required spectacles or respirators.

**F500** includes a broader, deeper 7" crown protector to provide an extra margin of protection when harsh working conditions require it. Features the exclusive Channel Grip System that mounts wide, wraparound windows and locks them into place to form a perfect seal from dust, dirt and debris. Includes Fibre-Metal classic 3-C, free-floating headgear.

ITEM #	ORDER #	DESCRIPTION	UOM
F300	347686341	Light-duty faceshield headgear w/ 3" crown protector	Ea
F400	614601731	Medium-duty faceshield headgear w/ 4" crown protector	Ea
F500	614601761	Heavy-duty faceshield headgear w/ 7" crown protector	Ea





## Head & Face Protection



by Honeywell

### Faceshield Headgear Combinations

Protective cap-mounting mechanisms easily and safely secure Fibre-Metal® faceshields to hard hats. Constructed from Noryl®, these faceshield brackets offer durable protection.

Model 5000 with Speedy® mounting loops is adjustable and provides easy on and off mounting on protective caps.

ITEM #	ORDER #	DESCRIPTION	UOM
F4400	614601741	F-400 faceshield bracket w/ Quick-Lok cups, 4" crown	Ea
F5400	614601771	F-500 faceshield bracket w/ Speedy loop mounts, 4" crown	Ea
F5500	614601781	F-500 faceshield bracket w/ Speedy loop mounts, 7" crown	Ea
5000	614606911	5000 Speedy-Loop attachment & adapter headband kit	Ea



by Honeywell

### Faceshield Hard Hat Brackets

Provides positive seal to keep debris from filtering between cap and shield. May be pivoted above cap between uses without removing the cap. Hard hat and faceshield not included.

ITEM #	ORDER #	DESCRIPTION	UOM
FM70	614602441	Fully dielectric mounting bracket for Fibre-Metal P2, E2 hard hats	Ea
FH66	614601811	Aluminum mounting bracket for Fibre-Metal P2, E2 hard hats	Ea
FM71	614602471	Dielectric frame for extended outdoor use, fits wide windows only, for Fibre-Metal E1 full brim hats	Ea



by Honeywell

### High-Performance® Faceshield Windows

Windows are preformed to the exact curve of crown protectors for easy installation, exact fit and perfect seal against dust, dirt and debris. They are .060" thick, yet cost no more than ordinary .040" thick windows. Easily fit over required protective spectacles or respirators. Hard hat and frame not included.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
4118CL	614606221	Standard window, fits F300 Series	8" x 11 1/4"	Clear	Ea
4178CL	614606241	Wide window, fits F400, F500 Series & FH66, FM70, FM71	8" x 16 1/2"	Clear	Ea
4178DGN	614606251	Wide window, fits F400, F500 Series & FH66, FM70, FM71	8" x 16 1/2"	Dark green	Ea
4199CL	614606291	Extended view window, fits F400, F500 Series & FH66	9 3/4" x 19"	Clear	Ea
4199DGN	614606301	Extended view window, fits F400, F500 Series & FH66	9 3/4" x 19"	Dark green	Ea
4178IRUV5	614606271	Wide window, fits F400, F500 Series & FH66, FM70, FM71	8" x 16 1/2"	Shade 5.0	Ea
4199IRUV5	614606321	Extended view window, fits F400, F500 Series & FH66	9 3/4" x 19"	Shade 5.0	Ea



F5400



FM70



4199CL



4178IRUV5

# 3M

### 3M™ H8A Deluxe Ratchet Headgear



82501-00000

Five-position crown strap with ratchet adjustment offers comfortable, snug fit. No snaps, caps or bands. High-strength thermoplastic crown provides impact resistance over a wide range of temperatures. Easy-Change feature allows for quick faceshield replacement. Faceshields sold separately. Meets ANSI Z87.1+ High Impact standard when worn with 3M™ Faceshields.

WARNING: All faceshields must be worn with safety glasses or safety goggles.

ITEM #	ORDER #	DESCRIPTION	UOM
82501-00000	665520871	H8A Deluxe ratchet headgear	Ea



### WARNING

These hard hats proved limited protection only. Misuse or failure to follow warnings and User Instructions may result in serious person injury or death. For proper use, see supervisor, or User Instructions, or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.



82701-00000

# 3M

### 3M™ Faceshields

Polycarbonate faceshields help provide good heat resistance and high impact face protection. Faceshield mounts quickly to any 3M™ Headgear without tools, snaps or cams. WP96C features dark green color for high glare reduction. Non-infrared absorbing. Measures: 9" x 14 1/2" x .08". Meets the High Impact requirements of ANSI Z87.1-2010 when worn with 3M™ headgear.

WARNING: All faceshields must be worn with safety glasses or safety goggles.

ITEM #	ORDER #	DESCRIPTION	UOM
82701-00000	665564341	WP96 Clear Polycarbonate Faceshield	Ea
♦ 82702-00000	665573571	WP96C Dark Green Polycarbonate Faceshield	Ea
82543-00000	665573441	WP98 Clear Polycarbonate Faceshield for HCP8	Ea
82700-00000	665573961	Clear Propionate Faceshield	Ea





## Serpent® Safety Helmets

Ultra-comfortable safety helmets that offer durable head protection for a wide range of work environments. Sleek, snake-head-like shell design provides modern style. Manufactured from lightweight (13.1 oz.), high-density polyethylene (HDPE) material. Comfortable 8-point, 6-strap nylon suspension provides exceptional impact absorption. Independently tested to meet the ANSI Z89.1 standard for Type 1, Class E, G and C safety helmets. Independently tested to meet the voluntary ANSI Z89.1-2009 standards for lower temperature, reverse donning and high visibility (hi-viz shell colors only).

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
72200	323327301	Serpent safety helmet	White	Ea
72201	323327311	Serpent safety helmet	Yellow	Ea
72203	323327321	Serpent safety helmet	Blue	Ea
72216	323327331	Serpent safety helmet	Hi-viz orange	Ea
72218	323327341	Serpent safety helmet	Hi-viz limon	Ea



## Venom® Face Protection

Contoured visor design creates a more complete seal to block debris. Contemporary headgear design offers lightweight construction with soft brow pad and nape strap for comfort. Three-part adjustment system provides custom fit, and tension adjustment ensures that visor will stay in place when raised. Measures: 9" x 15 1/2" x .060". Independently tested and certified by UL® to meet ANSI Z87.1 and CSA Z94.3 standards. Visors are for use with Venom headgear.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
679	323306791	Venom Combo-Pak w/ 677 headgear and 675 visor		Ea
675	323301071	Venom visor	Clear	Ea
678	323327251	Venom visor	Smoke	Ea
676	323327261	Venom visor	Clear, anti-fog	Ea



## Venom® Headgear Unit

Three-part comfort adjustment system makes it easy to wear for all-day applications. Extra-soft brow pad and nape strap delivers superior comfort. Meets ANSI Z87.1+ High Impact standard. Independently tested and certified by UL® to meet ANSI Z87.1 and CSA Z94.3 standards.



ITEM #	ORDER #	DESCRIPTION	UOM
677	323301061	Venom headgear unit	Ea



## SWEATSOpad® Headbands

Made from absorbent, 100% fleece cotton. Features air cushion layer, absorbs excessive perspiration and helps to minimize "helmet-head" and helmet slippage. Eliminates the frustration of wearing a helmet over a sweatband. Flame-retardant treated with hook-and-loop fastener. Russet.



ITEM #	ORDER #	DESCRIPTION	UOM
20-3100V	C25400605	Welding helmet headband	2/Pk
20-3200V	C25400615	Hard hat headband	2/Pk



## Headgear Brackets and Faceshields

Headgear features locking cams which eliminate snaps and lower replacement costs. Aluminum rim headgear bracket (102) features a 5-system cam lock for added impact resistance. Ratchet, take-up headgear (103) also features a 5-system cam lock for heightened impact resistance, a large ratchet handle, and a cotton sweatband for comfortable fit. Constructed from ABS material and a crown made of nylon 66. All headgear accepts most manufacturers' universally punched windows. Meets ANSI Z87.1+ High Impact standard. For use as secondary protection only. Faceshields sold separately.



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
102	331404401	Aluminum rim headgear bracket		Ea
103	331401031	Ratchet take-up headgear		Ea
101640	331404391	Clear, universal PETG faceshield	10" x 15 1/2" x .040"	Ea
102040	331404411	Clear, universal PETG faceshield	10" x 20" x .040"	Ea
181540	331404461	Clear, universal PC faceshield	8" x 15 1/2" x .040"	Ea

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
181560	331404471	Clear, universal PC faceshield	8" x 15 1/2" x .060"	Ea
181640	331410721	Clear, universal PETG faceshield	8" x 15 1/2" x .040"	Ea
181541	331439331	Medium green, universal poly faceshield	8" x 15 1/2" x .040"	Ea
181640A	331404481	Clear, PETG aluminum bound faceshield	8" x 15 1/2" x .040"	Ea



## Baseball Cap Bump Cap

Outer 100% polyester twill baseball cap features high-profile, 6-panel design with top of cap holes for cooling ventilation. Inside, a separate hard plastic polyethylene shell cap insert encircles top, front and both sides of head to protect against bumps and scrapes. Foam padding enhances comfort. Bump cap insert also sold separately. Universal. Navy. Non-ANSI compliant.



ITEM #	ORDER #	DESCRIPTION	UOM
V410	325302161	Baseball cap bump cap w/ insert	Ea
V400	325302171	Bump cap insert	Ea



## Vulcan® Cowboy Hard Hats

High-density polyethylene (HDPE) outer shell resists penetration. Features custom-curved extra wide brim for UV and rain protection plus vintage-inspired pinch-front top for authentic cowboy appeal. Water-resistant. Includes 6-point ratchet suspension. One size fits most. Complies with ANSI Z89.1-2009, Type 1, Class E, G and C.



ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
VCB200-W	325302771	Vulcan cowboy hard hat	White	Ea
VCB200-B	325302741	Vulcan cowboy hard hat	Black	Ea
VCB200-G	325302751	Vulcan cowboy hard hat	Gray	Ea
VCB200-T	325302761	Vulcan cowboy hard hat	Tan	Ea



## Tuff Nougies® Doo Rags

Made of 100% absorbent cotton fabric with rear ties for secure fit and double layer of cotton around forehead for added comfort and absorption. FR versions are flame-resistant through 50 home washes. Universal.

ITEM #	ORDER #	COLOR	UOM
<b>Tuff Nougies Doo Rag, FR</b>			
TN5-INFR-FR11	325316111	Gray	Ea
TN5-INFR-HVY	325316131	Hi-viz yellow	Ea
TN5-INFR-018	325316181	Navy	Ea
TN5-INFR-04	325316191	Green	Ea
TN5-INFR-KHK	325316211	Khaki	Ea
<b>Tuff Nougies Doo Rag</b>			
♦ TN5-NAV	325302411	Navy	Ea
♦ TN5-BLACK	325302341	Black	Ea
TN5-WAV	325302441	Wavy flag	Ea



## Terry Toppers® Snap-On Sweatbands for Hard Hats

Constructed from 100% super-absorbent soft terry cotton and offers plush, not scratchy, texture. Sweatband absorbs without needing to be washed first. Installs easily with snap-on application and helps hard hat fit securely. No foam middle. Machine washable. Universal.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
870B20-01	325302671	Snap-on hard hat sweatband	Navy	20/Pk
870B20-15	325302651	Snap-on hard hat sweatband	Beige	20/Pk



## Tuff Nougies® Tie Hats with Elastic Rear Band

Feature rear ties for a snug fit and 360° of 100% absorbent cotton terry (with additional soft foam under the front for comfort). Cotton elastic back-of-head band provides a secure fit. FR versions are flame-resistant until washed. Universal.



ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
TN6-FLA	325302511	Tuff Nougies tie hat	Big flame	Ea
TN6-WAV	325302561	Tuff Nougies tie hat	Wavy flag	Ea
TN6-BLACK	325302471	Tuff Nougies tie hat	Black	Ea



**Cold Weather Head and Face Protection products available on page 199.**

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
TN6-JFL	325302521	Tuff Nougies tie hat	Jungle flage	Ea
TN6-12	325316125	Tuff Nougies tie hat	Assorted	12/Pk
TN6-FR-BLK	325328751	Tuff Nougies tie hat, FR	Black	Ea



IMAGE COURTESY OF BULLARD

## Employers must ensure that their employees wear head protection if any of the following apply:

- Objects might fall from above and strike them on the head;
- They might bump their heads against fixed objects, such as exposed pipes or beams; or
- There is a possibility of accidental head contact with electrical hazards.

### In general, protective helmets or hard hats should do the following:

- Resist penetration by objects.
- Absorb the shock of a blow.
- Be water-resistant and slow burning.
- Have clear instructions explaining proper adjustment and replacement of the suspension and headband.

## Types of Hard Hats

Hard hats are divided into three industrial classes:

- Class A hard hats provide impact and penetration resistance along with limited voltage protection (up to 2,200 volts).
- Class B hard hats provide the highest level of protection against electrical hazards, with high-voltage shock and burn protection (up to 20,000 volts). They also provide protection from impact and penetration hazards by flying/falling objects.
- Class C hard hats provide lightweight comfort and impact protection but offer no protection from electrical hazards.

Another class of protective headgear on the market is called a "bump hat," designed for use in areas with low head clearance. They are recommended for areas where protection is needed from head bumps and lacerations. These are not designed to protect against falling or flying objects and are not ANSI approved. It is essential to check the type of hard hat employees are using to ensure that the equipment provides appropriate protection. Each hat should bear a label inside the shell that lists the manufacturer, the ANSI designation and the class of the hat.

*Always replace a hard hat if it sustains an impact, even if damage is not noticeable. Suspension systems are offered as replacement parts and should be replaced when damaged or when excessive wear is noticed. It is not necessary to replace the entire hard hat when deterioration or tears of the suspension systems are noticed.*

For complete details go to [www.osha.gov](http://www.osha.gov).

## Face Protection

Faceshields are intended to protect the entire face or portions of it from impact hazards such as flying fragments, objects, large chips, and particles. When worn alone, faceshields do not protect employees from impact hazards. Use face shields in combination with safety spectacles or goggles, even in the absence of dust or potential splashes, for additional protection beyond that offered by spectacles or goggles alone.

Faceshield windows are made with different transparent materials and in varying degrees or levels of thickness. These levels should correspond with specific tasks. Window and headgear devices are available in various combinations to enable the worker to select the appropriate equipment.

Faceshield windows extend from the brow to below the chin and across the entire width of the face.

Windows are available in both removable or lift-front designs:

- Removable windows allow the replacement of damaged windows
- Lift-front windows may be raised, as needed, or left in the lowered position

**Plastic windows:**

- Protect against light impact
- May include a glass insert
- Are available clear or filtered

**Wire-screen windows:**

- May include a plastic/glass insert
- Protect against some moderate impact
- Are not recommended for use involving chemical or liquid hazards





**3M**

# Hearing Protection

Exposure to high levels of noise causes hearing loss and may cause other harmful health effects as well. The extent of damage depends primarily on the intensity of the noise and the duration of the exposure.

Go to [www.osha.gov](http://www.osha.gov) for complete information.



## The right fit test. Right now.

3M™ E-A-Rfit™ Dual-Ear Validation System



**E-A-Rfit™**

**3M**



## 3M 3M™ E-A-R™ Classic™ Earplugs

Moisture- and flame-resistant. Slow-recovery foam provides comfortable, effective seal while exerting low pressure in ear canal. Fit wide range of ear canals. Classic™ Plus are slightly longer than regular E-A-R™ Classic™ earplugs to fit deeper into the ear canal and provide higher noise reduction. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
310-1001	665564465	Classic, uncorded, pillow pack	29	200 Pr/Bx
311-1101	665522755	Classic, corded, poly bag	29	200 Pr/Bx
312-1201	665521395	Classic, uncorded, poly bag	29	200 Pr/Bx
310-1101	665572675	Classic Plus, uncorded, pillow pack	33	200 Pr/Bx
311-1105	665573745	Classic Plus, corded, poly bag	33	200 Pr/Bx
390-1000	665564475	Classic, uncorded, Value Pack™ dispenser	29	200 Pr/Bx
391-1001	665521305	Classic, uncorded, One Touch™ refill bottle	29	500 Pr/Btl



310-1101

311-1101

## 3M 3M™ E-A-R™ Classic™ SuperFit™ 30 and SuperFit™ 33 Earplugs

Cylindrical shape fits wide range of ear canals. Best fit achieved when plug is fully inserted so no ring is visible. Aids in compliance checks. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
310-1009	665572645	SuperFit 30, uncorded, pillow pack	30	200 Pr/Bx
310-1008	665572635	SuperFit 33, uncorded, pillow pack	33	200 Pr/Bx




310-1008

## 3M 3M™ E-A-Rsoft™ Yellow Neons™ and Yellow Neon Blasts™ Disposable Foam Earplugs

Soft foam provides low-pressure comfort. Optional breakaway cord keeps earplugs handy. Yellow Neon Blasts have red flames. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
312-1250	665522765	Yellow Neons, uncorded, poly bag	33	200 Pr/Bx
311-1250	665572075	Yellow Neons, corded, poly bag	33	200 Pr/Bx
312-1252	665572295	Yellow Neon Blasts, uncorded, poly bag	33	200 Pr/Bx
311-1252	665563975	Yellow Neon Blasts, corded, poly bag	33	200 Pr/Bx



312-1250

311-1250

312-1252

## 3M 3M™ E-A-Rsoft™ FX™ Earplugs

Disposable earplugs offer high-level hearing protection and comfort. Flanged shape allows for easy insertion and effective fit. Soft foam provides exceptional comfort. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
312-1260	665572795	E-A-Rsoft FX, corded	33	200 Pr/Bx
312-1261	665572805	E-A-Rsoft FX, uncorded	33	200 Pr/Bx




312-1260

312-1261

### ! WARNING

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.

\* NRR is the Noise Reduction Rating in decibels (dB). It is the average noise reduction obtained by a group of people wearing a specific hearing protector in a laboratory test. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.



## 3M 3M™ Foam Earplugs 1100 and 1110

Soft, comfortable earplugs conform to unique shape of each ear canal for excellent hearing protection and comfort. Foam is tapered to fit most ear canals. Bright orange color aids in compliance checks. Can be combined with earmuffs for additional protection. Test compatible with 3M™ E-A-Rfit™ Validation System. Corded plugs are not for use in the 3M™ Foam Earplug Dispenser. CSA Class AL.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	NRR*	UOM
1100	665511005	Foam Earplugs 1100, uncorded	1,000 Pr/Cs	29	200 Pr/Bx
1110	665511045	Foam Earplugs 1110, corded	500 Pr/Cs	29	100 Pr/Bx

## 3M 3M™ E-A-R™ TaperFit™ 2 Earplugs

Soft, roll-down foam expands to fit ear canal and provides low-pressure, comfortable seal. Bright yellow color aids in compliance checks. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/case.

ITEM #	ORDER #	DESCRIPTION	SIZES	NRR*	UOM
312-1219	665564195	TaperFit 2, uncorded	Regular	32	200 Pr/Bx
312-1223	665564445	TaperFit 2, corded	Regular	32	200 Pr/Bx
312-1221	665520085	TaperFit 2, uncorded	Plus	32	200 Pr/Bx
312-1224	665564455	TaperFit 2, corded	Plus	32	200 Pr/Bx

## 3M 3M™ E-A-R™ Push-Ins™ Earplugs

Simple-to-use design features soft Earform™ tip that expands in ear canal for comfortable seal against noise. Blue stem makes fitting and removal easy and helps keep tips clean. Ready-to-use, reusable plugs form an effective seal against noise. Test compatible with 3M™ E-A-Rfit™ Validation System.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	NRR*	UOM
318-1000	665564225	Push-Ins, uncorded	400 Pr/Cs	28	100 Pr/Bx
318-1001	665564235	Push-Ins, corded	400 Pr/Cs	28	100 Pr/Bx
318-1002	665564245	Push-Ins, uncorded	2,000 Pr/Cs	28	200 Pr/Bx
318-1003	665573665	Push-Ins, corded	2,000 Pr/Cs	28	200 Pr/Bx



## 3M 3M™ Skull Screws™ Earplugs

Steel-gray color and soft foam provide look and comfort level younger workers prefer. Screw "threads" molded into foam make insertion convenient and easy. No roll-down required. Test compatible with 3M™ E-A-Rfit™ Validation System. 480 Pair/case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
P1300	665570235	Skull Screws, uncorded	30	120 Pr/Bx
P1301	665521895	Skull Screws, corded	30	120 Pr/Bx



### WARNING

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury. For proper use, see supervisor, *User Instructions*, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.

## 3M 3M™ E-A-R™ Express™ Pod Plugs™

Reusable with unique pod shape and soft, flexible grip for pushing earplug into position. No touching or roll-down needed for insertion. Test compatible with 3M™ E-A-Rfit™ Validation System. 400 Pair/case.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
321-2100	665564275	Express Pod Plugs, uncorded w/ blue grips	25	100 Pr/Bx
321-2200	665574665	Express Pod Plugs, uncorded w/ assorted color grips	25	100 Pr/Bx
311-1114	665572275	Express Pod Plugs, corded w/ blue grips	25	100 Pr/Bx
311-1115	665574975	Express Pod Plugs, corded w/ assorted color grips	25	100 Pr/Bx

\* NRR is the Noise Reduction Rating in decibels (dB). It is the average noise reduction obtained by a group of people wearing a specific hearing protector in a laboratory test. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.






# 3M

## 3M™ E-A-R™ E-Z Fit™ Earplugs

Soft, smooth, low-pressure foam rolls down easily and expands to fit ear canal. Bright yellow color aids in compliance checks. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
312-1208	665520855	E-Z Fit, uncorded	28	200 Pr/Bx
312-1222	665564205	E-Z Fit, corded	28	200 Pr/Bx



# 3M

## 3M™ E-A-R™ UltraFit™ Earplugs

Triple-flange design fits a wide range of ear canals. No rolling or touching during insertion. Washable and reusable. Test compatible with 3M™ E-A-Rfit™ Validation System.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	NRR*	UOM
340-4003	665564285	UltraFit, uncorded	400/Cs	25	100 Pr/Bx
340-4004	665522475	UltraFit, corded	400/Cs	25	100 Pr/Bx
340-4002	665522775	UltraFit, corded, carrying case	200/Cs	25	50 Pr/Bx



# 3M

## 3M™ E-A-R™ Metal Detectable Earplugs


Test compatible with 3M™ E-A-Rfit™ Validation System.

**Yellow Neons™** include stainless steel ball encapsulated into foam of the earplug with metal detectable cord. Roll-down required.

**UltraFit™** include stainless steel ball positioned in stem with metal detectable cord. Feature pre-molded, triple-flanged design and require no roll-down or sizing. Comfortable, effective, washable and reusable. Available with metal detectable Econopack cord.

**Express™ Pod Plugs™** feature easy insertion, paddle-style grips for correct fitting and no roll-down. Packaged in pillow packs.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	NRR*	UOM
311-4106	665574835	Yellow Neons, metal detectable, corded	2,000 Pr/Cs	32	200 Pr/Bx
340-4007	665574985	UltraFit, metal detectable, corded	400 Pr/Cs	25	100 Pr/Bx
340-4017	665522155	UltraFit, metal detectable, corded, Econopack	2,000 Pr/Cs	25	200 Pr/Bx
311-1127	665573795	Express Pod Plugs, metal detectable, corded	400 Pr/Cs	25	100 Pr/Bx




# 3M

## 3M™ Tri-Flange™ Earplugs

Conforms to shape of ear canal. Soft, flexible, translucent flanges form an effective seal against noise. Test compatible with 3M™ E-A-Rfit™ Validation System. 400 Pair/case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
P3000	665563965	Tri-Flange, corded	26	100 Pr/Bx
P3001	665521905	Tri-Flange, cloth corded	26	100 Pr/Bx



# 3M

## 3M™ No-Touch™ Foam Earplugs

"Hands off the foam" earplugs feature soft purple foam fused with LiveWire stem for easy insertion. No roll-down required. Tapered shape for good seal. Test compatible with 3M™ E-A-Rfit™ Validation System. 400 Pair/case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
P2000	665564415	No-Touch, uncorded	29	100 Pr/Bx
P2001	665563895	No-Touch, corded	29	100 Pr/Bx





# 3M

## 3M™ E-A-R™ Caboflex™ Model 600 Hearing Protector

Silicone pods contain foam core for an effective seal and good noise reduction. Pods swivel to properly align with and enter ear canal. Band can be worn under the chin for use with hard hats or safety eyewear. NRR 20 (under-the-chin) and NRR 17 (behind-the-head). 100/Case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
320-2001	665564265	Caboflex Model 600	20/17	10/Bx





MAX-1



MAX30-USA



MAX-1S



## MAX® Earplugs

Maximum noise-blocking performance in a single-use design. Easy-to-insert contoured shape resists backing out of ear canal, while soft foam delivers long-lasting comfort. Smooth, soil-resistant skin. Max USA features patriotic red/white/blue colors. Tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	COLOR	CASE QTY	NRR	UOM
MAX-1	341501695	MAX, uncorded, polybag	Coral	2,000 Pr/Cs	33	200 Pr/Bx
MAX-30	341501735	MAX, corded, polybag	Coral	1,000 Pr/Cs	33	100 Pr/Bx
MAX-1S	341592425	MAX Small, uncorded, polybag	Dreamsicle orange	2,000 Pr/Cs	30	200 Pr/Bx
MAX-30S	341563415	MAX Small, corded, polybag	Dreamsicle orange	1,000 Pr/Cs	30	100 Pr/Bx
MAX1-USA	341501725	MAX USA, uncorded, polybag	RWB	2,000 Pr/Cs	33	200 Pr/Bx
MAX30-USA	341501755	MAX USA, corded, polybag	RWB	1,000 Pr/Cs	33	100 Pr/Bx
MAX-LS4	34153956	MAX, uncorded, LS-400 dispenser refill	Coral	2,000 Pr/Cs	33	200 Pr/Bg
MAX-1-D	341501705	MAX, uncorded, LS-500 dispenser refill	Coral	2,000 Pr/Cs	33	500 Pr/Bx



## Leight® Source 500 Earplug Dispenser

Hygienic and economical source for earplugs. Built with heavy-duty anodized aluminum and designed for wall installation. Dispenses earplugs with simple turning of handle. Ideal for large factories and process industries that have zero tolerance for packaging waste. Holds (500) pairs of Howard Leight single-use earplugs. Can be used with MAX®, Max Lite®, Laser Lite®, Multi Max®, FirmFit® and Quiet® earplugs (not included). 1/Case.

ITEM #	ORDER #	DESCRIPTION	UOM
LS-500	341501651	Leight Source 500 earplug dispenser	Ea

LS-500



## Multi Max® Earplugs

Single-use design is 2-sizes-in-1 for best fit. Smooth, soil-resistant skin prevents dirt from penetrating surface prior to insertion. Self-adjusting, polyurethane foam expands to fit virtually every wearer. Improves individual fit while simplifying inventory. Coral/yellow. Tested to ANSI S3.19-1974. 2,000 Pair/case.



MM-1

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
MM-1	341501785	Multi Max, uncorded, polybag	31	200 Pr/Bx




## Max Lite® Earplugs

Smooth, soil-resistant closed-cell foam skin prevents dirt build-up. Low-pressure polyurethane foam expands gently inside ear canal for comfortable long-term wear, while contoured T-shape is easy to handle. Single-use design. Green. Tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	NRR	UOM
LPF-1	341501595	Max Lite, uncorded, polybag	2,000 Pr/Cs	30	200 Pr/Bx
LPF-30	341501615	Max Lite, corded, polybag	1,000 Pr/Cs	30	100 Pr/Bx
LPF-1-D	341501605	Max Lite, uncorded, LS-500 dispenser refill	2,000 Pr/Cs	30	500 Pr/Bx



LPF-1




LPF-30



## SmartFit® Multiple-Use Earplugs

Multiple-use earplugs feature Conforming Material Technology™ which uses body heat to adapt triple-flange design to shape of ear canal. Fit almost every wearer. Include HearPack® case. Orange. Tested to ANSI S3.19-1974. 1,000 Pair/case.



SMF-30

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
SMF-30	341502115	SmartFit, detachable cord, HearPack case	25	100 Pr/Bx



## Fusion® Multiple-Use Earplugs

Multiple-use earplugs made with FlexiFirm® core for easy insertion and SoftFlange™ design for all-day comfort and easy handling. Four-flange design distributes pressure evenly on ear canal for superior attenuation. Include HearPack® storage case and detachable cord system. Tested to ANSI S3.19-1974. 1,000 Pair/case.



FUS30-HP

ITEM #	ORDER #	SIZES	COLOR	NRR	UOM
FUS30S-HP	341539515	Small	Green/yellow	27	100 Pr/Bx
FUS30-HP	341501385	Regular	Blue/yellow	27	100 Pr/Bx



### SmartFit® Detectable Earplugs

Designed for processing industries, detectable earplugs use body heat to adapt to shape of ear canal. Blue color provides high visual detection. Ring on stem and attached cord can be detected by automated equipment. Triple-flange distributes pressure evenly. Packaged in polybags. Tested to ANSI S3.19-1974. 500 Pair/case.



SDT-30

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
SDT-30	341502105	SmartFit detectable, attached cord	25	100 Pr/Bx



### Quiet® Multiple-Use Earplugs

Multiple-use earplugs feature patented no-roll-down design, contoured shape and built-in flexible stem for easy handling and fit. Smooth, non-irritating skin provides all-day comfort. Easy to clean for long-term use. Tested to ANSI S3.19-1974. 10 Boxes/case.




QD1

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
QD1	341502045	Quiet, uncorded, polybag	26	100 Pr/Bx
QD30	341502065	Quiet, polycord, polybag	26	100 Pr/Bx
QD30-RC	341502025	Quiet, polycord, safety case	26	50 Pr/Bx



### Laser Lite® Earplugs

Single-use design features self-adjusting polyurethane foam that expands to fit virtually every wearer. Contoured T-shape for easy insertion and wear. Vibrant magenta/yellow color for visible protection. Tested to ANSI S3.19-1974.



ITEM #	ORDER #	DESCRIPTION	CASE QTY	NRR	UOM
LL-1	341501475	Laser Lite, uncorded, polybag	2,000 Pr/Cs	32	200 Pr/Bx
LL-30	341501495	Laser Lite, corded, polybag	1,000 Pr/Cs	32	100 Pr/Bx
LL-LS4	341539525	Laser Lite, uncorded, LS-400 dispenser refill	2,000 Pr/Cs	32	200 Pr/Bg
LL-1-D	341501485	Laser Lite, uncorded, LS-500 dispenser refill	2,000 Pr/Cs	32	500 Pr/Bx



### AirSoft® Multiple-Use Earplugs

Four-flange design uses internal fins to create interlocking, noise-blocking barrier within the ear's air pocket, providing dependable attenuation upon proper insertion. Firm stem and tapered shape facilitate easy insertion/removal and allow plug to sit comfortably in ear canal. Regular size. Tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	NRR	UOM
AS-30R	341501315	AirSoft, red polycord, reusable case	500 Pr/Cs	27	50/Bx
DPAS-30R	341501345	AirSoft, red polycord, polybag	1,000 Pr/Cs	27	100/Bx
DPAS-30W	341501365	AirSoft, white nylon cord, polybag	1,000 Pr/Cs	27	100/Bx
DPAS-1	341501335	AirSoft, uncorded, polybag	1,000 Pr/Cs	27	100/Bx



DPAS-30W



### Laser Trak® Detectable Earplugs

Single-use, detectable earplug features self-adjusting, polyurethane foam to fit virtually any wearer and contoured T-shape for easy handling. Non-ferrous metal grommet is detectable by automated processes. Bright orange/blue color for easy compliance checks. Blue polycord attached. Tested to ANSI S3.19-1974. 1,000 Pair/case.




LT-30

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
LT-30	341501665	Laser Trak detectable, corded, polybag	33	100/Bx



### FirmFit™ Disposable Earplugs

Comfortable, classic style, firm foam earplug provides excellent protection in most medium-to-high noise environments. Easy to insert- requires less pressure to roll down. Slow recovery rate allows plenty of time to correctly insert in ear canal and exerts less expansion pressure on the ear canal. Distinct warning orange color makes compliance checks easy.



FF-1

FF-30

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
FF-1	341513915	FirmFit, uncorded in polybag	30	200 Pr/Bx
FF-30	341563965	FirmFit, corded in polybag	30	100 Pr/Bx





## Banded Earplugs

Patented band design prevents ear pods from touching dirty or contaminated surfaces when set down. Great for environments with intermittent noise hazards. Packaged in a resealable bag with (1) pair replacement pods. QB1HYG® features molded pods that fit inside ear canal and a bell-flared shape for inner-aural protection. QB2HYG® provides supra-aural protection with soft foam pods that rest partially in ear and a flat-arrow shape. QB3HYG® provides semi-aural protection with super-soft foam oval-shaped pods that rest outside ear. Tested to ANSI S3.19-1974.


ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM
QB1HYG	341501935	QB1HYG, inner-aural protection	Yellow	27	10/Bx
QB2HYG	341501955	QB2HYG, supra-aural protection	Orange	25	10/Bx
QB3HYG	341501975	QB3HYG, semi-aural protection	Red	23	10/Bx
QB200HYG	341501965	QB2HYG replacement pods			50 Pr/Bx



QB1HYG




92212



## GloPlugz® Earplugs

Soft, comfortable, disposable earplugs. Extremely smooth, tapered design allows for incredibly easy insertion. Non-allergenic polyurethane formula is extraordinarily soft and comfortable. Available with a glossy purple cord to make compliance checks easy. Blue.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
92202	323327401	GloPlugz, uncorded	31	200/Bx
92212	323322125	GloPlugz, corded	31	100/Bx



6445



## Glide® Trio Triple Flange Reusable Earplugs

Unique multi-curved stem rotates for a custom fit inside each ear canal. Simply push and twist to find your fit. Large handle on curved stem for easy insertion and removal. Soft triple flange plug is washable and reusable. Cord can be attached at any desired length. Bright green color is a symbol of Moldex quality. 100% PVC-Free®, like all Moldex products and packaging, for a greener alternative. 4 Boxes/case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6445	222264455	Glide Trio reusable, corded	27	50 Pr/Bx



## Glide® Earplugs

Unique multi-curved stem rotates for a custom fit inside each ear canal. Large handle on curved stem for easy insertion and removal. Simply push and twist to find your fit. Cord can be attached at any desired length.

Glide Trio Triple Flange Earplugs are washable and reusable. Bright green color is a symbol of Moldex quality. 100% PVC-Free®, like all Moldex products and packaging, for a greener alternative. 4 Boxes/case.



6945

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6940	222269405	Glide Foam, uncorded	30	100 Pr/Bx
6945	222269455	Glide Foam, corded	30	100 Pr/Bx



6881



## SparkPlugs® Foam Earplugs

Feature random multi-color swirl design. Made of extra soft, PVC-free foam with a tapered shape that fits snugly and comfortably. Metal detectable version for food processing applications comes with metal detectable cord. Available with PlugStation® dispenser. Highest Independently tested NRRs, tested to ANSI S3.19-1974.

\*The random color patterns are registered trademarks of Moldex-Metric, Inc.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	NRR	UOM
6604	222200545	SparkPlugs, uncorded	2,000 Pr/Cs	33	200 Pr/Bx
6654	222228235	SparkPlugs, corded	2,000 Pr/Cs	33	100 Pr/Bx
6615	222266155	SparkPlugs, metal detectable	2,000 Pr/Cs	33	100 Pr/Bx
6644	222200591	PlugStation w/ SparkPlugs, uncorded	1,500 Pr/Cs	33	250 Pr/Dsp
6645	222200601	PlugStation w/ SparkPlugs, uncorded	2,000 Pr/Cs	33	500 Pr/Dsp
6881	222268815	PlugStation w/ SparkPlugs, metal detectable, corded	600 Pr/Cs	33	150 Pr/Dsp
6880	222268805	PlugStation w/ SparkPlugs, corded	600 Pr/Cs	33	150 Pr/Dsp



## Rockets® Reusable Earplugs

Easy-grip handle allows for effortless insertion and air bubble in tip provides cushioned comfort. Soft, flexible flanges provide a superior seal. Each pair includes Pocket-Pak® carrying case. Washable and reusable. Bright blue metal detectable model has new metal detectable cord and enclosed metal spring that eliminates any exposed metal. Tested to ANSI S3.19-1974. 200 Pair/case.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM
6400	222200465	Rockets, uncorded	Purple	27	50 Pr/Bx
6405	222256905	Rockets, corded	Purple	27	50 Pr/Bx
♦ 6415	222256895	Rockets, metal detectable, corded in poly bag w/out Pocket-Pak	Blue	27	50 Pr/Bx
6420	222200475	Rockets, cloth corded	Purple	27	50 Pr/Bx
6404	222264045	Rockets, corded in poly bag w/out Pocket-Pak	Purple	27	50 Pr/Bx
6480	222200485	Rockets, Special Ops®, uncorded	Camouflage	27	50 Pr/Bx
6485	222200495	Rockets, Special Ops®, corded	Camouflage	27	50 Pr/Bx




## Meteors® Disposable Earplugs

Foam roll-down earplugs feature a unique undercut shape with a smaller diameter that fits comfortably in narrower part of ear canal. Larger base ensures proper insertion, fit and removal. 100% PVC-free slow-recovery foam molds with individual contours of ear canal, and soft, smooth surface will not irritate skin. Available in a small size for women and other workers with smaller ear canals. Available with PlugStation® dispenser. Independently tested to ANSI S3.19-1974.

\*The random color patterns are a registered trademark of Moldex-Metric, Inc.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	NRR	UOM
6630	222266305	Meteors, small, uncorded	2,000 Pr/Cs	28	200 Pr/Bx
6632	222266325	Meteors, small, corded	2,000 Pr/Cs	28	100 Pr/Bx
6634	222266345	PlugStation w/ Meteors small, uncorded	1,500 Pr/Cs	28	250 Pr/Dsp
6870	222268705	Meteors, uncorded	2,000 Pr/Cs	33	200 Pr/Bx
6970	222269705	Meteors, corded	2,000 Pr/Cs	33	100 Pr/Bx
6875	222268755	PlugStation w/ Meteors, uncorded	2,000 Pr/Cs	33	500 Pr/Dsp



## Goin' Green® Foam Earplugs

Feature extra soft, low-pressure, PVC-free tapered foam for comfortable fit. Look for the colored streaks and swirls as a symbol of Moldex quality. Available with PlugStation® dispenser. Tested to ANSI S3.19-1974.

\*The random color patterns are registered trademarks of Moldex-Metric, Inc.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	NRR	UOM
6620	222200575	Goin' Green, uncorded	2,000 Pr/Cs	33	200 Pr/Bx
6622	222200585	Goin' Green, corded	2,000 Pr/Cs	33	100 Pr/Bx
6646	222200615	PlugStation w/ Goin' Green, uncorded	1,500 Pr/Cs	33	250 Pr/Dsp
6647	222200625	PlugStation w/ Goin' Green, uncorded	2,000 Pr/Cs	33	500 Pr/Dsp



## Comets® Reusable Earplugs

Convenient finger pocket allows for easy insertion, and soft flanges adjust to ear canal to hold earplug in place. Reusable design features extra soft material and air pocket for an extremely comfortable fit. Tested to ANSI S3.19-1974. 2,000 Pair/case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6490	222200505	Comets, uncorded	25	50 Pr/Bx
6495	222200515	Comets, corded	25	50 Pr/Bx



## Softies® Foam Earplugs

Made from extra-soft, lightweight foam for a comfortable fit. Tapered design provides easy insertion and is shaped to fit even the smallest ear canals. Radiant orange color for easy compliance checks. Non-irritating, smooth surface contributes to wearer comfort. Highest independently tested NRR 33. Tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6600	222200535	Softies, uncorded	33	200 Pr/Bx
6650	222200645	Softies, corded	33	100 Pr/Bx



**Mellows® Foam Earplugs**

Made of extra-soft, extra-light foam. Tapered shape fits easily in ear canal and gently and snugly seals without pressure. Smaller design is perfect for extended wear. Provide maximum foam comfort with appropriate protection for mid- to high-level noise areas. Hi-viz bright orange plug. Non-irritating, 100% PVC-free. Available with PlugStation® dispenser. Independently tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	NRR	UOM
6820	222268205	Mellows, uncorded	2,000 Pr/Cs	30	200 Pr/Bx
6840	222268405	Mellows, corded	2,000 Pr/Cs	30	100 Pr/Bx
♦ 6846	222268465	PlugStation w/ Mellows, uncorded	1,500 Pr/Cs	30	250 Pr/Dsp
6847	222268475	PlugStation w/ Mellows, uncorded	2,000 Pr/Cs	30	500 Pr/Dsp

**JETZ® Reusable Earplugs**

Ideal choice for cost effective hearing protection for most high noise environments. Special grip at end of plug stem makes insertion and removal simple, even when wearing gloves. Extra-soft material and triple flange design gently seals without pressure for all-day comfort. Cord attachment with locking loop helps keep optional braided cloth cord securely in place. Washable, reusable and 100% PVC-free. Independently tested to ANSI S3.19-1974. 200 Pair/case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6450	222264505	JETZ, uncorded	27	50 Pr/Bx
6455	222264555	JETZ, corded	27	50 Pr/Bx

**Flip to Listen® Dual Mode Earplugs**

Dual mode earplugs that protect wearers from noise and, with a quick flip, also allow better communication when needed, without the inconvenience of removing earplugs. Flip cap allows user to easily switch from a closed position (NRR 24 dB) for protection from continuous noise, to an open position (NRR 4 dB) to communicate or hear. Effective hearing protection for most noisy environments, plus the ability to hear more clearly away from the workplace all without taking out earplugs and having to refit them again. Triple flange design provides maximum comfort for all day wear. Soft, flexible flanges provide a superior seal and fit most ear canals. Stem helps user insert earplug into ear canal to get a good and secure fit. Can be easily washed and reused. Each pair comes with a Pocket-Pak® carrying case to keep them clean when not in use, plus an optional cloth cord. PVC-free. 4 Boxes/case.




ITEM #	ORDER #	DESCRIPTION	NRR	UOM
♦ 6770	222267705	Flip to Listen w/ cord & Pocket-Pak	244	50 Pr/Bx

**Jazz Band® Canal Cap Hearing Protector**

Comfortable alternative to earmuffs. Optional breakaway cord hangs around neck when not in use. Designed to not interfere with safety glasses. Soft, PVC-free foam pods gently cap ear canal providing maximum comfort. Packaged with spare pods. NRR 25 (under-the-chin). Independently tested to ANSI S3.19-1974. 50/Case.



ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6506	222265065	Jazz Band hearing protector	25	10 Pr/Bx
6504	222265045	Replacement pods (5 pair) & neck cord	25	Kit

**Pura-Fit® Foam Earplugs**

Features longer design for easy fitting and removal. Soft, PVC-free foam has non-irritating smooth surface. Tapered for easy insertion into any size ear canal. The bright green color is a symbol of Moldex quality. Available with PlugStation® dispenser. Independently tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	NRR	UOM
6800	222268005	Pura-Fit, uncorded	2,000 Pr/Cs	33	200 Pr/Bx
6900	222231035	Pura-Fit, corded	2,000 Pr/Cs	33	100 Pr/Bx
6844	222200701	PlugStation w/ Pura-Fit, uncorded	1,500 Pr/Cs	33	250 Pr/Dsp
6845	222268451	PlugStation w/ Pura-Fit, uncorded	2,000 Pr/Cs	33	500 Pr/Dsp
6882	222268825	PlugStation w/ Pura-Fit, corded		33	150 Pr/Dsp






## Hearing Protection Styles:

### Disposable Earplugs

Are made of formable material and are designed to be inserted into a person's ear canal, where they expand and conform to the shape of each individual's ear canal.



3M

### Reusable Earplugs


Usually are premolded and made from silicone, plastic or rubber and are available in several different sizes.



HOWARD  
LEIGHT  
by 3M

### Ear Caps

Seal the opening to the ear without entering the ear canal. Similar to band-type hearing protectors, they usually come on a band that can be placed around the neck when the caps are not in use for convenience in work areas with varying noise levels.



HOWARD  
LEIGHT  
by 3M

### Earmuffs

Suppress unwanted noise by completely covering the outer ear.



3M

3M

### Communication Headsets

Combines the entertainment benefit of a digital AM/FM radio with advanced sound amplification technology for improved situational awareness.



HOWARD  
LEIGHT  
by 3M

### Active Noise Canceling Headsets

Use an electronic system to cancel unwanted background noise while at the same time enhancing the quality of audio delivered through the headset.



HOWARD  
LEIGHT  
by 3M



## 3M

### 3M™ Peltor™ Optime™ 98 Series Earmuffs

Lightweight earmuff recommended for noise levels up to 98 dBA.

Stainless steel headband wires with 4-point suspension help distribute cushion pressure evenly. Liquid foam-filled cushions. 10/Case.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
H9A	665564061	Optime 98 Series, headband	25	Ea
H9P3E	665564051	Optime 98 Series, cap-mount	23	Ea

## 3M

### 3M™ Peltor™ Optime™ 101 Series Earmuffs

Recommended for noise levels up to 101 dBA. Provides attenuation at low and high frequencies. Stainless steel headband wires with 4-point suspension help distribute cushion pressure evenly. Liquid foam-filled cushions provide excellent seal and lower pressure. 10/Case.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
H7A	665570071	Optime 101 Series, headband	27	Ea
H7B	665570211	Optime 101 Series, behind-the-head	26	Ea
H7P3E	665564431	Optime 101 Series, cap-mount	24	Ea

\* NRR is the Noise Reduction Rating in decibels (dB). It is the average noise reduction obtained by a group of people wearing a specific hearing protector in a laboratory test. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.

## 3M

### 3M™ Peltor™ Optime™ 95 Series Earmuffs

Recommended for noise levels up to 95 dBA. Slim design with 2-point suspension exerts lower pressure for comfortable, long-term use. Soft, liquid foam-filled ear cushions provide added comfort and protection. Beige. 10/Case.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
H6A/V	665570121	Optime 95 Series, headband	21	Ea
H6B/V	665570131	Optime 95 Series, neckband	21	Ea
H6F/V	665521581	Optime 95 Series, folding	21	Ea

## 3M

### 3M™ Peltor™ Optime™ 105 Series Earmuffs

Recommended for noise levels up to 105 dBA. Features "double-shell" earcup design (two cups connected via foam inner layer to reduce structural resonances). Designed with wide, softly padded headband and stainless steel headband wires. Liquid foam-filled cushions provide good seal and low surface pressure. Weight: 9.3 oz. Also available in twin cup neckband, cap-mount, and hi-viz headband styles. 10/Case.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
H10A	665564031	Optime 105 Series, headband	30	Ea
H10B	665570291	Optime 105 Series, neckband	29	Ea
H10P3E	665522721	Optime 105 Series, cap-mount	27	Ea
H10AHV	665570111	Optime 105 Series, hi-viz headband	30	Ea



## 3M

### 3M™ Peltor™ X Series Earmuffs

Lightweight. Electrically insulated (dielectric) wire headband on over-the-head models. Earcups tilt for optimum comfort and efficiency. Twin headband design helps reduce heat buildup with good fit and balance. Wire headband offers comfortable pressure during prolonged usage. Ear cushion foam technology for an effective acoustic seal and reliable protection. Spacer design on X3, X4 and X5 models improves attenuation without excess bulk or weight. Despite larger earcups, the X5 is lightweight with excellent balance and comfort; features NRR 31 dB; provide high noise reduction in both standard headband and hard hat-attached models; and unique attenuation from combination of foam in the earcups, cushions and spacer and cup design. 10/Case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
X1A	665510071	X1, over-the-head	22	Ea
X1P3E	665510271	X1, cap-mount	21	Ea
X2A	665510731	X2, over-the-head	24	Ea
X2P3E	665510891	X2, cap-mount	24	Ea
X3A	665511181	X3, over-the-head	28	Ea

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
X3P3E	665511201	X3, cap-mount	25	Ea
X4A	665511281	X4, over-the-head	27	Ea
X4P3E	665511641	X4, cap-mount	25	Ea
X5A	665511961	X5, over-the-head	31	Ea
X5P3E	665521801	X5, cap-mount	31	Ea



# 3M

## 3M™ Model 3000 Earmuffs

Three-position earmuff can be worn over-the-head, behind-the-head or under-the-chin. Includes crown strap required for under-the-chin or behind-the-head wear. Lightweight, durable plastic construction is non-conductive for tough environments. Features large earcup openings with soft, foam-filled cushions, replaceable foam cup liners and take-apart assembly for easy cleaning. NRR 25 (over-the-head), NRR 26 (behind-the-head) and (under-the-chin). 24/Case.



330-3002

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
330-3002	665521591	Model 3000 earmuffs	25/26	Ea

# 3M

## 3M™ Model 1000 Earmuffs

Three-position earmuff can be worn over-the-head, behind-the-head or under-the-chin. Includes crown strap required for under-the-chin or behind-the-head wear. Lightweight, durable plastic construction is non-conductive. Features large earcup openings with soft, foam-filled cushions, replaceable foam cup liners and take-apart assembly. NRR 20 (over-the-head), NRR 22 (under-the-chin) and (behind-the-head). 24/Case.



330-3001

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
330-3001	665570081	Model 1000 multi-position earmuffs	20/22	Ea

# 3M

## 3M™ Peltor™ PTL™ Earmuffs

Push-to-listen (PTL) earmuffs help provide noise protection plus ability to hear surrounding sounds with the touch of a button. On/off listening button with fingertip control on one ear cup activates listening mode for 30 seconds at a time- workers no longer need to lift or remove earmuffs to hear sounds. (Note: The other cup is standard protective style.) Include liquid and foam-filled ear cushions, easily accessible battery compartment and 4-point headband suspension. AA battery (not included). 10/Case.



H7A-PTL

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
H7A-PTL	665519711	PTL earmuffs, headband	25	Ea

# 3M

## 3M™ Peltor™ Digital Worktunes™ Headset

AM/FM and MP3 compatible headset features easy fingertip controls, (5) station presets, seek and scan options, and liquid and foam-filled cushions for comfort. MP3 cord included. Requires (2) AA batteries (not included). 1/Case.



WTD2600

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
WTD2600	665574761	Digital Worktunes headset	26	Ea

# 3M

## 3M™ Noise Indicator NI-100

Designed for variable noise environments to help workers identify potentially hazardous noise levels and know when hearing protection devices (HPDs) may be required. Green flashing LED indicates that noise levels are below 85 dB where HPDs may not need to be worn; red flashing LED indicates noise levels are above 85 dB, a potentially dangerous noise level where HPDs may be required. Small, lightweight design (.6 oz.) clips to shirt or jacket and includes a rechargeable battery that operates for up to 200 hours between charges. If not manually powered off, device will automatically power off after approximately 10 hours. Dimensions: 2" L x 1.4" W x 0.5" D. Can be used as an effective training tool within a hearing conservation program (consult OSHA Standard 29 CFR 1910.95) to help ensure workers know when and where to wear hearing protection. 10/Case.



NI-100

ITEM #	ORDER #	DESCRIPTION	UOM
NI-100	665523571	Noise Indicator NI-100	Ea

### ⚠ WARNING

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.





## QM24+® Earmuffs

Three-position, ultra-lightweight earmuffs weigh only 6 oz. Feature high-visibility red cups, black headband and replaceable muff cushions. Adjustable crown strap provides a secure fit when worn behind-the-head or under-the-chin. Tested to ANSI S3.19-1974. 20/Case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
QM24+	341502081	QM24+ earmuffs	25	Ea



## Thunder® Noise-Blocking Earmuffs

Unique dual-headband offers better positioning and breathability, and non-deforming outer headband minimizes pressure. Dielectric construction withstands use and abuse while protecting workers in electrical environments. Features patented Air Flow Control™ technology for optimal attenuation across all frequencies and snap-in ear cushions for easy maintenance. Cap-mounted earmuffs include a pair of adapters for use with most popular hard hats. Tested to ANSI S3.19-1974. 10/Case.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM
1010928	341536771	T1 Thunder, headband	Green	26	Ea
1010970	341536791	T3 Thunder, headband	Black	30	Ea
1011601	341500541	T1H Thunder, cap-mount	Green	23	Ea
1011602	341500551	T2H Thunder, cap-mount	Dark green	25	Ea
1011603	341500581	T3H Thunder, cap-mount	Black	27	Ea

Hat sold separately.



## Leightning® Noise-Blocking Earmuffs

Steel wire construction stands up to daily use and abuse without compromising comfort. Padded foam headband and super soft ear cushions eliminate "squeezing pressure" on the head. Patented Air Flow Control™ technology for optimal attenuation across all frequencies and snap-in ear cushions for easy maintenance. Cap-mounted styles include pair of adapters. Tested to ANSI S3.19-1974. 20/Case.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM
1010922	341500261	L1 Leightning, headband	Light gray	25	Ea
1010924	341500281	L3 Leightning, headband	Black	30	Ea



## Viking® Noise-Blocking Earmuffs

Flexibility for wearing earmuffs in multiple positions (over-the-head, behind-the-head or under-the-chin). Can be worn with hard hats, faceshields, respirators and other PPE. Robust, non-deforming dielectric construction. Features patented Air Flow Control™ technology for optimal attenuation and snap-in ear cushions. Includes elastic headband strap for better positioning. Tested to ANSI S3.19-1974. 20/Case.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM
1010925	341500291	V1 Viking, multi-position headband	Light blue	25	Ea
1010926	341500301	V2 Viking, multi-position headband	Dark blue	27	Ea
1010927	341500321	V3 Viking, multi-position headband	Black/silver	29	Ea





### SYNC™ Digital AM/FM Radio Earmuffs

Combines hearing protection, high-fidelity sound, and the ability for individuals to listen to the radio or personal listening devices safely at work. Improved comfort and fit through its padded diamond-patterned headband and reinforced fork slides that keep it in place when worn. 10 Pre-set stations and volume memory can be personalized for each worker. Includes 3.5 mm aux input cable.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
1030110	341561311	SYNC stereo earmuffs	25	Ea
1030331	341562701	SYNC AM/FM earmuffs	25	Ea



### SYNC™ Electro® Digital AM/FM Radio Earmuffs

Combines the entertainment benefit of a digital AM/FM radio with advanced sound amplification technology for improved situational awareness. Directionally placed stereo microphones amplify and enhance ambient sound up to 85 dB, allowing workers to hear important communication — alarms/warning signals, co-workers' voices — more effectively. For ambient noise exposures above 85 dBA, the listening circuitry manages speaker volume to a level that does not exceed 85 dBA.



ITEM #	ORDER #	DESCRIPTION	NRR	UOM
♦ 1030333	341562721	SYNC Electro	25	Ea

### MOLDEX MX-5 and MX-6 Earmuffs

Features soft cushion-ribbed open air headband for cool comfort all day long. Overmolded headband is durable for rugged wear over many shifts. Larger ear cushions allow freedom to fit almost all ears comfortably. Lightweight wire frame allows easy cup adjustment yet holds its position for lasting comfort. Cool looks and comfort to promote worker acceptance and compliance. Extra soft foam/low pressure cushions and headband are PVC-free. Glossy surface for easy cleaning and longer wear. MX-6 features exclusive waffled cup foam for superior NRR protection. 10/Case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6130	222261301	MX-6 earmuffs	30	Ea
♦ 6135	222261351	MX-6 hygiene kit		Ea
♦ 6120	222261201	MX-5 earmuffs	27	Ea
♦ 6125	222261251	MX-5 hygiene kit		Ea



### M1 Premium Earmuffs

SoftCoat® covering on cups and yoke helps muffle sound transmission. Black-chrome, spring-steel headband resists fatigue, folds into a super-compact size for easy storage and helps maintain stability without twisting out of shape like other wire-band earmuffs. Six different adjustment points for comfortable fit for most head sizes. Exclusive iridescent color and sculpted shape for great looks. Independently tested to ANSI S3.19-1974. 10/Case.



ITEM #	ORDER #	DESCRIPTION	NRR	UOM
♦ 6100	222261001	M1 Premium earmuffs, iridescent cups	29	Ea



### M2 Multi-Position Earmuffs

Low-profile design can be worn over-the-head, behind-the-head or under-the-chin. SoftCoat® covering helps muffle transmitted noise. Special grips molded into cups make fitting and alignment quick and easy. Cup adjustment is infinitely variable, distributing pressure evenly. NRR 26 (over-the-head). Independently tested to ANSI S3.19-1974. 20/Case.



ITEM #	ORDER #	DESCRIPTION	NRR	UOM
♦ 6200	222262001	M2 multi-position earmuffs, iridescent cups	26	Ea



**3M**

# Respiratory Protection

Respirators protect employees from inhaling harmful substances, including chemical, biological, and radiological agents. These substances can be in the form of airborne vapors, gases, dust, fogs, fumes, mists, smokes, or sprays.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.

## 3M™ Rugged Comfort Half Facepiece Reusable Respirator 6500 Series



# Rugged Comfort

in the harshest environments

The 3M™ Rugged Comfort Respirator is designed with tough and dirty worksites in mind to help you stay comfortable, productive and protected. The 6500 series respirator delivers comfort, durability and stability with a firm, lightly textured silicone facepiece, strong body construction, low-profile design and proprietary 3M™ Cool Flow™ Valve. The 6500QL Quick Latch drop-down mechanism gives you a one-handed, easy way to take the respirator on and off as you move in and out of contaminated areas.

To experience 6500 and 6500QL, go to [3M.com/RuggedComfort](http://3M.com/RuggedComfort)

© 3M 2014. All rights reserved.  
3M and Cool Flow are trademarks of 3M  
Company, used under licence in Canada.

**3M**





## 3M 3M™ Particulate Respirators, N95

Designed to help provide comfortable, reliable worker respiratory protection against certain non-oil based particles in suggested applications including grinding, sanding, sweeping, bagging and other dusty operations. Lightweight construction helps promote greater worker acceptance and comfort. Features 3M's Advanced Electret Media, welded strap attachment, soft nose foam and adjustable noseclip to help provide a custom and secure seal. NIOSH Approval TC-84A-0007.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
8210	665501755	Particulate Respirator 8210, N95	8/Bx/Cs	20/Bx
8210PLUS	665514535	Particulate Respirator 8210PLUS, N95	8/Bx/Cs	20/Bx
8110S	665514525	Particulate Respirator 8110S, N95	8/Bx/Cs	20/Bx
8200	665519365	Particulate Respirator 8200, N95	8/Bx/Cs	20/Bx
8211	665514545	Particulate Respirator 8211, N95 w/ Faceseal	8/Bx/Cs	10/Bx
8511	665585115	Particulate Respirator 8511, N95	8/Bx/Cs	10/Bx



8210



8200



8511



## 3M 3M™ Particulate Respirators, P95 with Exhalation Valve

Helps provide comfortable, reliable worker protection against certain oil and non-oil based particles including those present with nuisance levels\* of acid gases such as sulfur dioxide, hydrogen fluoride, and/or chlorine. An excellent choice for work settings that involve heat, humidity and long wear periods. Suggested applications include glass etching, chemical processing, paper processing, aluminum smelting and brewing operations. Lightweight construction promotes greater worker comfort and may contribute to increased wear time. Meets NIOSH 42 CFR 84 requirements.

\*3M™ recommended for relief against nuisance levels of acid gas. Nuisance level acid gas refers to concentrations less than the OSHA PEL or other applicable government exposure limits, whichever is lower.

\*\*3M™ recommended for relief against nuisance levels of organic vapors. Nuisance level organic vapor refers to concentrations less than the OSHA PEL or other applicable government exposure limits, whichever is lower.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
8576	665514665	Particulate Respirator 8576, P95 w/ Nuisance Level* Acid Gas Relief	8/Bx/Cs	10/Bx
8577	665514675	Particulate Respirator 8577, P95 w/ Nuisance Level** Organic Vapor Relief	8/Bx/Cs	10/Bx
8271	665514595	Particulate Respirator 8271, P95	8/Bx/Cs	10/Bx



8576



## 3M 3M™ Particulate Respirators, R95

Designed to help provide protection against certain oil and non-oil based particles. Features a collapse-resistant shell for increased durability in most hot, humid conditions. Workplace applications include grinding, sanding, sweeping, machining and other dust producing/oily operations. Meets NIOSH 42 CFR 84 requirements.

\*3M™ recommended for relief against nuisance levels of acid gas or organic vapors. Nuisance level refers to concentrations less than the OSHA PEL or other applicable government exposure limits, whichever is lower.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
8240	665514565	Particulate Respirator 8240, R95	6/Bx/Cs	20/Bx
8247	665514585	Particulate Respirator 8247, R95 w/ Nuisance Level* Organic Vapor Relief	6/Bx/Cs	20/Bx
8246	665514575	Particulate Respirator 8246, R95 w/ Nuisance Level* Acid Gas Relief	6/Bx/Cs	20/Bx



8240

## 3M 3M™ Particulate Respirator 9210, N95

Three-panel respirator is uniquely designed to help provide comfortable, reliable worker protection against non-oil based particles. Suggested applications include grinding, sanding, sweeping, bagging and other operations that create dust. Also useful in textile operations, dry chemical handling, surface preparation, food preparation and handling, woodworking, grain handling and milling, processing of minerals, coal and certain other substances. Meets NIOSH 42 CFR 84 N95 requirements.



9210

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
♦ 9210	665592105	Particulate Respirator N95	12/Bx/Cs	20/Bx

### ⚠ WARNING



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.



9211+

## 3M

### 3M™ Aura™ Particulate Respirator 9211+, N95

Features comfortable braided headbands and contoured nose panel. Chin tab is designed for ease of positioning, donning and adjustment. Embossed top panel helps reduce potential fogging of eyewear from warm, moist exhaled airflow. Individually wrapped. Meets NIOSH 42 CFR 84 N95 requirements.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
9211+	66559213	3M™ Aura™ Particulate Respirator w/ Cool Flow™ Valve	12 Bx/Cs	120/Cs



8233

## 3M

### 3M™ Particulate Respirator 8233, N100

Excellent choice for lead abatement, pharmaceutical manufacturing, welding, metal pouring and work involving select OSHA substance-specific particle exposures in concentrations up to 10 x the OSHA PEL, excluding those containing oil aerosols and asbestos. Features 3M™ Cool Flow™ Exhalation Valve, comfortable foam faceseal, adjustable straps and lightweight construction. Respirators are individually packaged. NIOSH Approval TC-84A-1298.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
8233	665582331	Particulate Respirator N100	20/Ea/Cs	20/Bx



8293

## 3M

### 3M™ Particulate Respirator 8293, P100

Suggested applications including select OSHA substance-specific particle exposures in concentrations up to 10 x OSHA PEL (Lead, Cadmium, Arsenic, MDA). Features 3M™ Cool Flow™ Exhalation Valve, comfortable foam faceseal and adjustable straps. Respirators are individually packaged. Do not use for asbestos exposures. Meets NIOSH 42 CFR 84 requirements.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
8293	665514601	Particulate Respirator P100	20/Ea/Cs	20/Bx

## 3M

### 3M™ Particulate Respirator 8210V, N95 with 3M™ Cool Flow™ Valve

Proprietary 3M™ Cool Flow™ valve is designed for easy exhalation and reduces heat build-up inside respirator to help keep wearer more comfortable. Features adjustable noseclip and 2-strap design with dual point attachment. Ideally suited for many work settings that involve heat, humidity or longer periods of wear. NIOSH Approval TC-84A-5410.



8210V

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
8210V	665582235	Particulate Respirator N95 w/ Cool Flow™ Valve	8/Bx/Cs	10/Bx



8512

## 3M

### 3M™ Particulate Welding Respirators

Suggested applications include welding, brazing, soldering, torch cutting, and metal pouring, as well as grinding, sanding, sweeping, bagging and other dusty/hot operations. Features the 3M™ Cool Flow™ Exhalation Valve, cake-resistant filter media, comfort foam faceseal (excluding 8515) and adjustable noseclip and straps. Flame-resistant protective layer is not a substitute for a faceshield. Meets NIOSH 42 CFR 84 N95 requirements.

\*3M™ recommended for ozone up to 10 x PEL or applicable government occupational exposure limits, whichever is lower. Not NIOSH approved for use against ozone.

\*\*3M™ recommended for relieve against nuisance levels of organic vapors. Nuisance level refers to concentrations less than the OSHA PEL or applicable government occupational exposure limits, whichever is lower.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
8212	665582145	Particulate Welding Respirator 8212, N95 w/ Faceseal	8/Bx/Cs	10/Bx
8214	665582155	Particulate Welding Respirator 8214, N95 w/ Faceseal, Ozone Protection* & Nuisance Level** Organic Vapor Relief	8/Bx/Cs	10/Bx
8512	665514625	Particulate Welding Respirator 8512, N95	8/Bx/Cs	10/Bx
8514	665514635	Particulate Welding Respirator 8514, N95 w/ Ozone Protection* & Nuisance Level** Organic Vapor Relief	8/Bx/Cs	10/Bx
8515	665514645	Particulate Welding Respirator 8515, N95	8/Bx/Cs	10/Bx



8515



## 3M 3M™ Half Facepiece Respirators 5000 Series, Disposable

Suited for intermittent respirator wearers. Preassembled with permanently attached cartridges for ease of use and no maintenance. Use against a variety of gases, vapors and particles according to NIOSH approvals. Meets NIOSH 42 CFR 84 requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
5201	665512621	Organic Vapor Respirator Assembly	M	12/Bx	Ea
5301	665513231	Organic Vapor Respirator Assembly	L	12/Bx	Ea
52P71	665512211	Organic Vapor/P95 Respirator Assembly	M	12/Bx	Ea
53P71	665513221	Organic Vapor/P95 Respirator Assembly	L	12/Bx	Ea
5203	665512631	Organic Vapors/Acid Gas Respirator Assembly	M	12/Bx	Ea
5303	665513241	Organic Vapors/Acid Gas Respirator Assembly	L	12/Bx	Ea



52P71



5303

## 3M 3M™ VFlex™ Particulate Respirators 9105, 9105S, N95

V-shaped pleats flex with mouth movement for easier talking and expand to help ease breathing. Features adjustable noseclip, embossed front panel, elastic headbands and 3M™ proprietary technology filter media. Flat-fold style for convenient storage. Potential applications include: sweeping, sanding, grinding, bagging, food preparation, general maintenance and more. Meets NIOSH 42 CFR 84 N95 requirements.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
♦ 9105S	665591075	VFlex™ Particulate Respirator, N95, small	8/Bx/Cs	50/Bx
9105	665591065	VFlex™ Particulate Respirator, N95, standard	8/Bx/Cs	50/Bx



9105

### WARNING



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

### Honeywell

#### Sperian ONE-Fit™ Molded Cup N95 Respirators

Features one-size molded cup design with durable, ridged outer shell and form-fitted nosebridge. Soft inner liner. Latex-free woven suspension straps. Optional exhalation valve expels warm air. Offers 95% filtration efficiency against solid particulates and non-petroleum based liquid aerosols. Universal fit. Meets NIOSH and CDC standards for N95 protection against airborne pathogens and MTuberculosis.

Sperian is now Honeywell.



14110444

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
♦ 14110444	341557865	Particulate respirator	20/Bx/Cs	20/Bx
14110445	341560905	Particulate respirator w/ exhalation valve	10/Bx/Cs	10/Bx

### Honeywell

#### Sperian SAF-T-Fit® Plus Disposable Particulate Respirators

Lightweight, humidity-resistant design features a latex-free filter media for lower breathing resistance. Options include: boomerang nose seal, full-sealing flange and an exhalation valve. NIOSH approved N95, N99, P95 and P100 protection.

Sperian is now Honeywell.



14110391

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 14110440	341523341	P100 w/ full-sealing flange & valve	M/L	20/Bx
14110391	341523215	N95 w/ boomerang nose seal	M/L	20/Bx
14110394	341523235	N95 w/ boomerang nose seal & valve	M/L	20/Bx





2300N95

## MOLDEX 2-Strap Respirators



Dura-Mesh® shell protects the filter media so that it stays cleaner-looking longer. Shell resists collapsing, even in heat and humidity. Softspun® lining gives added comfort and durability. Contour molded nosebridge with a soft foam nose cushion for an easy comfortable fit. The 2300N95 Series features an exhale valve and is suitable for most welding applications. The exhale valve reduces hot air buildup, reducing breathing resistance and keeping workers cooler longer. The 2400N95 Series has an added carbon layer to help filter out nuisance levels of ozone and organic vapors (less than OSHA PEL). Suitable for most welding applications and fits easily under welding hoods. No metal noseband to adjust and the seal is maintained without pressure points. Straps are securely attached to avoid breakage at the seal. The 2500N95 has an added carbon layer to help filter out nuisance levels of acid gases (less than OSHA PEL). All meet heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
2200N95	222205555	Particulate respirator w/out valve	M/L	12/Bx/Cs	20/Bx
2207N95	222200215	Particulate respirator w/out valve, low-profile nose bridge	Low-profile	12/Bx/Cs	20/Bx
2300N95	222200955	Particulate respirator w/ valve	M/L	10/Bx/Cs	10/Bx
2307N95	222200255	Particulate respirator w/ valve, low-profile nose bridge	Low-profile	10/Bx/Cs	10/Bx
2400N95	222204525	Particulate respirator w/ nuisance OV	M/L	10/Bg/Cs	10/Bg
2500N95	222225005	Particulate respirator w/ acid gas relief	M/L	10/Bg/Cs	10/Bg

## MOLDEX Particulate Respirators with HandyStrap®



Features the HandyStrap with buckle that allows the mask to hang down around the user's neck when not in use. Exclusive Dura-Mesh® shell resists collapsing in heat and humidity. Molded nosebridge seals easily without a metal nose band. Naturally contoured facepiece and Softspun® lining give the respirator added comfort and durability, as well as relief on pressure points. NIOSH certified to have a filter efficiency level of 95% or greater against particulate aerosols free of oil. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
2600N95	222271455	N95 Particulate respirator w/ HandyStrap	M/L	10/Bx/Cs	15/Bx
2700N95	222200305	N95 Particulate respirator w/ HandyStrap & Ventex® valve	M/L	10/Bx/Cs	10/Bx
2800N95	222200355	2800N95 Series particulate respirator w/ HandyStrap for nuisance levels of ozone & organic vapor odors	M/L	10/Bx/Cs	10/Bx



2600N95



2740R95

## MOLDEX R95 Particulate Respirators



HandyStrap® allows mask to conveniently hang around neck so it's always ready for use and helps prevent premature disposal. Cloth strap feels cool and comfortable against the skin. Exclusive Ventex® valve lets the hot air out faster, so workers breathe easier and stay cooler. Exclusive Dura-Mesh® shell protects the filter media so it stays cleaner-looking longer. Shell resists collapsing, even in heat and humidity so the respirator holds its shape. The 2840R95 Series has an added carbon layer to help filter out nuisance levels of ozone and organic vapors (less than OSHA PEL). The 2940R95 Series with added sorbent helps to filter nuisance levels of acid gas irritants (less than OSHA PEL). Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
2740R95	222227405	R95 Particulate respirator w/ HandyStrap & Ventex valve	M/L	10/Bx/Cs	10/Bx
2840R95	222200375	R95 Particulate respirator w/ HandyStrap, Ventex valve & nuisance OV/ozone	M/L	10/Bx/Cs	10/Bx
2940R95	222200405	R95 Particulate respirator w/ HandyStrap, Ventex valve & nuisance AG	M/L	10/Bx/Cs	10/Bx

## MOLDEX Dirt Dawgs® N95 Particulate Respirator



Dura-Mesh® shell protects filter media from dirt and prevents mask from collapsing. Offers N95 protection for a variety of industrial applications. Contour-molded nosebridge seals easily and comfortably without having to pinch metal noseband. Softspun® inner lining is soft to the touch. NIOSH certified for a filter efficiency of 95% or greater against non-oil based particulates. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
1200N95	222220955	Dirt Dawgs N95 particulate respirator	M/L	18/Bx/Cs	20/Bx



1200N95

**MOLDEX**


### 4200 Series AirWave® N95 Disposable Respirators



Breathes easier than a valve respirator. Patented wave design technology allows more airflow in and out for cool comfort. Unique waves double the filter area of comparable respirators. Dura-Mesh® shell provides bi-directional protection from dirt on the outside and moisture on the inside. FlexFit® design expands and contracts as there is movement and speaking, for optimal comfort. Features pinch-free molded nosebridge and Softspun® lining. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

**BREATHES EASIER****4200****THAN A VALVE**

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
◆ 4201	222242015	AirWave N95 disposable respirator	S	8/Bx/Cs	10/Bx
4200	222242005	AirWave N95 disposable respirator	M/L	8/Bx/Cs	10/Bx

**BREATHES EASIER****MOLDEX**

### 4600 Series AirWave® SmartStrap® Respirator



Breathes easier than a valve respirator. Exclusive wave design for less resistance and better breathability. Breathes like it has a valve, but without one. SmartStrap is adjustable, metal-free and hangable. Dura-Mesh® shell resists collapsing in heat and humidity. FlexFit® design expands and contracts for optimal comfort. Features pinch-free nosebridge, Softspun® lining and soft, foam nose cushion. Longer wear means less cost.

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
4600	222260955	AirWave SmartStrap respirator	M/L	10/Bx/Cs	10/Bx

**COMFORT FIT FLANGE****MOLDEX**

### 4800 N95 Plus Nuisance OV AirWave® Respirator



Exclusive easy-breathing wave design provides relief from nuisance levels of Organic Vapors. Features soft foam for ultimate comfortable fit. Adjustable, metal-free SmartStrap® allows respirator to hang around the neck for convenient storage during breaks. Collapse-resistant Dura-Mesh® shell helps respirator last longer, reduces waste and increases cost savings.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
4800	222248005	AirWave respirator w/ SmartStrap, nuisance OV	10/Bx/Cs	8/Bx

**2360P100****MOLDEX**

### 2360P100 Particulate Respirator



Dura-Mesh® shell protects the filter media so it stays cleaner looking longer. Resists collapsing in regular use and even under hot and humid conditions. Molded nosebridge with foam face cushion eliminates pressure points for added comfort. Also features adjustable cloth straps, Ventex® exhalation valve, and Softspun® lining for increased comfort and durability. NIOSH certified to have a filter efficiency of 99.97% against oil and non-oil based particulates. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
2360P100	222200285	P100 Particulate respirator	M/L	4/Bg/Cs	5/Bg



2850

## MOLDEX Respirator Lockers®



Provides hygienic storage for respirators. Ideal for workers required to travel to remote locations. Fits easily in employee lockers or work vehicles. Separate compartment permits storage of a used respirator during breaks, preventing premature disposal of respirators. NIOSH certified to have a filter efficiency level of 95% or greater against non-oil based particulates. Masks meet heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2850	222200395	2800N Series respirator locker w/ (4) 2800N95 respirators	M/L	4/Locker



2310 N99

## MOLDEX N99 Premium Welding Particulate Respirators



Offers a higher level of protection. Workers stay cooler with an exhale valve that reduces breathing resistance and hot air buildup. Exclusive Dura-Mesh® shell protects filter media so it stays cleaner looking longer. Resists collapsing in heat and humidity so respirator holds its shape longer. Suitable for most welding applications. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1. If used for welding, wear appropriate eye and face protection.

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
2310 N99	222210995	N99 Premium particulate respirator w/ valve	M/L	6/Bg/Cs	10/Bg
2315 N99	222200265	N99 Premium particulate welding respirator w/ valve & adjustable cloth straps	M/L	6/Bg/Cs	10/Bg



2730N100

## MOLDEX 2730N100 Series Particulate Respirator with HandyStrap®



HandyStrap allows mask to hang around neck so it's always ready for use, preventing premature disposal. Dura-Mesh® shell protects filter media so it stays cleaner-looking longer. Shell resists collapsing, even in heat and humidity. Contour-molded nosebridge with soft foam face cushion for an easy, comfortable fit. No metal noseband to adjust and the seal is maintained without pressure points. Softspun® lining offers added comfort and durability. NIOSH certified to have a filter efficiency of 99.97% effective against non-oil based particulates. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
2730N100	222200325	N100 Particulate respirator	M/L	6/Bx/Cs	5/Bx



## PeakFit® Particulate Respirators

Large, contoured design facilitates breathing, reducing worker fatigue and promoting compliance. Features molded nosebridge, internal nose cushion, polypropylene inner lining and integrated, adjustable 1-piece head strap. Latex-free, cloth head strap is cooler than traditional, rubber versions. Available with an exhalation vent reducing hot air build-up. NIOSH Approved.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
80101	323381015	Unvented N95 particulate respirator	12/Bx/Cs	20/Bx
♦ 80102V	323301025	Vented N95 particulate respirator	12/Bx/Cs	10/Bx
♦ 80104CV	323380105	Vented N95 OV particulate respirator	12/Bx/Cs	10/Bx
♦ 80105A	323311055	Unvented N95 AG particulate respirator	12/Bx/Cs	20/Bx



## N95 Particulate Respirators

Features inner foam for a custom seal, while a dual head strap provides optimum fit. Effective against particulate aerosols free of oil. Helps provide comfortable, reliable worker protection against certain non-oil based particles in work applications including grinding, sanding, sweeping, bagging and other dusty operations. Model 8611 features an exhalation valve to reduce hot air build-up and keep workers cool. NIOSH Approved.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
8610	G73586105	N95 Particulate respirators	12/Bx/Cs	20/Bx
8611	G73586115	N95 Particulate respirator w/ exhalation valve	12/Bx/Cs	10/Bx







### Nuisance Dust Mask

Provides relief from irritation of non-toxic, nuisance dusts. Effective for pollen, common household dust, cut grass and other non-toxic particles. Adjustable nosepiece contours to fit individual facial features. Not a NIOSH approved respirator.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
1501-CS	422300035	Nuisance dust mask	12/Bx/Cs	50/Bx



1501-CS



### Low-Profile N95 Respirator

Durable, latex-free polymer head straps are pre-stretched and ultrasonically welded to withstand tough use and prolong life. Adjustable contoured nosepiece and soft, open-cell foam nose cushion help ensure proper fit and reduced fogging. NIOSH Approved.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
1730	422300045	N95 Particulate respirator	12/Bx/Cs	20/Bx



1730



### Low-Profile N95 Respirator with Exhalation Valve

Produced from state-of-the-art filtration media and electrostatically charged to enhance filtration. Provides low breathing resistance, making the wearer comfortable for extended periods. Respirator life extended by double-shell construction which is collapse-resistant and withstands hot and humid conditions. Built-in low pressure drop (LPD) exhalation valve for easier breathing. NIOSH Approved.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
1740	422300055	N95 Particulate respirator w/ exhale valve	10/Bx/Cs	10/Bx



1740



### N95 Particulate Respirators

Unique design eliminates pressure points for increased comfort. Opens to a traditional away from the face cup design. Side panels provide added durability in industrial applications. Low breathing-resistance and ultra-soft inner layer assure comfortable wear. Soft foam nosepiece adjusts for a safe, secure fit. Folds for easy storage and portability. Features non-latex headbands. 95% Efficient. NIOSH Approved.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
2130C	422300085	N95 Particulate respirator, cupped in box	10/Bx/Cs	20/Bx
♦ 2130W	422321305	N95 Particulate respirator, individually wrapped	10/Bx/Cs	20/Bx



2130



### N95 Particulate Respirators with OV-AG Nuisance Relief

Layer of activated carbon provides comfort relief against nuisance levels of both organic vapors and acid gas. Features soft foam nose cushion, staple-free construction and collapse-resistant double shell. Contoured nose-clip provides greater comfort and helps reduce potential fogging. Smooth latex-free polymer head straps won't catch on hair. No pre-stretching needed. Model 1745 features a premium oversized valve to expel hot air for cool comfort. NIOSH Approved.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
♦ 1735	422317355	N95 Particulate respirator w/ OV-AG nuisance relief	12/Bx/Cs	20/Bx
♦ 1745	422317455	N95 Particulate respirator w/ OV-AG nuisance relief w/ valve	10/Bx/Cs	10/Bx



1735



6501QL

## 3M 3M™ Rugged Comfort Half Facepiece Reusable Respirators, 6500 Series

Helps provide respiratory protection against airborne contaminants in harsh, dirty environments. Facepiece is designed to help promote comfort, durability and stability with a firm, lightly textured silicone facepiece and strong body construction. Helps provide respiratory protection at concentrations up to 10 x the Permissible Exposure Limit (PEL) when respirator is properly fitted. Sleek, overmolded/low-profile design helps to give a wide field of view that better suits compact work spaces and simplifies cleaning. Resilient silicone facepiece offers an extended facepiece life, even keeping its shape in high-heat environments. Facepiece offers numerous other comfort features including a special valve cover that helps to direct exhaled breath and moisture downward and 3M's proprietary Cool Flow™ Valve that helps to make breathing easier by reducing heat and moisture. Made to fit securely and comfortably on the head, the facepiece comes with an adjustable head harness assembly featuring polyester/spandex straps that stretch and conform. Facepiece is compatible with all 3M™ bayonet-style filters and cartridges to help provide respiratory protection against a variety of gases, vapors and particulate hazards according to NIOSH approvals. The 6500QL Series features a proprietary Quick Latch design offering an easy, one-hand touch drop-down mechanism for putting the facepiece on and/off while moving in and out of contaminated areas. NIOSH/MSHA Approved.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
6501	665565271	6500 Series Half Facepiece	S	Ea
6502	665565291	6500 Series Half Facepiece	M	Ea
◆ 6503	665565311	6500 Series Half Facepiece	L	Ea
◆ 6501QL	665565281	6500 Series Half Facepiece, Quick Latch	S	Ea
6502QL	665565301	6500 Series Half Facepiece, Quick Latch	M	Ea
6503QL	665565321	6500 Series Half Facepiece, Quick Latch	L	Ea
◆ 6581	665565335	Rugged Comfort Head Harness Assembly	5/Bx	

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
6582	665565345	Rugged Comfort Quick Latch Head Harness Assembly	5/Bx	
◆ 6583	665565355	Rugged Comfort Exhalation Valve	10/Cs	



## 3M™ Half Facepiece 6000 Series, Reusable Respirators

Lightweight facepiece and easy-to-adjust headstraps. Facepiece can be used with any of the 3M™ bayonet-style filters and cartridges and can be easily replaced. Swept back design of cartridges helps improve balance and visibility. Cartridges and filters sold separately. Meets NIOSH 42 CFR 84 requirements.



6100

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
6100	665514821	Half Facepiece	S	Ea
6200	665501761	Half Facepiece	M	Ea
6300	665513541	Half Facepiece	L	Ea



## 3M™ Half Facepiece 7500 Series, Reusable

Soft facepiece design and unique 3M™ Cool Flow™ Valve for unsurpassed comfort. Made from advanced silicone and can be used with any of the 3M™ bayonet-style filters and cartridges. Meets NIOSH 42 CFR 84 requirements.



7501

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
7501	665514051	Half Facepiece	S	Ea
7502	665514061	Half Facepiece	M	Ea
7503	665514801	Half Facepiece	L	Ea



6191

## 3M 3M™ Half Facepiece Respirator Assemblies, 6000 Series

Reusable respirator assembly offers comfort and particulate protection. Each facepiece is remarkably comfortable and soft. Assemblies use the simple bayonet mounting system with low-profile P100 filters. Meets NIOSH 42 CFR 84 requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
6191	665513471	Half Facepiece Respirator Assembly w/ 3M™ Particulate Filters, P100	S	Ea
6291	665513521	Half Facepiece Respirator Assembly w/ 3M™ Particulate Filters, P100	M	Ea
6391	665513571	Half Facepiece Respirator Assembly w/ 3M™ Particulate Filters, P100	L	Ea



## 3M™ Ultimate FX Full Facepiece FF-400 Series, Reusable

Rugged facepiece designed to provide flexibility in extreme environments. Features soft, silicone noseclip and large lens allowing for superior peripheral vision. Comfort cradle positions respirator to help reduce pressure points. Scotchgard™ protector helps lens resist dirt, paint and stains, making it easier to clean. Cool Flow™ exhalation valve helps reduce heat and moisture buildup inside the facepiece. Durable, long-lasting head harness features a 6-strap configuration for secure fit. Low-profile bayonet design helps improve balance.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
FF-402	665520241	Ultimate FX Full Facepiece	M	Ea
FF-403	665520251	Ultimate FX Full Facepiece	L	Ea



FF-402



# 3M

## 3M™ Full Facepiece Respirators 6000 Series, Reusable

Faceseal is made of silicone rubber for enhanced comfort and durability. Lightweight and well-balanced. Unique 3M™ Cool Flow™ Valve for unsurpassed comfort. Features large lens providing user a wide field of vision.

6800

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
6800	665513621	Full Facepiece	M	Ea
6900	665513871	Full Facepiece	L	Ea
6885	665513765	Faceshield Covers		25/Bx



# 3M

## 3M™ Full Facepiece Respirators 7800S Series, Reusable

Durable, silicone facepieces are designed for a wide range of applications. Full facepiece features a double flange silicone faceseal and (6) easy-adjusting straps for comfort and durability. Hard-coated polycarbonate

7800S

lens. Extra-large inhalation and exhalation valves help make breathing easier. Meets NIOSH 42 CFR 84 requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
7800S-M	665514131	Full Facepiece Respirator	M	Ea
7800S-L	665514121	Full Facepiece Respirator	L	Ea

### WARNING



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

## 3M 3M™ Replacement Cartridges and Filters

Use with 3M™ Respirators 5000, 6000, 7000 and FF-400 Series, according to NIOSH approvals. When properly selected, cartridges and filters help provide protection from a variety of gases, vapors and particulate hazards.

\*Nuisance level organic vapors refer to concentrations less than the OSHA PEL or applicable government occupational exposure limits, whichever is lower. Do not use for respiratory protection against organic vapors.

\*\*Nuisance level acid gases refer to concentrations less than the OSHA PEL or applicable government occupational exposure limits, whichever is lower. Do not use for respiratory protection against acid gases.

\*\*\*3M™ recommended for ozone protection up to 10 x OSHA PEL or applicable government occupational exposure limits, whichever is lower. Not NIOSH approved for use against ozone.

\*\*\*\*OSHA regulations require gas proof goggles be worn with half facepiece respirators when used against formaldehyde.

Only 3M™ filters 2000 Series, 7093, 5N11 or 5P71 are approved for use with 3M™ 5000 Series Respirators. Cartridges on 5000 Series Respirators cannot be replaced. The 3M™ Filter Adapter 502 is required for use of the 2000 Series and 7093 filters with the 5000 Series Respirators and 6000 Series Cartridges. The 3M™ Filter Retainer 501 is required for use of the 5N11 and 5P71 prefilters with the 5000 Series Respirators.



6001



60926



7093



2097



2071

ITEM #	ORDER #	DESCRIPTION	UOM
6001	665513305	Organic Vapor Cartridge	2/Bx
6002	665510021	Acid Gas Cartridge	2/Bx
6003	665501145	Organic Vapor/Acid Gas Cartridge	2/Bx
6004	665513315	Ammonia/Methylamine Cartridge	2/Bx
6005	665514795	Formaldehyde****/Organic Vapor Cartridge	2/Bx
6006	665513325	Multi-Gas/Vapor Cartridge	2/Bx
6009S	665513335	Mercury Vapor/Chlorine or Sulfur Dioxide Gas Cartridge	60/Cs
60921	665513355	Cartridge/Filter Organic Vapor/P100	2/Bx
60922	665513365	Cartridge/Filter Acid Gas/P100	2/Bx
60923	665513375	Cartridge/Filter Organic Vapor/Acid Gas/P100	2/Bx
60924	665513385	Cartridge/Filter Ammonia/Methylamine/P100	2/Bx
60925	665513395	Cartridge/Filter Formaldehyde****/Organic Vapor/P100	2/Bx
60926	665513405	Cartridge/Filter Multi-Gas/Vapor/P100	2/Bx
60929S	665513425	Mercury Vapor/Chlorine or Sulfur Dioxide Gas/P100 Particulate Filter Combination Cartridge	60/Cs

ITEM #	ORDER #	DESCRIPTION	UOM
2071	665511655	Particulate Filter P95	2/Bx
2078	665511675	Particulate Filter, P95 w/ Nuisance Level Organic Vapor*/Acid Gas** Relief & Ozone Protection***	100/Cs
2091	665520915	Particulate Filter P100	2/Bx
2096	665511685	Particulate Filter P100 w/ Nuisance Level Acid Gas** Relief	2/Bx
2097	665511695	Particulate Filter P100 w/ Nuisance Level Organic Vapor* Relief & Ozone Protection***	2/Bx
2291	665522915	Advanced Particulate Filters P100	100/Cs
7093	665513935	Particulate Filter P100, Solid Top Air Inlet	12/Bx
501	665512085	Filter Retainer	20/Bx
5N11	665512065	Particulate Pre-Filter N95	10/Bx
5P71	665512075	Particulate Pre-Filter P95	10/Bx
504	665512105	Respirator Cleaning Wipes	100/Bx
6894	665513811	Full Face Nose Cup Assembly	Ea
6897	665513841	Full Face Head Harness Assembly	Ea





550030

## North® 5500 Series Half Mask Respirators

Thermoplastic elastomer mask is soft and comfortable; free of latex allergens. Cartridges and filters are replaceable so facepiece can be re-used. Ideal as an economical respirator for sub-contractors, plant guests and occasional users. Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace. Combines comfort and design of the popular 7700 Series half mask in a convenient version. Compatible with North cartridges and filters. Cartridges sold separately.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
550030M	347657231	5500 Series half mask respirator	M	Ea
550030L	347657241	5500 Series half mask respirator	L	Ea



## North® 7700 Series Silicone Half Mask Respirators

The 100% silicone facepiece is flexible, to provide a soft, secure and comfortable fit. Dual elasticity headstraps provide a secure and flexible fit. Wide contoured sealing area fits a greater variety of facial types. Variable thickness in sealing area provides the optimal amount of seal on each area of the face for superior comfort without sacrificing fit. Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace. NIOSH Approved. Cartridges sold separately.



770030

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
770030M	347657201	7700 Series half mask respirator	M	Ea
770030L	347657211	7700 Series half mask respirator	L	Ea



## North® 7600 Series Full Facepiece Respirator

The 100% silicone facepiece is flexible, to provide a soft, secure and comfortable fit. Wide sealing area for improved fit and ability to fit more facial types. Nose cup provides less dead air space and channels exhaled breath. Speech diaphragm is standard to amplify workers' conversations. Lens offers 200° field of vision and downward view for optimal viewing area in all directions. Polycarbonate lens meets ANSI requirements for high impact. Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace. NIOSH Approved. Cartridges sold separately.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
760008A	347637481	Full facepiece, dual flange silicone seal	M/L	Ea



760008A



## North® 5400 Series Low-Maintenance Full Facepiece Respirators

Wide-sealing area for improved fit and ability to fit more facial types. Nose cup provides less dead air space and channels exhaled breath. Latex-free with no natural rubber proteins which may cause an allergic reaction. Lens offers 200° field of vision and downward view for optimal viewing area in all directions. Polycarbonate lens meets ANSI requirements for high impact. Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace. NIOSH Approved. Cartridges sold separately.



54001

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
54001S	347640001	5400 Series full facepiece respirator	S	Ea
54001	347640011	5400 Series full facepiece respirator	M/L	Ea



## North® Full Facepiece Respirator with 5-Point Headstrap

Silicone, full facepiece is the redesigned Survivair Opti-Fit™. Uses North's N-series cartridges and has options for configurations in Honeywell's respiratory line. Features a 5-point headstrap for exceptional fit and comfort, silicone nose cup and face seal for all day comfort and polycarbonate lens for open view and peripheral vision.



RU65001

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
RU65001S	341569101	Full facepiece respirator w/ 5-point headstrap	S	Ea
RU65001M	341569111	Full facepiece respirator w/ 5-point headstrap	M	Ea
RU65001L	341569121	Full facepiece respirator w/ 5-point headstrap	L	Ea



## North® Cartridges, Filters and Cartridge/Filter Combinations

Air-purifying respirators with cartridges provide respiratory protection against gases and vapors by using sorbents to purify the inhaled air. Cartridges with filters also remove dusts, fibers and other particles. All North cartridges and filters are NIOSH approved with North air-purifying half masks and full facepiece respirators. N750036 assembly for filters, includes: (2) N750027 covers and (2) N750038 filter supports to attach filter pads to gas and vapor cartridges.

ITEM #	ORDER #	DESCRIPTION	UOM
75SCL	347657411	Defender™ multi-purpose cartridge	Pr
75SCP100L	347637001	Defender multi-purpose cartridge w/ P100 particulate filter	Pr
N75001L	347650011	Organic vapor cartridge	Pr
♦ 7582P100L	347601001	Acid gas cartridge w/ P100 particulate filter	Pr
N75003L	347657485	Organic vapor, acid gas cartridge	Pr
7583P100L	347631001	Organic vapor, acid gas cartridge w/ P100 particulate filter	Pr
N75004L	347675001	Ammonia, methylamine cartridge	Pr
7584P100L	347637461	Ammonia, methylamine cartridge & P100 particulate filter	Pr
7580P100	347637441	P100 Particulate filter	Pr
75FFP100	347651001	P100 Particulate low-profile filter, flexible	Pr
7506N95	347637025	N95 pad filters	10/Pk
7506N99	347637035	N99 pad filters	10/Pk
7506R95	347637045	R95 pad filters	10/Pk
N750036	347600361	Filter retainer	Ea



## Honeywell Speriair Survair S-Series Cartridges and Filters

Full line of NIOSH-approved cartridges and filters are available. S-Series filters work with both full and half mask respirators that only accept threaded cartridge connections.

ITEM #	ORDER #	DESCRIPTION	UOM
B100100	341521865	Organic vapor cartridge	6/Bx
105110	341522805	Organic vapor cartridge w/ P100 particulate filter	4/Bx
105310	341522845	Organic vapor/acid gas cartridge w/ P100 particulate filter	4/Bx
105810	341522905	Multi-contaminant cartridge w/ P100 particulate filter	4/Bx
105005	341522785	P100 particulate filter	10/Bx
106010	341522925	N95 pad filter, S-Series	24/Bx



## North® Mouthbit Respirator

Mouthbit respirators offer a quick and economical method to escape non-IDLH emergency situations. Large, soft and flexible nose pads hold securely without pinching. Wider nose clip fits a variety of facial types. Silicone mouthpiece is more comfortable to wear over long periods. Packed in sealable plastic bag.



ITEM #	ORDER #	DESCRIPTION	UOM
7902	347638021	Mouthbit respirator/specific acid gases	Ea





## MOLDEX 7000 Reusable Half Mask Respirators



Lightweight design plus extra-wide sealing area provides all-day comfort. Mask drops down for convenient storage around neck or locks down for custom fit. Features adjustable head cradle and curved neck buckles for extra comfort. Low-profile design allows a wide field of vision. Fits under welding helmets and with safety glasses. Easy to clean and maintain. Available as pre-assembled respirators with the most popular cartridge/filter combinations. Paint-spray/pesticide respirators include the added convenience of coming with organic vapor cartridges and N95 prefilters. Multi-gas respirators come with 7600 Smart® cartridges which replace up to five gas/vapor cartridges, making cartridge selection easier for workers. P100 respirator comes with 7940P100 filter disks. NIOSH Approved.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 7001	222270011	Half mask respirator	S	Ea
7002	222270021	Half mask respirator	M	Ea
7003	222270031	Half mask respirator	L	Ea
♦ 7101	222271011	Organic Vapor pre-assembled half mask respirator	S	Ea
♦ 7102	222271021	Organic Vapor pre-assembled half mask respirator	M	Ea
♦ 7103	222271031	Organic Vapor pre-assembled half mask respirator	L	Ea
♦ 7111	222271111	Paint spray/pesticide pre-assembled half mask respirator	S	Ea
7112	222271121	Paint spray/pesticide pre-assembled half mask respirator	M	Ea
7113	222271131	Paint spray/pesticide pre-assembled half mask respirator	L	Ea
♦ 7171	222271711	Pre-assembled respirator for oil or water-based aerosols	S	Ea
♦ 7172	222271721	Pre-assembled respirator for oil or water-based aerosols	M	Ea
♦ 7173	222271731	Pre-assembled respirator for oil or water-based aerosols	L	Ea
♦ 7941	222279411	P100 pre-assembled respirator	S	Ea
♦ 7942	222279421	P100 pre-assembled respirator	M	Ea
♦ 7943	222279431	P100 pre-assembled respirator	L	Ea
♦ 7601	222276011	Multi-gas pre-assembled half mask respirator	S	Ea
7603	222276031	Multi-gas pre-assembled half mask respirator	L	Ea
♦ 7602	222276021	Multi-gas pre-assembled half mask respirator	M	Ea



9002



## 9000 Reusable Full Facepiece Respirators



Exclusive over-molded lens design eliminates usual heavy-clamping frame. Lightweight respirator features stand away head harness with extra wide opening for easy on/off. Strap buckles are securely molded directly to facepiece for rugged use and ease of adjustment. Coated lens for scratch resistance. NIOSH Approved.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
9002	222290021	Reusable full facepiece respirator	M	Ea
9003	222290031	Reusable full facepiece respirator	L	Ea



7640



## 7000/9000 Series Combo Stacked Cartridge/Filters



Pre-assembled units save time and reduce chance of error in selecting or assembling cartridge/filter combinations. The 7140 combines the 7100 organic vapor cartridge, the 7920 piggyback adapter and the 7940 P100 particulate filter disk. The 7640 combines the 7600 multi-gas/vapor Smart® cartridge, the 7920 piggyback adapter and the 7940 P100 particulate filter disk. For use with 7000 half mask or 9000 full face respirators.

ITEM #	ORDER #	DESCRIPTION	UOM
♦ 7140	222271401	Organic Vapor cartridge/P100	Pr
♦ 7640	222276401	Multi-Gas/Vapor Smart cartridge/P100	Pr





## Moldex® Replacement Cartridges and Filters

A variety of cartridges and filters for use with 7000 Series half mask respirators or 9000 Series full facepiece respirators. NIOSH Approved.

ITEM #	ORDER #	DESCRIPTION	UOM
7100	222271001	Organic Vapor cartridge	Pr
♦ 7200	222272001	Acid Gas cartridge	Pr
♦ 7300	222273001	Organic Vapor/Acid Gas cartridge	Pr
♦ 7400	222274001	Ammonia/Methylamine cartridge	Pr
♦ 7500	222275001	Formaldehyde cartridge	Pr
♦ 7600	222276001	Multi-Gas/Vapor Smart® cartridge	Pr
♦ 7940	222279401	P100 filter disk	Pr



ITEM #	ORDER #	DESCRIPTION	UOM
♦ 7920	222279201	Piggyback adapter	Pr
♦ 7960	222279601	P100 filter w/ nuisance OV	Pr
♦ 7990	222279901	P100 filter cartridge	Pr
♦ 8970	222289705	R95 Prefilters, 5 Pr/Bg	Bg
♦ 8910	222243425	N95 Prefilters, 5 Pr/Bg	Bg
♦ 7020	222270201	Prefilter retainer	Pr



## Advantage® 200 LS Respirator

Lighter and softer facepiece is made from a clear blue formulation of thermoplastic rubber for greater comfort and stability. AnthroCurve™ sealing surface instantly conforms to wearer's unique facial characteristics. MultiFlex® system equalizes pressure on face seal area.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
815444	308599131	Advantage 200 LS respirator w/ single neckstrap	M	Ea
815452	308599151	Advantage 200 LS respirator w/ single neckstrap	L	Ea




## Advantage® 420 Respirators

Features UniBond over-mold facepiece, AnthroCurve™ face seal and low profile design. Unique yoke and harness design (patent pending) allows a user to easily don and doff the state-of-the-art respirator while maintaining a customized fit. Other features include a Comfortop headband, a built-in moisture release chin cup hole, and the extra-wide head and neck straps.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
10102183	3085143D1	Advantage 420 twin-port half mask respirator	M	Ea



10083781



## Advantage® 3200 Full Facepiece Respirators

Engineered for comfort and versatility. Offers ease of use and low breathing resistance. Preset upper straps make it easy to don and remove while also providing a tighter, more secure seal. Users can also opt for the European-style Advantage Head Harness, which dons like a catcher's mask. Unit also features a scratch-resistant, wraparound faceplate that eliminates distortion and increases peripheral vision, these components can be replaced by hand in seconds.



10028995

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
10028995	308524661	Advantage 3200 Twin Port Respirator w/ rubber harness	M	Ea
10028997	308524681	Advantage 3200 Twin Port Respirator w/ rubber harness	L	Ea



## Advantage® 4000 Respirators

Precision crafted to cover a wide variety of respiratory applications. Works with several different MSA respirators to provide comfortable, cost-efficient performance. Features net head harness and Hycar® facepiece. Facepiece also features a rubber or net harness, and every mask features a standard nose cup for reduced fogging in low-temperature or high-moisture environments.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 10083781	3085901D1	Advantage 4200 Twin Port respirator	M	Ea
♦ 10083789	3085370E1	Advantage 4200 Twin Port respirator	L	Ea



## Advantage® Respirator Cartridges

Filter cartridges protect against dusts, particles and mists. Chemical cartridges protect against gases and vapors. Combination cartridges deliver protection from both particulate and gaseous contaminants. All cartridges are interchangeable between the Advantage respirators and are color-coded to indicate the type of protection offered. Approved under 42 CFR Part 84.



815355

ITEM #	ORDER #	DESCRIPTION	UOM
815355	308598981	GMA OV cartridge	2/Pk
815359	308553591	GME multi-gas cartridge	2/Pk
815362	308599031	GMA/P100 OV cartridge	2/Pk
815369	308599075	P100 low-profile cartridge	2/Pk



## Flexi-Filter® Pads for Advantage® Respirators

Low-profile, flexible filter pads for Advantage respirator fit well under a welding hood and with other personal protective equipment. Offers great balance and weight distribution for maintaining a good faceseal, while swept-back design provides improved vision and comfort. Multi-layer composite construction offers durability and spark resistance.



818342

ITEM #	ORDER #	DESCRIPTION	UOM
818342	308583425	P100 Flexi-Filter pads	2/Pk
818343	3085163A5	P100/OV/O3 Flexi-Filter pads	2/Pk
818344	3085164A5	P100/AG/HF Flexi-Filter pads	2/Pk



TR-300



## 3M™ Versaflo™ Complete PAPR System Kits

Lightweight, compact and well-balanced. Equipped with automatic flow control, low battery alarm and low flow alarm. Quick Release Swivel (QRS) breathing tubes allow fast and easy connection. Provides excellent peripheral and downward vision. Easily removable parts allow simple cleaning, maintenance and replacement. Kits offer convenience of a complete system ideal for industrial applications, hospitals and pharmaceutical applications.

- **TR-300-HKL** includes S-133L headcover, TR-307N PAPR with Easy Clean belt, BT-30 breathing tube, charger, TR-371ON filter and storage bag
- **TR-300-ECK** includes S-655 hood, TR-307N PAPR with Easy Clean belt, BT-30 breathing tube, battery charger, TR-371ON filter and prefilter
- **TR-300-HIK** includes M-307 respiratory hard hat, TR-306N PAPR with high-durability leather belt, BT-40 heavy-duty breathing tube, battery charger, TR-371ON filter and spark arrestor/prefilter

ITEM #	ORDER #	DESCRIPTION	UOM
♦ TR-300-HKL	665524751	3M™ Headcover PAPR Kit	Ea
♦ TR-300-ECK	665524721	3M™ Easy Clean PAPR Kit	Ea
TR-300-HIK	665524731	3M™ Heavy-duty Industrial PAPR Kit	Ea



68097



## 3M™ Mold Remediation Respirator Kit

Includes a 3M™ Full Facepiece 6000 and two pairs of 3M™ Particulate Filters 2097, P100, to help reduce exposure to mold and low level organic compounds produced by mold. Simple, one-stop solution to help provide respiratory protection during most mold remediation activities such as vacuuming, sanding, removal and disposal. A separate chemical cartridge may be needed for exposure to disinfectants.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 68097	665513661	Mold Remediation Respirator Kit	M	Ea

### WARNING



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.



## Fit Test Kits

Choose from a variety of OSHA-compliant fit test products. Saccharin fit test kit includes poly-coated hood, (2) nebulizers, sensitivity and fit test solutions and instructions. Bitrex™ is safer than saccharin tests while producing identical results. Disposable glass ampules make pouring solution into nebulizers easier and reduces the chance of contamination. Use smoke test kits for air purifying respirators. Standard kit includes irritant smoke tubes, aspirator assembly and record form in a protective carry pouch. Deluxe smoke test kit includes a smoke fit tube pump with batteries which generates the required 200 mL per minute of smoke, (6) smoke tubes with caps and instructions.

ITEM #	ORDER #	DESCRIPTION	UOM
2041	334200611	Bitrex test kit	Ea
2041-11K	334200625	Sensitivity solution only, 6/Bx	Ea
2041-12K	334200635	Test solution only, 6/Bx	Ea
♦ 2040	334200571	Saccharin test kit	Ea
2040-11K	334200595	Sensitivity solution only, 6/Bx	Ea
♦ 2040-12K	334200605	Test solution only, 6/Bx	Ea
♦ 2055	334200661	Deluxe pump smoke test kit	Ea



ITEM #	ORDER #	DESCRIPTION	UOM
2050	334200641	Standard smoke test kit	Ea
2050-01	334200651	Replacement tubes, 6/Bx	6/Bx



## Respirator Accessories

Cleaning pads are designed specifically for rubber respirator facepieces and other personal safety equipment. Alcohol wipes contain 70% isopropanol. Active ingredient in alcohol-free wipe is Benzalkonium chloride. Will not harm even the most sensitive rubber facepieces.



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1001	334210015	Respirator cleaning pads	5" x 8"	100/Bx
3001	334230015	Alcohol-free cleaning pads	5" x 8"	100/Bx
1001-05	334200431	The Big Ones, alcohol	8" x 11"	50/Bx
3001-05	334200701	The Big Ones, alcohol-free	8" x 11"	50/Bx



## Spray Socks

Provides comfortable protection against overspray and other particulates. Fits over the head and can be worn with goggles, half mask or full mask respirators. Stretch knit material is breathable and cool to wear. Universal.



ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
1410-12	334200465	Spray socks	White	12/Pk



## Respirator Storage Bags

Reusable storage bags keep equipment contaminant free. Single-use disposable storage bags with gusset help prevent cross contamination of any personal safety equipment such as respirators or earmuffs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2000	33422000	Respirator storage bags	14" x 16"	100/Bg
♦ 2025	334220251	Full mask storage bag	16" x 14"	Ea
4001-05	33420105	Large disposable respirator storage bags	21" L x 11" W x 8" D	100/Pk
♦ 4001-06	334205495	Extra large disposable respirator storage bags	28" L x 12" W x 8" D	50/Pk







# Hand Protection

Gloves are relied upon to prevent cuts, abrasions, burns, and skin contact with chemicals. Employers are required to provide workers with gloves suited specifically for each work task that will provide the best protection possible.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.

## Ansell

Ansell is focused on providing workers with the best hand protection products available. That's why we offer such a wide range of products designed for a variety of industries, applications and hazards. We ensure that you can find a glove that's perfectly matched to your needs.





## Ansell HyFlex® 11-600 Light-Duty Multi-Purpose Gloves

Safety without sacrificing performance. Polyurethane palm coating offers maximum tactile sensitivity in finger area for exceptional feel, and an ultra-cool stretch nylon liner increases worker acceptance and safety compliance. Barehand dexterity, excellent fit and performance help to maintain high productivity. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>White</b>				
11-600W-7	220100865	HyFlex 11-600 gloves	7	12/Pk
11-600W-8	220100895	HyFlex 11-600 gloves	8	12/Pk
11-600W-9	220100925	HyFlex 11-600 gloves	9	12/Pk
11-600W-10	220100755	HyFlex 11-600 gloves	10	12/Pk
<b>Black</b>				
11-600B-7	220100875	HyFlex 11-600 gloves	7	12/Pk
11-600B-8	220100915	HyFlex 11-600 gloves	8	12/Pk
11-600B-9	220100935	HyFlex 11-600 gloves	9	12/Pk
11-600B-10	220100765	HyFlex 11-600 gloves	10	12/Pk



## Ansell HyFlex® 11-800 Light-Duty Multi-Purpose Gloves

Big comfort when handling small parts. Ansell® original foam nitrile coating channels oil away from glove surface for sure grip in light oil. Featuring Zonz Technology, this glove molds naturally to the hand, minimizing fatigue and providing exceptional, unmatched comfort for workers. ANSI level 1 cut resistance, ANSI level 3 abrasion resistance. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
11-800-6	220101225	HyFlex 11-800 gloves	6	12/Pk
11-800-7	220118005	HyFlex 11-800 gloves	7	12/Pk
11-800-8	220118015	HyFlex 11-800 gloves	8	12/Pk
11-800-9	220118025	HyFlex 11-800 gloves	9	12/Pk
11-800-10	220118035	HyFlex 11-800 gloves	10	12/Pk



## Ansell HyFlex® 11-801 Light-Duty Multi-Purpose Gloves

Safety without sacrificing performance. Foam nitrile palm coating offers maximum tactile sensitivity in the finger area for exceptional feel. Zonz Technology enables excellent fit and performance to maintain high productivity. Ultra-cool stretch nylon liner. Barehand dexterity. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
11-801-7	220101275	HyFlex 11-801 gloves	7	12/Pk
11-801-8	220101285	HyFlex 11-801 gloves	8	12/Pk
11-801-9	220101295	HyFlex 11-801 gloves	9	12/Pk
11-801-10	220101235	HyFlex 11-801 gloves	10	12/Pk

## Ansell PowerFlex® 80-100 Heavy-Duty Multi-Purpose Gloves

Rugged, comfortable glove designed to handle more demanding jobs. Advanced ergonomic design features a soft, seamless poly/cotton knit liner for unbelievable comfort. Superior wet and dry grip. Powerful combination of grip, abrasion and puncture resistance. Fully-coated thumb provides added protection in this high risk area. Uncoated back allows air to circulate, keeping hands cool and dry. 12 Pk/Cs.

CAUTION: This product contains natural rubber latex which may cause allergic reactions in some individuals.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
80-100-8	220111995	PowerFlex 80-100 gloves	8	12/Pk
80-100-9	220112005	PowerFlex 80-100 gloves	9	12/Pk
80-100-10	220111965	PowerFlex 80-100 gloves	10	12/Pk







NF11



## NorthFlex Red™ Foamed PVC Palm-Coated Gloves

Lightweight, 15-gauge seamless knit nylon liner, with a knit wrist for minimal resistance and comfort. Foamed PVC coating provides a firm grip, abrasion resistance and a degree of shock and vibration absorption. Used in applications where workers handle both wet and dry objects and need moderate protection from mechanical hazards, including automotive and other assembly work, manufacturing, maintenance and small parts handling. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
NF11/L	347684895	Foamed PVC palm-coated gloves	L	12/Pk
NF11/XL	347684905	Foamed PVC palm-coated gloves	XL	12/Pk



## SHOWA® 306 Gloves

Nylon/polyester 13-gauge liner with engineered full foam breathable latex coating. Offers high levels of grip and abrasion resistance. Ideal for automotive, construction, maintenance, manufacturing and general purpose applications. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
306M-07	384173085	SHOWA 306 gloves	M	12/Pk
306L-08	384173095	SHOWA 306 gloves	L	12/Pk
306XL-09	384173105	SHOWA 306 gloves	XL	12/Pk

306



## Why Choose Palm Coated?

Palm-coated gloves provide the confidence to perform. Non-slip surface allows workers to work more efficiently and with greater confidence.

WELLS LAMONT INFORMATION



4500



## SHOWA® 4500 Gloves

Features a breathable, seamless nylon liner/shell with flat-dipped nitrile coating, knit wrist and smooth finish. Puncture and abrasion protection. Palm-dipped in nitrile for lower electrostatic discharge. Ideal for jobs requiring tactile sensitivity. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
4500-08	384101495	SHOWA 4500 gloves	M	12/Pk
4500-09	384101505	SHOWA 4500 gloves	L	12/Pk
4500-10	384101515	SHOWA 4500 gloves	XL	12/Pk



## SHOWA® ATLAS® 300 Gloves

Gray with blue, natural rubber palm coating. Features 10-gauge seamless knit liner, ergonomic shape and wrinkle grip. Machine washable. 12 Pk/Cs.



300



## SHOWA® 377 Foam Grip Gloves

Liquid-proof undercoat for oil protection. Features fully-coated foam nitrile overcoat for grip in oily applications and a 13-gauge seamless knit liner. 6 Pk/Cs.



377

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
300M-08	384123065	SHOWA ATLAS 300 gloves	M	12/Pk
300L-09	384123075	SHOWA ATLAS 300 gloves	L	12/Pk
300XL-10	384123085	SHOWA ATLAS 300 gloves	XL	12/Pk

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
377M-07	384133015	Foam nitrile gloves	M	12/Pk
377L-08	384133025	Foam nitrile gloves	L	12/Pk
377XL-09	384133035	Foam nitrile gloves	XL	12/Pk
377XXL-10	384113775	Foam nitrile gloves	2XL	12/Pk





### Jackson Safety\* G40 Foam Nitrile Coated Gloves

Provides 25% better productivity than leather. Excellent grip and dexterity. Features seamless knit nylon back for comfort. Highest EN388 abrasion rating. 5 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
40226	154002265	G40 Foam Nitrile Coated Gloves	8 (M)	12/Pk
40227	154002275	G40 Foam Nitrile Coated Gloves	9 (L)	12/Pk
40228	154002285	G40 Foam Nitrile Coated Gloves	10 (XL)	12/Pk

40226



13838



### Jackson Safety\* G40 Polyurethane Coated Gloves

Thin mil feel for tactile sensitivity. Offers excellent grip and dexterity. Features seamless knit construction for comfort. Tear- and abrasion-resistant. 5 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 13838	154038005	G40 Polyurethane Coated Gloves	8 (M)	12/Pk
◆ 13839	154038015	G40 Polyurethane Coated Gloves	9 (L)	12/Pk



### Jackson Safety\* G29 Solvent Gloves

Provides up to 4X longer protection against certain solvents, hydraulic fluids, oils and greases. Reduces the number of times gloves need to be replaced. Neoprene blend construction with textured fingertips for wet/dry grip. Silicone-free, powder-free. Features 12-mil thickness at fingers, 9-mil at palm and 12" length. 10 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 49824	154002135	Jackson Safety* G29 Solvent Gloves	M	50/Bx
◆ 49825	154002125	Jackson Safety* G29 Solvent Gloves	L	50/Bx
◆ 49826	154002155	Jackson Safety* G29 Solvent Gloves	XL	50/Bx
◆ 49827	154002115	Jackson Safety* G29 Solvent Gloves	2XL	50/Bx

49824



More Hi-Viz Products,  
Start on Page 202.



### FlexTech™ Palm-Dipped Gloves

Features a lightweight nylon shell and polyurethane palm coating for grip and tactility. Gray color hides dirt and grime. Ideal for electronic assembly and small parts handling. 144 Pr/Cs.



Y9277

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Y9277L	416411765	FlexTech palm-dipped gloves	L	12/Pk
Y9277XL	416492775	FlexTech palm-dipped gloves	XL	12/Pk



### FlexTech™ Hi-Viz Palm-Dipped Gloves

Features a lightweight synthetic knit shell with latex palm coating for outstanding grip. Knit wrist construction prevents dirt and debris from entering glove. Thermal version (Y9239T) features a brushed fleece liner for warmth and ANSI cut level 3 protection. 144 Pr/Cs.



Y9239

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ Y9239TL	416492465	FlexTech hi-viz palm-dipped gloves, lined	L	12/Pk
◆ Y9239TXL	416492475	FlexTech hi-viz palm-dipped gloves, lined	XL	12/Pk
Y9239L	416490415	FlexTech hi-viz palm-dipped gloves	L	12/Pk
◆ Y9239XL	416490425	FlexTech hi-viz palm-dipped gloves	XL	12/Pk



## MAJESTIC SuperDex™ Gloves

Features micro foam nitrile palm coating and a lightweight, durable 15-gauge seamless knit liner. Provides excellent dexterity and unmatched grip. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>Gray</b>				
♦ 3228/M	337916595	SuperDex gloves, palm-coated	M	12/Pk
♦ 3228/L	337916605	SuperDex gloves, palm-coated	L	12/Pk
♦ 3228/XL	337916615	SuperDex gloves, palm-coated	XL	12/Pk
<b>Hi-Viz Yellow</b>				
♦ 3228HVY/M	337916695	SuperDex gloves, palm-coated	M	12/Pk
♦ 3228HVY/L	337916705	SuperDex gloves, palm-coated	L	12/Pk
♦ 3228HVY/XL	337916715	SuperDex gloves, palm-coated	XL	12/Pk



MAJESTIC

## M-Safe® Rubber-Coated Gloves

Cotton string knit gloves with rubber palm-dipped coating and knit wrist. Excellent gripping power and abrasion resistance. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 3382/9	337916995	Rubber-coated gloves	9	12/Pk
♦ 3382/10	337917005	Rubber-coated gloves	10	12/Pk
♦ 3382/11	337917015	Rubber-coated gloves	11	12/Pk



MAJESTIC

## SuperDex™ Elite Gloves

Features an extra dip micro foam nitrile and a very lightweight, durable 15-gauge high-visibility seamless knit liner. Excellent dexterity and unmatched grip. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 3229HVY/M	337916795	SuperDex Elite gloves	M	12/Pk
♦ 3229HVY/L	337916805	SuperDex Elite gloves	L	12/Pk
♦ 3229HVY/XL	337916815	SuperDex Elite gloves	XL	12/Pk



MAJESTIC

## Summer Penguin Knit Gloves with Foam Latex Palm

Lightweight, cotton/poly blend hi-viz summer weight glove. Features hi-viz orange or yellow knit with black foamed latex palm to hide dirt. Pre-curved design promotes easy flexing. Latex palm offers excellent wear and resistance. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>Hi-Viz Orange</b>				
♦ 3397HO/9	337917095	Summer Penguin knit gloves w/ foam latex palm	M	12/Pk
♦ 3397HO/10	337917105	Summer Penguin knit gloves w/ foam latex palm	L	12/Pk
♦ 3397HO/11	337917115	Summer Penguin knit gloves w/ foam latex palm	XL	12/Pk
<b>Hi-Viz Yellow</b>				
♦ 3397HY/9	337917195	Summer Penguin knit gloves w/ foam latex palm	M	12/Pk
♦ 3397HY/10	337917205	Summer Penguin knit gloves w/ foam latex palm	L	12/Pk
♦ 3397HY/11	337917215	Summer Penguin knit gloves w/ foam latex palm	XL	12/Pk

## Honeywell Pure Fit™ Nylon Gloves

Lightweight, 13-gauge knit with foam nitrile palm coating. Seamless knit liner is made from low-linting nylon filament fibers. Palm-dipped design is lightweight to enhance tactile sensitivity and add abrasion resistance. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 390-M	341520065	Pure Fit 390 gloves	M	12/Pk
♦ 390-L	341520055	Pure Fit 390 gloves	L	12/Pk
♦ 390-XL	341520085	Pure Fit 390 gloves	XL	12/Pk





## Ninja® BNF Gloves

Features 15-gauge nylon/Spandex® shell with nitrile foam (BNF) coating over the knuckles. Provides dexterity, sense of touch, and protection. Ideal for automotive assembly, farming, landscaping and material handling. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
N96793L	331487035	Ninja BNF gloves	L	12/Pk
N96793XL	331487045	Ninja BNF gloves	XL	12/Pk



N96793



## Ninja® BNF Gloves with Dots

Features 15-gauge gray nylon/Spandex® shell with breathable nitrile foam-coated palm with dots. Ergonomic design for minimum hand fatigue. Excellent wet or dry grip. Offers great dexterity, flexibility and movement. Ideal for abrasive applications, assembly, construction, landscaping and shipping/receiving. 12 Pk/Cs.



N96797

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ N96797L	331467975	Ninja BNF gloves w/ dots	L	12/Pk
◆ N96797XL	331467985	Ninja BNF gloves w/ dots	XL	12/Pk



## Ninja® BNF Gloves with Palm Coating

Features 15-gauge nylon/Spandex® shell with nitrile foam (BNF) coating on palm and fingertips. Provides dexterity, sense of touch, and protection. Ideal for automotive assembly, farming, landscaping and material handling. 12 Pk/Cs.



N96790

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ N96790L	331467935	Ninja BNF gloves w/ palm & fingertip coating	L	12/Pk
◆ N96790XL	331467965	Ninja BNF gloves w/ palm & fingertip coating	XL	12/Pk



## Flex-Tuff® Latex-Dipped Work Gloves

Made from 10-gauge 50% cotton/50% polyester shell dipped in natural rubber latex, which provides exceptional abrasion resistance. Features textured palm and fingertips for added durability and grip. Ideal for use in material and glass handling, fishing and plywood industries, sanitation, and general maintenance. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
9681-L	331418755	Economy latex-dipped gloves	L	12/Pk
9688-L	331419025	Value latex-dipped work gloves	L	12/Pk
9688-XL	331419055	Value latex-dipped work gloves	XL	12/Pk
9680-L	331496795	Premium latex-dipped gloves	L	12/Pk
9680-XL	331496805	Premium latex-dipped gloves	XL	12/Pk



9680



N9680



## Ninja® Flex Latex-Coated Gloves

Excellent for use in dry grip applications. Made of a 15-gauge 100% nylon shell with a crinkle latex coating provides superb flexibility, elasticity and durability. Component materials comply with all relevant federal regulations for food contact. 12 Pk/Cs.



N9696

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
N9680-L	331496001	Ninja Flex latex-coated gloves	L	12/Pk



## Ninja Lite™ Gloves

Features skin-tight, athletic-grade nylon shell with feather-light PU coating for high abrasion protection. Offers dexterity and tactile sensitivity. Ideal for intricate assembly, micro processors, optics and photography industries. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
N9696-L	331438365	Ninja Lite gloves	L	12/Pk





## Brown Jersey Gloves

Breathable and absorbent. Features Clute cut with knit wrist. For comfort in general purpose applications. 25 Pk/Cs.



7100

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
7100	331414285	Brown jersey gloves	L	12/Pk



## Cotton Inspectors Gloves

Made from 100% cotton material. Reversible and unhemmed. Keeps hands cool as well as protects sensitive or delicate equipment such as electronics. Comfortable and lightweight; can be used as glove liners. Ideal for light-duty applications. 100 Pk/Cs.



8600C

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
8600C	331400675	Cotton inspectors gloves	L	12/Pk



8100C

8808



## Cotton Canvas Gloves

Made from 8 oz. woven cotton canvas fabric cut and sewn in Clute pattern with straight thumb and knit wrist for comfort and breathability in general purpose applications. Available with black PVC dots on palm and thumb for grip and additional abrasion resistance. 25 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
8100C	331414465	Cotton canvas gloves	Men's	12/Pk
8808	331414935	Cotton canvas gloves w/ dots	Men's	12/Pk



## KSR® 22-515 Light-Duty Multi-Purpose Gloves

Very light, flexible, well ventilated and easy to wear for an entire shift. Vinyl-coated gloves are extremely comfortable for long-wearing light-duty work. Interlock knit lining stretches to a comfortably snug, sensitive fit. Outwears 8 oz. cotton gloves by at least 6-to-1. Coating breathes for ventilation while providing superior grip and liquid repellency. Launderable, won't shrink, stiffen or lose grip. 12 Pk/Cs.



22-515

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
22-515-8	220145385	KSR 22-515 gloves	8	12/Pk
22-515-9	220102315	KSR 22-515 gloves	9	12/Pk
22-515-10	220145405	KSR 22-515 gloves	10	12/Pk



## Hynit® 32-105 Medium-Duty Multi-Purpose Gloves

A light, comfortable and longer-lasting replacement for cotton and leather. Outwears standard 8 oz. cotton by as much as 10-to-1, standard goatskin by 3-to-1 and standard lightweight leather by 4-to-1. Nitrile-impregnated fabric provides excellent snag, puncture, abrasion and cut resistance. Superior dry grip without silicone. Lightweight, comfortable and launderable. 12 Pk/Cs.



32-105

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
32-105-7	220103605	Hynit 32-105 fully-coated gloves	7	12/Pk
32-105-8	220103625	Hynit 32-105 fully-coated gloves	8	12/Pk
32-105-9	220103635	Hynit 32-105 fully-coated gloves	9	12/Pk
32-105-10	220103555	Hynit 32-105 fully-coated gloves	10	12/Pk



Material recommendations for common work glove applications:  
(for equivalent thicknesses of natural leather)

APPLICATIONS	Grain Pigskin	Grain Cowhide	Split Cowhide	Grain Deer/Elkskin	Grain Goatskin	Synthetic Leathers	Coated Knits
Framing, carpentry, roofing	Good	Best	Fair	Good	Good	Good	Fair
Maintenance, dry surface cleaning	Better	Good	Good	Best	Better	Good	Fair
Demolition, rough labor	Good	Better	Best	Fair	Fair	Fair	Good
Equipment operation	Good	Good	Fair	Best	Better	Better	Fair
Heavy machine operation	Good	Better	Best	Good	Good	Fair	Fair
Landscaping	Best	Good	Better	Fair	Good	Good	Good
Hand tools, pistol grips, assembly	Good	Good	Fair	Better	Better	Best	Fair
Parcel delivery, warehouse work	Good	Better	Good	Good	Better	Good	Best
Transportation	Good	Good	Fair	Best	Good	Better	Fair
Low abrasion operations	Good	Fair	Fair	Good	Better	Best	Fair
High abrasion operations	Better	Good	Best	Fair	Better	Good	Good
Rigging	Better	Good	Good	Good	Best	Better	Fair
Materials handling	Better	Better	Better	Fair	Good	Good	Best

Wells Lamont Information



### ORHD® CR5 Series Cut-Resistant Gloves

Dual-density thermoplastic rubber (TPR) disperses forceful impact to knuckles and metacarpals and provides pinch-point protection to tip of each finger. Internal 2 mm EVA foam insert absorbs impact to top of hand. PVC bonded dots disperse liquids, enhance grip and reduce abrasion to entire palm. Entire palm is layered with Armortex® for added cut resistance. Features slip-on cuff and stretch neoprene wrist panels. Machine washable. CE test scores (4544) and ANSI scores of (545).

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
ORHD-CR5-009	C24527011	ORHD CR5 Series cut-resistant gloves	9	Pr
ORHD-CR5-010	C24527021	ORHD CR5 Series cut-resistant gloves	10	Pr
ORHD-CR5-011	C24527031	ORHD CR5 Series cut-resistant gloves	11	Pr



ORHD-CR5



### ORHD® Knit CR5 Series Gloves

Features a 13-gauge knitted shell with thermoplastic rubber (TPR) knuckle and metacarpal impact protection. TPR finger guards extend to tip of each finger to prevent crushing impact injuries. Textured nitrile-coated palm provides enhanced gripping power. Durable blend of Armortex® and Kevlar® provides webbing reinforcement. Extended slip-on cuff for better fit and 3 mm internal palm padding relieves hand fatigue. Machine washable. CE test scores (4544) and ANSI scores of (144).

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
KHD-CR5-009	C24527291	ORHD Knit CR5 Series gloves	9	Pr
KHD-CR5-010	C24527301	ORHD Knit CR5 Series gloves	10	Pr
KHD-CR5-011	C24527311	ORHD Knit CR5 Series gloves	11	Pr



KHD-CR5



## Memphis™ Black Kevlar® Gloves

Features 13-gauge black Kevlar/synthetic shell with black nitrile foam coating on palm and fingertips. Polymer coating offers better grip and durability. Black color hides dirt and grime. Ideal for automotive assembly, bottling, canning, glass handling, HVAC and sheet metal industry. ANSI cut level 4. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 9178NFL	331491781	Memphis Black Kevlar gloves	L	Pr
♦ 9178NFXL	331491791	Memphis Black Kevlar gloves	XL	Pr

9178NF



## Memphis Cut Pro™ Gloves

Features a 10-gauge black HPPE and steel shell with black nitrile foam coating on palm and fingers. Black color hides dirt and grease. Ideal for automotive, canning, demolition, glass handling, HVAC and construction. Polybagged by the pair. ANSI cut level 5. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
92720NFL	331487151	Memphis Cut Pro gloves	L	Pr
92720NFXL	331487161	Memphis Cut Pro gloves	XL	Pr

92720NF



## Memphis Cut Pro™ Hi-Viz Gloves

Features a 13-gauge hi-viz lime HPPE/nylon/Lycra®-plated shell with nitrile coating on palm/fingers and extended wrist. Ideal for assembly line, bottling, dairy, HVAC, glass and material handling. ANSI cut level 2. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
92723HVL	331487095	Memphis Cut Pro hi-viz gloves	L	12/Pk
92723HVXL	331487105	Memphis Cut Pro hi-viz gloves	XL	12/Pk

92723HV



## ForceFlex™ Dyneema® PU Gloves

Features 13-gauge salt and pepper Dyneema shell with thermoplastic rubber cage on back of hand and black PU coating on palms and fingers. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ DN100L	331497211	ForceFlex Dyneema PU gloves	L	Pr
♦ DN100XL	331497221	ForceFlex Dyneema PU gloves	XL	Pr



DN100





# Ansell

## Hylite® 47-402 Medium-Duty Multi-Purpose Gloves

A smart alternative that outperforms cotton, leather and PVC gloves. Outwears cotton up to 12-to-1, lightweight leather 5-to-1, and PVC-coated gloves 3-to-1. Comfortable cotton lining with full nitrile coating for exceptional snag, puncture, abrasion and cut resistance. Features unique interlock knit liner and knit wrist. Contoured design ensures excellent flexibility and dexterity. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
47-402-9	220105485	Hylite 47-402 gloves	9	12/Pk
47-402-10	220105445	Hylite 47-402 gloves	10	12/Pk



47-402

# Ansell

## HyFlex® 11-624 Light-Duty Cut Protection Gloves

Dyneema® engineered yarn composition with ergonomic design offers users an unmatched combination of comfort, softness, coolness and cut protection. Black proprietary coating provides a sure grip in light oil and dry applications. Good resistance to tears and punctures that might occur when handling sharp parts. ANSI cut level 2, ANSI abrasion level 5. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
11-624-9	220114235	HyFlex 11-624 gloves	9	12/Pk
11-624-10	220100545	HyFlex 11-624 gloves	10	12/Pk



11-624

# Ansell

## HyFlex® 11-500 Light-Duty Cut Protection Gloves

Performance and safety combined. Ergonomically designed DuPont™ Kevlar® stretch liner with spandex provides "second skin" closeness, reducing risk of snags and cuts. Ability to handle sharp parts with confidence, increasing productivity and safety. Black foam nitrile-coated palm enhances grip in light oil conditions with good abrasion resistance. Silicone-free and natural rubber latex-free for worker and product protection. ANSI level 2 cut resistance, ANSI level 3 abrasion resistance. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
11-500-9	220100675	HyFlex 11-500 gloves	9	12/Pk
11-500-10	220100615	HyFlex 11-500 gloves	10	12/Pk



11-500

# Ansell

## HyFlex® 11-501 Medium-Duty Cut Protection Gloves

Lightweight fit and feel with superior cut protection. Ansell INTERCEPT Technology™ with DuPont™ Kevlar® Stretch Armor liner provide enhanced cut protection, reducing the risk of injury and related expenses. High cut protection increases worker confidence and morale when handling sharp objects. Ergonomic stretch liner provides barehand closeness, reducing risk of snags and hang-ups. Nitrile foam coating enhances grip in light oil conditions. ANSI cut level 4, ANSI abrasion level 3. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
11-501-9	220100745	HyFlex 11-501 gloves	9	12/Pk
11-501-10	220100685	HyFlex 11-501 gloves	10	12/Pk



11-501



11-518

## Ansell HyFlex® 11-518 First-To-Market Ultralight Cut-Resistant Gloves

First-to-market 18-gauge style glove provides barehand-like dexterity for high tactility. Dyneema® Diamond Technology provides high cut-to-dexterity ratio for safety with comfort. D3 Pinky matches natural contours of hand. Thin polyurethane coating enables high tactility. High abrasion resistance extends glove life. ANSI cut level 2, ANSI level 3 abrasion resistance. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
11-518-9	220151895	HyFlex 11-518 gloves	9	12/Pk

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
11-518-10	220151905	HyFlex 11-518 gloves	10	12/Pk

## SHOWA S-TEX® 541 Gloves

Features Hagane Coil® fiber engineered with a stainless steel core to provide extra protection against sharp edges. Lightweight polyurethane palm coating ensures maximum dexterity, grip and flexibility. Open back design with breathable palm keeps hands comfortable and dry. Gray on black. ASTM cut level 4. 6 Pk/Cs.



S-TEX541

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ S-TEX541L-08	384149085	S-TEX 541 gloves	L	12/Pk
♦ S-TEX541XL-09	384149095	S-TEX 541 gloves	XL	12/Pk
♦ S-TEX541XXL-10	384149105	S-TEX 541 gloves	2XL	12/Pk

## SHOWA 4560 Gloves

Flat-dipped, form-fitting gloves. Made of cut-resistant Kevlar® fibers spun with stretchable, breathable Lycra®. Sponge nitrile-coated gloves have Maximum Oil Absorbency (MXOA). Used for small and sharp parts handling, cutting instruments and blade changing. ANSI cut level 3. 6 Pk/Cs.



4560

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
4560-09	384101595	SHOWA 4560 Gloves	L	12/Pk
4560-10	384101605	SHOWA 4560 Gloves	XL	12/Pk



KV300

## SHOWA ATLAS® KV300 Gloves

Made with a yellow, 10-cut medium weight Kevlar® fiber knit shell coated with blue natural rubber to provide protection from cuts, slashes and punctures. Features a seamless knit shell construction, open back configuration and an ergonomically correct design. Provides excellent wet/slippy grip and helps inhibit liquid penetration. Meets ANSI cut level 3. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
KV300L-09	384123175	ATLAS gloves, Kevlar shell w/ natural rubber palm & fingertips	L	12/Pk
KV300XL-10	384123185	ATLAS gloves, Kevlar shell w/ natural rubber palm & fingertips	XL	12/Pk





### SHOWA® 250 Gloves

Features a blend of 13-gauge Kevlar® stainless steel and polyester knit with sponge nitrile palm coating. Provides excellent protection in applications where oil and sharp edges are prevalent. Offers durable resistance to abrasions, snags and punctures. Meets ANSI/ISEA 105-2005 cut level 4. 6 Pk/Cs.



250

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
250-08	384150085	SHOWA 250 gloves	8	12/Pk
250-09	384150095	SHOWA 250 gloves	9	12/Pk

### Cut Resistance

Increased cut protection can be achieved with: increased material weight, use of high performance fibers, and use of composite yarns made with varying combinations of stainless steel, fiberglass and high performance materials.

WELLS LAMONT

?



### Memphis Hero™ Gloves

Made from 13-gauge blended Kevlar®, stainless steel and other fibers for high levels of cut and comfort. Allows manual dexterity in industry applications such as manufacturing, automotive, glass operations, metal stamping and food processing. Made with FDA-accepted materials for use in food processing applications. ANSI cut level 4. 6 Pk/Cs.



93840

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 93840L	331488035	Memphis Hero gloves	L	12/Pk
♦ 93840XL	331488045	Memphis Hero gloves	XL	12/Pk



### Memphis Hero™ Gloves with PVC Dots

Made from 13-gauge blended Kevlar®, stainless steel and other fibers for high levels of cut and comfort. Features PVC dots on one side. Allows manual dexterity in industry applications such as manufacturing, automotive, glass operations and metal stamping. ANSI cut level 4. 6 Pk/Cs.



93847

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 93847L	331488105	Memphis Hero gloves w/ PVC dots one side	L	12/Pk
♦ 93847XL	331488115	Memphis Hero gloves w/ PVC dots one side	XL	12/Pk

### Ansell

### HyFlex® 11-627 Light-Duty Cut Protection Gloves

Dyneema® and Lycra® liner offer cool and comfortable feeling. Relaxed, natural fit liner helps reduce hand fatigue. Polyurethane coating and liner combination offer improved tactile sensitivity. Excellent grip in dry environments. Effective control in minimally oily environments. Launderable, durable materials. 12 Pk/Cs.



11-627

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
11-627-9	220101211	HyFlex 11-627 gloves w/ Dyneema	9	Pr
11-627-10	220101051	HyFlex 11-627 gloves w/ Dyneema	10	Pr







## Memphis Hero™ Gloves with PVC Stripes

Made from 7-gauge blended Kevlar®, stainless steel and other fibers for high levels of cut and comfort. Features PVC stripes on one side. Allows manual dexterity in industry applications such as manufacturing, automotive, glass operations and metal stamping. ANSI cut level 4. 6 Pk/Cs.



93868

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 93868L	331488185	Memphis Hero gloves w/ PVC stripes one side	L	12/Pk
◆ 93868XL	331488195	Memphis Hero gloves w/ PVC stripes one side	XL	12/Pk



## Memphis™ Dyneema® PU Gloves

Salt and pepper Dyneema/nylon/spandex blend shell with gray polyurethane coating on palm and fingers. Features 13-gauge thickness. Ideal for automotive, metal fabrication, ceramics, paper/pulp industry, textile industry and other applications requiring ultimate cut protection. CE cut level 3, CPPT cut level 2. 12 Pk/Cs.



9672

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 9672-L	331497025	Memphis Dyneema PU gloves	L	12/Pk
◆ 9672-XL	331497035	Memphis Dyneema PU gloves	XL	12/Pk



97432



## Jackson Safety\* G60 Purple Nitrile\* Level 3 Cut Resistant Gloves

Dyneema® fiber enhances breathability and comfort. Features dots on palm for enhanced grip. Ambidextrous. ANSI Level 3/EN388 Level 3 cut resistance; CPPT = 1,150 grams.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 97432	15407432	G60 Purple Nitrile* Cut Resistant Gloves	9 (L)	12/Cs
97433	15407433	G60 Purple Nitrile* Cut Resistant Gloves	10 (XL)	12/Cs



## Jackson Safety\* G60 Level 3 Cut Resistant Gloves with Dyneema® Fiber

Dyneema yarn with nylon, Lycra® fiber and glass liner provides cut resistance and comfortable fit. Excellent dexterity for improved productivity. Grey polyurethane coating enhances grip. Ideal for metal fabrication, glass handling, automotive assembly, stamping and assembly. Meets ANSI Level 3, EN 388 Level 3 cut resistance.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 13825	15403825	G60 Level 3 Cut Resistant Gloves	9 (L)	12/Cs
◆ 13826	15403826	G60 Level 3 Cut Resistant Gloves	10 (XL)	12/Cs



## Jackson Safety\* G60 Level 5 Cut Resistant Gloves with Dyneema® Fiber

Features Spun Dyneema® fiber with glass, stainless steel and spandex. Superior cut resistance based on tests performed against the competition. Black polyurethane coating enhances grip. ANSI Level 4/EN388 Level 5 cut resistance, CPPT = 2085 grams.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
98237	15408037	G60 Level 5 Cut Resistant Gloves	9 (L)	12/Cs
98238	15408038	G60 Level 5 Cut Resistant Gloves	10 (XL)	12/Cs



13825

98237



**Cut Resistant Sleeves,  
Page 105.**



### Cut-Less Gloves made with Dyneema®

Features continuous fiber shell made with Dyneema continuous fiber shell with gray polyurethane palm coating and color-coded hem. Cut resistance is equivalent to Kevlar® with ten times greater abrasion resistance. CE cut level 3. 10 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 34-1305/L	337917305	Cut-Less gloves made w/ Dyneema	L	12/Pk
♦ 34-1305/X1	337917315	Cut-Less gloves made w/ Dyneema	XL	12/Pk



34-1305



### Coated Cut-Less Gloves made with Dyneema®

Coated gloves made with Dyneema feature 13-gauge seamless knit shell with polyurethane palm coating and color-coded hem. Has a cut resistance that is equivalent to Kevlar® with ten times greater abrasion resistance. Available in continuous knit shell or ring spun Dyneema which is 15% more cut-resistant. 10 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>Gray/White</b>				
♦ 3435/L	337917405	Continuous fiber gloves made w/ Dyneema	L	12/Pk
♦ 3435/XL	337917415	Continuous fiber gloves made w/ Dyneema	XL	12/Pk
<b>Hi-Viz Yellow</b>				
♦ 3435NHY/L	337917505	Continuous fiber gloves made w/ Dyneema	L	12/Pk
♦ 3435NHY/XL	337917515	Continuous fiber gloves made w/ Dyneema	XL	12/Pk
<b>Gray</b>				
♦ 3437/L	337917605	Ring spun gloves made w/ Dyneema	L	12/Pk
♦ 3437/XL	337917615	Ring spun gloves made w/ Dyneema	XL	12/Pk



3435NHY

### Ansell Metalist® 28-407 Medium-Duty Cut Protection Gloves

Stand up to cuts, get excellent grip and increase productivity. Flexible golden yellow nitrile coating provides excellent cut and abrasion resistance and superior grip without sacrificing dexterity. Two-piece liner features cut-resistant DuPont™ Kevlar® in high stress areas. Ergonomic design ensures a natural, comfortable fit. Nitrile safety cuff delivers added wrist and forearm protection. ANSI cut level 2. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
28-407-9	220103295	Metalist 28-407 gloves	9	12/Pk
28-407-10	220103245	Metalist 28-407 gloves	10	12/Pk



28-407

### Honeywell Perfect Fit® 100% Kevlar® Gloves

Made with 13-cut lightweight DuPont™ Kevlar fibers for cut and slash protection. Features seamless knit construction with no uncomfortable seams to rub or chafe. Easily laundered with minimal shrinkage. Ideal for sheet metal, glass handling, canning, automotive, welding, injection molding and steel manufacturing. ANSI cut level 2. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
KV13A	341514345	Lightweight 100% Kevlar gloves	Men's	12/Pk

KV13A



### Honeywell Junk Yard Dog® Gloves

Features full premium leather palm with reinforced thumb crotch and Kevlar® fiber, seamless knit shell. Offers cut, slash and abrasion resistance. Leather palm provides outstanding grip in oily or wet applications. Ideal for automotive assembly, sheet metal, glass handling, metal stamping and fabrication, recycling, canning, injection molding, paper and pulp industry. ASTM cut level 3.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
KV18A-100-50	341514411	Junk Yard Dog cut-resistant gloves	Men's	Pr



KV18A-100-50



## Ninja® X Bi-Polymer Coated Gloves

Made of a 15-gauge shell blend of silicone-free nylon/spandex with a proprietary bi-polymer coating combining durability and softness. Provides protection without losing dexterity and sense of touch. Applications include food processing, glass handling and metal fabricating. EN 388. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
N9674-L	331496745	Bi-polymer coated gloves	L	12/Pk

N9674



333023



WELLS LAMONT  
Industrial

## Whizard® Handguard II® Gloves

Heavy-duty combination of high performance fibers and stainless steel provides exceptional protection against cuts and slashes. Features 3" cuff for wrist protection. Ambidextrous. Ideal for use in meat, poultry and seafood processing. Prewashed and preshrunk. CFR 21 approved for food contact. ANSI cut level 5. Sold by the piece. 72/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
333023	416430231	Handguard II glove	M	Ea
333025	416430251	Handguard II glove	L	Ea
333027	416430271	Handguard II glove	XL	Ea

WELLS LAMONT  
Industrial

## Whizard® Slipguard® Gloves

Patented combination of high performance fibers and stainless steel. Coated with unique low-friction polyurethane pattern. Offers cut protection and slip resistance. Hand specific. Prewashed and preshrunk. ANSI cut level 5. 72/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
133554	416406511	Slipguard glove, left	S	Ea
133555	416406521	Slipguard glove, right	S	Ea

133554



WELLS LAMONT  
Industrial

## Whizard® Knifehandler Gloves

Patented combination of high performance fibers and stainless steel. Provides exceptional protection against cuts and slashes. Features 3" cuff for wrist protection. Ambidextrous. Ideal for use in meat, poultry and seafood processing. Prewashed and preshrunk. CFR21 approved for food contact. ANSI cut level 5. 120/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
333370	416433511	Knifehandler glove	S	Ea
333372	416433521	Knifehandler glove	M	Ea
333374	416433531	Knifehandler glove	L	Ea

333370







**WELLS LAMONT**  
Industrial

### Kevlar® Liner

Lightweight Kevlar fibers offer moderate cut resistance without compromising tactile sensitivity. Low lint. Ambidextrous. ANSI cut level 2. 144 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ M79M	416402015	Kevlar liner	M	12/Pk

M79M



134527



**WELLS LAMONT**  
Industrial

### Whizard® Silver Talon® Gloves

Patented combination of high performance fibers and stainless steel. Provides an unmatched combination of cut resistance, dexterity and durability. Silver color conceals stains better. Ambidextrous. CFR21 approved for food contact. ANSI cut level 5. 120/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
134527	416445271	Silver Talon glove	M	Ea
♦ 134528	416445281	Silver Talon glove	L	Ea



333477

**WELLS LAMONT**  
Industrial

### Whizard® Medium-Duty Armguard

Protects arms from cuts and lacerations. 10" Length. Gray. ANSI cut level 4. 48/Cs.

ITEM #	ORDER #	DESCRIPTION	UOM
333477	41645036	Medium-duty Armguard	Ea



9218M13

**MEMPHIS**  
GLOVES

### Memphis Cut Pro™ Cut-Resistant Sleeves

Seamless knit liner offers excellent general purpose protection and provides comfortable abrasion and cut resistance. Made from 13-gauge HPPE/synthetic fiber. Ideal for agriculture, assembly, automotive, construction and material handling. ANSI cut level 2. 120/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
9218M13	331492181	Memphis Cut Pro cut-resistant sleeves	18"	Pr



# Chemical Glove Material

**Nitrile chemical-resistant gloves** combine manual dexterity and protection in wet and oily applications, offering better protection against aromatic and petroleum solvents, caustics and various animal fats than neoprene chemical-resistant gloves. They also provide excellent protection against cuts, abrasions and punctures. Nitrile chemical-resistant gloves are well-suited for use in the industries of oil refining and petrochemicals, aerospace and automotive de-greasing. Additionally, these gloves can be used in various machining operations that utilize cutting coolants and oils, metal fabrication, graphic arts, printing cleanup, and electronics.

**Neoprene chemical-resistant gloves** are a great alternative to natural rubber latex chemical-resistant and vinyl safety gloves. They provide superior liquid resistance and protection against acids, alcohols, oils, solvents, esters, grease and animal fats. They also can withstand temperature fluctuations. However, they do not protect against ketones or toluenes. Furthermore, neoprene does not contain latex proteins that can cause allergic reactions.

## Neoprene

- Neoprene is a multi-purpose material used against a wide range of acids, caustics, chemicals, solvents and oils. Less resistant to snag and punctures. Used for refining, galvanizing, degreasing, plating and petrochemical applications.

## Nitrile

- Nitrile is a synthetic rubber that has anti-microbial properties and is resistant to acid, chemicals, oils, solvents, greases and petroleum-based fluids. They also resist snags, cuts, punctures and abrasions.

## PVC

- Polyvinyl chloride (PVC) is a thermoplastic polymer used against acids, chemicals, greases, and oils. Economical and abrasion-resistant

## Supported or Unsupported

### Supported

- Supported gloves are lined and coated for additional strength. Some supported gloves are resistant to chemicals, snags, abrasions, cuts and punctures.

### Unsupported

- Unsupported gloves are designed with and without a knitted or woven liner. They are more economical and are used in tasks that require more dexterity and involve light-to-medium chemical applications.

## Lining Material

Choosing the right liner can increase comfort and protect against injury.

### Cotton

- Cotton is used to absorb moisture and protect the hands from irritation.

### Cotton Interlock Knit

- Cotton interlock is a soft, stretchable and breathable material used to absorb moisture and protect hands from irritation.

### Knit Lined

- Knit lined is a double stitched material that is stretchable.

### Unlined

- Unlined gloves do not have a knitted or woven lining. They offer a higher level of dexterity and elasticity.

Source: Ansell



390

Ansell

### Technicians 88-390 Natural Rubber Latex Gloves

The right mix of chemical protection, dexterity and sensitivity for mid-level applications. A 12" length and 13-mil blend of neoprene and natural rubber latex delivers optimal durability and chemical resistance. Pebble embossed design increases grip on wet or dry surfaces. Complies with FDA food handling requirements (21 CFR 177.2600). 12 Pk/Cs.

CAUTION: This product contains natural rubber latex which may cause allergic reactions in some individuals.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
390-8	220104785	Technicians 88-390 gloves	8	12/Pk
390-9	220104805	Technicians 88-390 gloves	9	12/Pk
390-10	220180105	Technicians 88-390 gloves	10	12/Pk



392

Ansell

### VersaTouch® 88-392 Natural Rubber Latex Gloves

Ideal glove for safety and dexterity in the food processing industry. Excellent dexterity, tensile strength and elasticity. Features 12" length, pebble embossed grip and 20-mil thickness for good chemical, snag, puncture and abrasion resistance. Complies with FDA food handling requirements (21 CFR 177.2600). 12 Pk/Cs.

CAUTION: This product contains natural rubber latex which may cause allergic reactions in some individuals.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
392-8	220120105	VersaTouch 88-392 gloves	8	12/Pk
392-9	220139295	VersaTouch 88-392 gloves	9	12/Pk
392-10	220197035	VersaTouch 88-392 gloves	10	12/Pk



37-145

Ansell

### Solvex® Nitrile Immersion Gloves

Versatile chemical protection that performs across a diverse range of applications. High performance nitrile compound provides an outstanding combination of chemical resistance and strength. Offers superior snag, puncture and abrasion protection over rubber or neoprene gloves. Features straight cuff and sandpatch grip with high levels of flexibility, comfort and dexterity. High levels of flexibility, comfort and dexterity. Won't swell, weaken or degrade, and does not promote contact dermatitis. Complies with FDA food handling requirements (21 CFR 177.2600).

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>Solvex 11-Mil Thickness</b>				
37-145-8	220104265	13" Length, unlined	8	12/Pk
37-145-9	220104275	13" Length, unlined	9	12/Pk
<b>Solvex 15-Mil Thickness</b>				
♦ 37-155-8	220104295	13" Length, unlined	8	12/Pk
37-155-9	220104305	13" Length, unlined	9	12/Pk
37-155-10	220155105	13" Length, unlined	10	12/Pk
37-175-8	220104365	13" Length, flock-lined	8	12/Pk
37-175-9	220104375	13" Length, flock-lined	9	12/Pk
37-175-10	220175105	13" Length, flock-lined	10	12/Pk
<b>Solvex 22-Mil Thickness</b>				
37-165-9	220104335	15" Length, unlined	9	12/Pk
37-165-10	220165105	15" Length, unlined	10	12/Pk

Ansell

### Scorpio® Neoprene Immersion Gloves

Heavy-duty protection against a wide range of chemicals. Specially designed neoprene construction with a knit-liner for comfort and easy donning and doffing. Textured finish provides excellent grip on wet and slippery materials with great flexibility. Snug fit with high degree of fingertip sensitivity. Features 12" gauntlet cuff and interlock knit cotton 2-piece lining eliminating seams that can cause hand irritation and premature wear-through. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
8-352-9	220111925	Scorpio 8-352 gloves	9	12/Pk
8-352-10	220111895	Scorpio 8-352 gloves	10	12/Pk



8-352





## Ansell Marigold® G12 Mediumweight Natural Rubber Gloves

Made from unsupported 17-mil latex. Features recessed diamond patterned grip, flock lining and beaded, rolled cuff. Provides resistance to acids, alkalis, alcohols, salts, ketones and animal fats. Ideal for industrial cleaning, canteen use and other general purpose applications. Complies with FDA food handling requirements (21 CFR 177.2600). 12 Pk/Cs.

113468



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 113468	220134685	Marigold G12Y mediumweight natural rubber gloves	7.5/M	12/Pk
♦ 113469	220134695	Marigold G12Y mediumweight natural rubber gloves	8.5/L	12/Pk
♦ 113470	220130705	Marigold G12Y mediumweight natural rubber gloves	9.5/XL	12/Pk



## Ansell Marigold® G17K Heavyweight Gloves

Industrial unsupported 30-mil latex gloves provide excellent resistance to many chemicals. Black heavyweight gloves feature 13" length, flocked lining and beaded cuff for tear resistance and easy donning. Offers high resistance to water-based chemicals. Ideal for heavy industry, assembly and maintenance work. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 113472	220134725	Marigold G17K heavyweight gloves	7.5/M	12/Pk
♦ 113473	220134735	Marigold G17K heavyweight gloves	8.5/L	12/Pk
♦ 113474	220134745	Marigold G17K heavyweight gloves	9.5/XL	12/Pk
♦ 113475	220134755	Marigold G17K heavyweight gloves	10.5/2XL	12/Pk

113472

## SHOWA SHOWA® CHM Gloves

Features neoprene-over-natural rubber construction for abrasion, tear and puncture resistance. Self-flushing, tractor-tread grip encourages runoff of fluids. Features 12" length, cotton flock liner and 26-mil thickness. Black with blue cuff. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
CHMS-07	384100455	SHOWA CHM gloves	S	Pr
CHMM-08	384100445	SHOWA CHM gloves	M	Pr
CHML-09	384100435	SHOWA CHM gloves	L	Pr
CHMXL-10	384100515	SHOWA CHM gloves	XL	Pr



CHM



727

SHOWA

### SHOWA® Chemical-Resistant Nitrile Gloves

Provides protection against abrasions, punctures, cuts; resistant to solvents, animal fats and other chemicals. Features 13" length, 15-mil thickness, flock lining and bisque non-slip grip. Ergonomic design maximizes comfort. Complies with FDA food handling requirements (21 CFR 177.2600).

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
730-09	384102665	SHOWA chemical-resistant nitrile gloves, flock-lined, chlorinated	L	12/Pk
730-10	384102675	SHOWA chemical-resistant nitrile gloves, flock-lined, chlorinated	XL	12/Pk
727-09	384127095	SHOWA chemical-resistant nitrile gloves, unlined	L	12/Pk
727-10	384127105	SHOWA chemical-resistant nitrile gloves, unlined	XL	12/Pk

### Handling Chemicals and Protective Gloves

?

Achieving appropriate protection against chemicals is complicated because of the great diversity of compounds and applications in the workplace. OSHA inspectors will generally accept the employer's judgment in regard to personal protective equipment (PPE). In applications where the work is especially dangerous, the inspector might request documentation that the PPE is appropriate for the situation. Chemical-resistant gloves are designed to protect against chemical absorption into your body. Examples of chemical-resistant gloves would be nonporous types made of nitrile, neoprene, latex, rubber or PVA.

To learn more, visit [www.osha.gov](http://www.osha.gov)- OSHA 29 CFR Part 1910, Item 1910.1389 Hand Protection

### SHOWA SHOWA® Neoprene Gloves

Wet-grip gloves with rough finish and gauntlet cuff. Multi-dipped in premium-grade neoprene for quality and durability. Protects against acids, caustics, oils, greases and many solvents. Comfortable yet provides protection against physical hazards such as abrasions and cuts. 3 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
6797R-10	384110105	SHOWA neoprene gloves, elbow length	L	12/Pk
6780R-10	384102085	SHOWA neoprene gloves w/ 12" gauntlet	L	12/Pk
6784R-10	384102125	SHOWA neoprene gloves w/ 14" gauntlet	L	12/Pk



6784R



B131R



### North Butyl™ Unsupported Chemical-Resistant Gloves

Designed with a high permeation resistance to gas and water vapor for greater worker protection especially when handling toxic substances. Highly-resistant to ketones (MEK, MIBK, acetone) and esters (tricresyl phosphate, amyl acetate, ethyl acetate). Features 11" length, 13-mil thickness and rough finish. Curved finger and hand design provides a better fit for greater worker comfort. Used in aircraft maintenance, automotive, chemical handling and processing and domestic preparedness. 288 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
B131R/8	347606251	Butyl unsupported gloves	M	Pr
B131R/9	347606261	Butyl unsupported gloves	L	Pr
B131R/10	347606221	Butyl unsupported gloves	XL	Pr



LA102G



## NitrGuard Plus™ Unsupported Gloves

Provides hand protection with resistance to cuts, snags and abrasions. Nitrile material resists most common solvents, oils and acids for dependable, long-lasting protection. Available with either a sanitized or flocked interior. 13" Length. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
LA102G/9	347618425	NitrGuard unsupported gloves, 11-mil w/ sanitized liner	9	12/Pk
LA102G/10	347618385	NitrGuard unsupported gloves, 11-mil w/ sanitized liner	10	12/Pk
LA102G/11	347618395	NitrGuard unsupported gloves, 11-mil w/ sanitized liner	11	12/Pk
LA132G/9	347618585	NitrGuard unsupported gloves, 15-mil w/ flocked liner	9	12/Pk
♦ LA132G/10	347618545	NitrGuard unsupported gloves, 15-mil w/ flocked liner	10	12/Pk
♦ LA132G/11	347618555	NitrGuard unsupported gloves, 15-mil w/ flocked liner	11	12/Pk
LA142G/9	347618635	NitrGuard unsupported gloves, 15-mil w/ sanitized liner	9	12/Pk
LA142G/10	347618595	NitrGuard unsupported gloves, 15-mil w/ sanitized liner	10	12/Pk
♦ LA142G/11	347618605	NitrGuard unsupported gloves, 15-mil w/ sanitized liner	11	12/Pk



SSG



## Silver Shield® Gloves

Resistant to over 280 chemicals, including alcohols, aliphatics, aromatics, chlorines, ketones and esters. Does not contain latex or chemical accelerators that can cause allergic reactions. Can be used as a secondary inner glove. Features 2.7-mil thickness and either 14 1/2" or 16" length. Used in aerospace, chemical processing, transporting and domestic preparedness. 50 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ SSG/7	34762238	Silver Shield gloves, 14 1/2" length	7 (S)	Pr
SSG/8	34762239	Silver Shield gloves, 14 1/2" length	8 (M)	Pr
SSG/9	34762240	Silver Shield gloves, 16" length	9 (L)	Pr
SSG/10	34762235	Silver Shield gloves, 16" length	10 (XL)	Pr
SSG/11	34762236	Silver Shield gloves, 16" length	11 (2XL)	Pr



PR4112



## PERM-RUFF Fully-Coated PVC Gloves

Full PVC coating protects from a wide range of hazardous chemicals. PVC chip surface provides superior wet/oily grip. Interlocked liner for easy laundering. 12" Gauntlet cuff. Red. 36 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
PR4112L	416402235	Fully-coated PVC gloves	L	12/Pk





### RAVEN™ Nitrile Gloves

Made from 6-mil nitrile with textured grip and beaded cuff. Offers superior puncture and abrasion resistance while providing outstanding strength, wear and dexterity. Ambidextrous. Exam grade nitrile glove free from latex and powders. Black. 10 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
66516	G73565165	RAVEN nitrile gloves	S	100/Bx
66517	G73565175	RAVEN nitrile gloves	M	100/Bx
66518	G73565185	RAVEN nitrile gloves	L	100/Bx
66519	G73565195	RAVEN nitrile gloves	XL	100/Bx
66520	G73565205	RAVEN nitrile gloves	2XL	100/Bx



66517



### THICKSTER™ Latex Gloves

Made from 14-mil latex with an extended 12" length for added protection. Features textured grip and beaded cuff, strong yet soft and flexible. Ambidextrous. Available in powdered or powder-free exam grade latex. Blue. 10 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>Powdered</b>				
6602	G73566025	THICKSTER latex gloves	M	50/Bx
6603	G73566035	THICKSTER latex gloves	L	50/Bx
6604	G73566045	THICKSTER latex gloves	XL	50/Bx
6605	G73566055	THICKSTER latex gloves	2XL	50/Bx
<b>Powder-Free</b>				
6602-20	G73502205	THICKSTER latex gloves	M	50/Bx
6603-20	G73503205	THICKSTER latex gloves	L	50/Bx
6604-20	G73504205	THICKSTER latex gloves	XL	50/Bx
6605-20	G73505205	THICKSTER latex gloves	2XL	50/Bx



6602-20



### DYNA GRIP™ Latex Gloves

Made from 7-mil latex with full textured grip and beaded cuff for easy on/off. Ambidextrous. Delivers fit, comfort, flexibility, sensitivity and performance. Powder-free exam grade latex. Natural. 10 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
650-1001	G73510015	DYNA GRIP latex gloves	S	100/Bx
650-1002	G73510025	DYNA GRIP latex gloves	M	100/Bx
650-1003	G73510035	DYNA GRIP latex gloves	L	100/Bx
650-1004	G73510045	DYNA GRIP latex gloves	XL	100/Bx
650-1005	G73510055	DYNA GRIP latex gloves	2XL	100/Bx



650-1002



### Astro Grip™ Nitrile Gloves

Made from 6-mil nitrile with dual-sided scale grip and beaded cuff. Bright orange for high visibility while offering superior puncture and abrasion resistance. Free from latex and powders. Orange. 10 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
66572	G73565255	Astro Grip nitrile gloves	M	100/Bx
66573	G73565265	Astro Grip nitrile gloves	L	100/Bx
66574	G73565275	Astro Grip nitrile gloves	XL	100/Bx
66575	G73565285	Astro Grip nitrile gloves	2XL	100/Bx



66572





92-675

### Ansell TouchNTuff® Blue 92-575 and 92-675 Disposable Nitrile Gloves

Excellent grip, comfort and durability for the job. Durable, 5-mil nitrile gloves are soft and comfortable and have textured fingers for exceptional grip. Complies with FDA food handling requirements (21 CFR 177.2600). Blue. 10 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>Powdered</b>				
92-575-L	220148195	TouchNTuff Blue 92-575 gloves	L	100/Bx
92-575-XL	220148205	TouchNTuff Blue 92-575 gloves	XL	100/Bx
<b>Powder-Free</b>				
92-675-L	220126775	TouchNTuff Blue 92-675 gloves	L	100/Bx
92-675-XL	220126785	TouchNTuff Blue 92-675 gloves	XL	100/Bx



92-500

### Ansell TouchNTuff® Gloves

Premium quality, 100% 5-mil nitrile disposable gloves offer three times the puncture resistance of standard latex or vinyl gloves. Combines excellent fingertip sensitivity with exceptional durability. Gives a high level of protection against grease and oil. Lightweight and comfortable to wear. Made without silicone. Complies with FDA food handling requirements (21 CFR 177.2600). Green. 10 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>Powdered</b>				
92-500-L	220112655	TouchNTuff 92-500 gloves	L	100/Bx
92-500-XL	220112665	TouchNTuff 92-500 gloves	XL	100/Bx
<b>Powder-Free</b>				
92-600-L	220112705	TouchNTuff 92-600 gloves	L	100/Bx
92-600-XL	220112715	TouchNTuff 92-600 gloves	XL	100/Bx



69-318

### Ansell TouchNTuff® Natural Rubber Latex Gloves

Handle the most intricate and delicate products with incredible sensitivity. Provide the strength and comfort of 100% natural rubber latex. Features textured finish and 5-mil thickness for the highest degree of sensitivity. Exam grade, powder-free. Complies with FDA food handling requirements (21 CFR 177.2600). Natural. 10 Bx/Cs.

CAUTION: This product contains natural rubber latex which may cause allergic reactions in some individuals.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
69-318-L	220130585	TouchNTuff 69-318 premium latex gloves	L	100/Bx
69-318-XL	220169105	TouchNTuff 69-318 premium latex gloves	XL	100/Bx



57371



### KleenGuard\* G10 Blue Nitrile Gloves

Features textured fingertips, 6-mil thickness and 9 1/2" length. Latex- and powder-free. Excellent tactile sensitivity. Approved for food handling. Blue. 10 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
57371	154073715	G10 Blue Nitrile Gloves	S	100/Bx
57372	154073725	G10 Blue Nitrile Gloves	M	100/Bx
57373	154073735	G10 Blue Nitrile Gloves	L	100/Bx
57374	154073745	G10 Blue Nitrile Gloves	XL	90/Bx



## Kimberly-Clark\* Purple Nitrile\* Exam Gloves

Ambidextrous exam gloves contain no natural rubber latex, are powder-free with textured fingertips and have a beaded cuff. 6-Mil thickness; 9 1/2" length. Made of a highly durable nitrile polymer eliminating the risks and costs associated with Type 1 natural rubber latex allergies. Cleared for use in Chemotherapy. 10 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
55082	154050825	Kimberly-Clark* Purple Nitrile* Exam Gloves	M	100/Bx
55083	154050835	Kimberly-Clark* Purple Nitrile* Exam Gloves	L	100/Bx
55084	154050845	Kimberly-Clark* Purple Nitrile* Exam Gloves	XL	90/Bx



55082

Disposable



62991



## Kimberly-Clark\* G3 NXT\* Nitrile Gloves

Features textured fingertips, beaded cuff, 12" length. Contains no natural rubber latex. Static dissipative in use. Recommended for ISO Class 3 or higher cleanroom. Packaged in a Class 100 Cleanroom. AQL level of 1.5 for pinholes. White. 100/Bx, 10 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
62991	15400760	G3 NXT* Nitrile Gloves	S	1/Cs
62992	15400761	G3 NXT* Nitrile Gloves	M	1/Cs
62993	15400762	G3 NXT* Nitrile Gloves	L	1/Cs

## SHOWA N-DEX® Original Nitrile Gloves

Chemical/splash-resistant, 4-mil, ambidextrous gloves provide better puncture resistance than natural rubber and vinyl disposables. Ideal for food handling and processing, automotive, lab and pharmaceutical professionals. Powdered or powder-free. Blue. 20 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>Powdered</b>				
7005-S	384191285	N-DEX original nitrile gloves	S	100/Bx
7005-M	384191295	N-DEX original nitrile gloves	M	100/Bx
7005-L	384191305	N-DEX original nitrile gloves	L	100/Bx
7005-XL	384191315	N-DEX original nitrile gloves	XL	100/Bx

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>Powder-Free</b>				
7005PF-S	384170125	N-DEX original nitrile gloves	S	100/Bx
7005PF-M	384170135	N-DEX original nitrile gloves	M	100/Bx
7005PF-L	384170145	N-DEX original nitrile gloves	L	100/Bx
7005PF-XL	384170155	N-DEX original nitrile gloves	XL	100/Bx

7005



8005



## SHOWA N-DEX® Nitrile Disposable Gloves

Provides barrier protection and comfort. Features 100% nitrile, 9 1/2" length and 8-mil thickness. Ambidextrous; lightly-powdered. Excellent balance between protection and tactile sensitivity. Use for industrial and meat processing, laboratory and automotive applications. Complies with FDA food handling requirements (21 CFR 177.2600). Blue. 20 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
8005-S	384180035	N-DEX nitrile disposable gloves	S	50/Bx
8005-M	384180045	N-DEX nitrile disposable gloves	M	50/Bx
8005-L	384180055	N-DEX nitrile disposable gloves	L	50/Bx
8005-XL	384180065	N-DEX nitrile disposable gloves	XL	50/Bx





7500PF



## Nitrile Disposable Gloves

Features 4-mil thickness textured finish, rolled cuff for easy donning and industry standard 9 1/2" length. Powder-free. Blue. 10 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
7500PF-S	384175015	Nitrile disposable gloves	S	100/Bx
7500PF-M	384175025	Nitrile disposable gloves	M	100/Bx
7500PF-L	384175035	Nitrile disposable gloves	L	100/Bx
7500PF-XL	384102765	Nitrile disposable gloves	XL	100/Bx
7500PF-2XL	384102775	Nitrile disposable gloves	2XL	100/Bx



7700PFT



## N-DEX® Disposable Nitrile Gloves

Patented accelerator-free, textured fingertip, disposable gloves offering nitrile protection. Features ESD and static-dissipative properties, 4-mil thickness, standard 9 1/2" length with rolled cuff. Powder-free. Ideal for automotive, electronic assembly, laboratory, law enforcement and security applications. Black. 20 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
7700PFT-M	384177015	N-DEX disposable nitrile gloves	M	50/Bx
7700PFT-L	384177025	N-DEX disposable nitrile gloves	L	50/Bx
7700PFT-XL	384102875	N-DEX disposable nitrile gloves	XL	50/Bx



7705PFT



## N-DEX® Textured Fingertip Disposable Gloves

Accelerator-free disposable gloves are PPE-conscious, latex-free and do not promote Type IV dermatitis. Hi-viz green color for jobs where increased visibility and color-coded operations are critical. Provides a secure grip, comfort and dexterity. Green. 20 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
7705PFT-L	384177085	N-DEX disposable gloves	L	100/Bx
7705PFT-XL	384177095	N-DEX disposable gloves	XL	100/Bx



NK803



## Nitri-Knit® Supported Gloves

Supported nitrile gloves offer comfort and protection along with resistance to cuts, snags, abrasions and punctures. Interlock liner offers additional strength and comfort along with protection from extreme temperatures. Features 12" length and rough finish for wet or oily grip. Treated with a permanent anti-bacterial and anti-mildew agent. Washable. Blue.

Note: Not intended to be resistant to needle stick punctures.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
NK803ES/9	347620661	Nitri-Knit supported gloves	9	Pr
NK803ES/10	347620611	Nitri-Knit supported gloves	10	Pr



## Ansell NeoTouch® 25-101 Neoprene Gloves

Offers comfort, durability and chemical resistance. An alternative to natural rubber latex that protects against Type I allergies. Excellent resistance to acids, bases and alcohols. Exclusive formulation provides superior comfort. Complies with FDA food handling requirements (21 CFR 177.2600). Bright green. 10 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
25-101-S	22011518	NeoTouch 25-101 gloves	S	100/Bx
25-101-M	22011517	NeoTouch 25-101 gloves	M	100/Bx
25-101-L	22012512	NeoTouch 25-101 gloves	L	100/Bx
25-101-XL	22012514	NeoTouch 25-101 gloves	XL	100/Bx




25-101



## Sensaguard™ Latex Disposable Gloves

Industrial-grade, 5-mil thick unsupported latex gloves offer great dexterity. Non-sterile, ambidextrous gloves with a smooth grip. Features rolled cuff and 9 1/2" length. Ideal for industrial, food service, chemical processing, handling biohazards, and other industrial applications needing tactile sensitivity with puncture and abrasion resistance. Complies with FDA food handling requirements (21 CFR 177.2600). 10 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>Powdered</b>				
5060-L	331450625	Sensaguard latex disposable gloves	L	100/Bx
5060-XL	331412095	Sensaguard latex disposable gloves	XL	100/Bx
<b>Powder-Free</b>				
5055-M	331450565	Sensaguard latex disposable gloves	M	100/Bx
5055-L	331450575	Sensaguard latex disposable gloves	L	100/Bx
5055-XL	331450585	Sensaguard latex disposable gloves	XL	100/Bx



5060



5020



## Sensaguard™ Vinyl Disposable Gloves

Industrial-grade vinyl gloves feature 5-mil thickness, rolled cuffs and 9 1/2" length. Ambidextrous. Available powdered or powder-free. Ideal for industrial, food service, chemical processing, handling biohazards, mail sorting, biomedical and other industrial applications needing tactile sensitivity with puncture and abrasion resistance. Complies with FDA food handling requirements (21 CFR 177.2600). Clear. 10 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>Powdered</b>				
5020-M	331450165	Sensaguard vinyl disposable gloves	M	100/Bx
5020-L	331450175	Sensaguard vinyl disposable gloves	L	100/Bx
5020-XL	331450185	Sensaguard vinyl disposable gloves	XL	100/Bx

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>Powder-Free</b>				
5015-S	331411775	Sensaguard vinyl disposable gloves	S	100/Bx
5015-M	331411755	Sensaguard vinyl disposable gloves	M	100/Bx
5015-L	331411745	Sensaguard vinyl disposable gloves	L	100/Bx
5015-XL	331411765	Sensaguard vinyl disposable gloves	XL	100/Bx

## Ansell Marigold® G31H Featherweight™ Plus Gloves

Unlined, yellow lightweight natural rubber latex gloves designed for minimal hand fatigue are suitable for particulate radioactive contamination protection. Features recessed diamond grip finish, 15-mil thickness, tear-resistant beaded cuff for easy donning and 13" length. Resistant to many chemicals. Complies with FDA food handling requirements (21 CFR 177.2600). 12 Pk/Cs.

CAUTION: This product contains natural rubber latex which may cause allergic reactions in some individuals.



113514

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
113514	220137145	Marigold G31H Featherweight Plus gloves	7.5/M	12/Pk
113515	220137155	Marigold G31H Featherweight Plus gloves	8.5/L	12/Pk
113726	220137265	Marigold G31H Featherweight Plus gloves	9.5/XL	12/Pk



## M-Safe® Nitrile Disposable Gloves

Industrial grade nitrile gloves feature 4-mil thickness with textured fingertips. Powder-free. Blue. 20 Bx/Cs.



3273

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
3273/9	337916895	M-Safe nitrile disposable gloves	M	100/Bx
3273/10	337916905	M-Safe nitrile disposable gloves	L	100/Bx
3273/11	337916915	M-Safe nitrile disposable gloves	XL	100/Bx



## Grip N® Hot Mill Nitrile-Coated Gloves

Protects against high-heat, up to 400° F. Features a nitrile N-pattern palm coating for excellent grip and long life. Knit design allows hands to breathe. Used in auto assembly, food processing and manufacturing. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
51/7147	347689705	Grip N hot mill nitrile-coated gloves	Men's, 10 (XL)	12/Pk

WELLS LAMONT  
Industrial

## Jomac® Extra Heavyweight Terry Cloth Hand Pad

Protects up to 325° F. Features full thumb and open top. Fits easily over glove for added protection. Ambidextrous. 10" Length. 216/Cs.



ITEM #	ORDER #	DESCRIPTION	UOM
H-183	416400951	Extra heavyweight terry cloth hand pad	Ea

WELLS LAMONT  
Industrial

## Jomac® Standard Weight Poly/Cotton Gloves

Poly/cotton blended loop-out terry with knit wrist. Protects up to 300° F. Ambidextrous. 144 Pr/Cs.



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1666	416416665	Standard weight poly/cotton terry gloves	L	12/Pk



WELLS LAMONT  
Industrial

## Jomac® Heavyweight Terry Cloth Gloves

White loop-out terry gloves with knit wrist. Protects up to 325° F. Ambidextrous. 144 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
765	416407655	Heavyweight terry gloves	M	6/Pk
766	416410785	Heavyweight terry gloves	L	6/Pk



WELLS LAMONT  
Industrial

## Jomac® Medium Weight Kevlar®/Cotton Gloves

Kevlar/cotton blended loop-out terry gloves with knit wrist. Protects to 200° F. Ambidextrous. 144 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
9000	416411365	Medium weight Kevlar/cotton terry gloves	L	12/Pk





**WELLS LAMONT**  
Industrial

### Jomac® KELKLAVE Autoclave Gloves

White loop-out terry cloth with 11" gauntlet cuff for extra coverage. Protects up to 250° F. Clute cut. 48 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
422-11	416410125	Autoclave gloves	L	12/Pk

422-11

**WELLS LAMONT**  
Industrial

### Jomac® Bakers Pads

Extra heavyweight pad with two layers of terry cloth. Protects up to 460° F. Measures: 9 1/2" x 11". 96/Cs.

ITEM #	ORDER #	DESCRIPTION	UOM
B-PAD	416400081	Bakers pad w/ handhole	Ea
G-PAD	416401501	Bakers pad w/ elastic strap	Ea

G-PAD



**WELLS LAMONT**  
Industrial

### Jomac® Medium Weight Terry Cloth Sleeves

White loop-out terry cloth sleeves features knit wrist and elastic top to secure to upper arm. Protects up to 250° F. 16" Length. 144/Cs.

ITEM #	ORDER #	DESCRIPTION	UOM
S-25HR	416402371	Medium weight terry cloth sleeves	Ea



S-25HR



636HRL

WELLS LAMONT  
Industrial

## Jomac® Extra Heavyweight Terry Cloth Gloves

Brown and white loop-out terry cloth with 5" gauntlet cuff for extra coverage. Lined to protect up to 450° F. Ambidextrous. 60 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 636HRL	416411705	Extra heavyweight terry cloth gloves	XL	6/Pk



CXG-L5



## Team Issue CarbonX® Level 5 Fire-Retardant Gloves

Made from sturdy CarbonX-lined genuine leather palm and backed with two top layers of fire-retardant CarbonX stretch-knit. Features a high-density accordion knuckle and a wide leather cuff for easy entry. Hook-and-loop closure for a secure fit. Arc flash 47.6 cal/cm². 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
CXG-L5-009	C24548741	CarbonX Level 5 gloves	M	Pr
◆ CXG-L5-010	C24548731	CarbonX Level 5 gloves	L	Pr
CXG-L5-011	C24548751	CarbonX Level 5 gloves	XL	Pr



636HRLFR

WELLS LAMONT  
Industrial

## Jomac® Extra Heavyweight Flame-Retardant Gloves

Red loop-out terry cloth with 5" gauntlet cuff for extra coverage. Fully-lined with cotton for softness. Heat- and flame-retardant. Ambidextrous. Protects up to 450° F. 60 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 636HRLFR	416410615	Extra heavyweight flame-retardant gloves	XL	6/Pk





### 1500YPP Brown Shoulder Split Cowhide Gloves

Rugged, bourbon brown select shoulder split cowhide patch palm and knuckle strap with cotton-lined palm with unlined yellow canvas back. Features Gunn cut with 2 1/2" rubberized safety cuff and lock stitching for added strength. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1500YPP	C34103511	Brown shoulder split gloves	L	Pr



1500YPP



1528



TILLMAN

### 1528 Full Leather Back Gloves

Rugged, select shoulder split cowhide palm with full leather back. Features Gunn cut with 4 1/2" rubberized safety cuff and lock stitching for added strength. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1528	C34103981	Full leather back gloves	L	Pr



Cold Weather Work Gloves, Page 196-198.



### Mustang™ Leather Palm Gloves

Made from premium grain cowhide leather and cotton. Naturally suited for wet or insulated conditions. Features 2 1/2" rubberized safety cuff or 4 1/2" rubberized gauntlet cuffs for added coverage and a snug, secure fit. Can be used for general applications requiring abrasion protection and breathability. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1935-L	331408025	Mustang leather palm gloves w/ 2 1/2" safety cuff	L	12/Pk
1935-XL	331408045	Mustang leather palm gloves w/ 2 1/2" safety cuff	XL	12/Pk
1936-L	331408055	Mustang leather palm gloves w/ 4 1/2" gauntlet cuff	L	12/Pk
1936-XL	331408075	Mustang leather palm gloves w/ 4 1/2" gauntlet cuff	XL	12/Pk



1935

1936



1700

Ideal for assembly, cable construction, farming, foundry, jack hammer operations, iron and steel work, lumberjack and millwright operations, mining, pipe fitting, re-barb, rope handling and stamping. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1700-L	331407215	Big Jake leather palm gloves	L	12/Pk



### Big Jake® Leather Palm Gloves

Made of heavy, select chrome-tanned, side-split leather, 9 oz. cotton back and absorbent 8 oz. fleece lining. Features 2 3/4" safety cuff. Fully in-sewn on thumb and little finger with strong, heat-resistant DuPont™ Kevlar® thread.



229

WELLS LAMONT  
Industrial

### White Mule® Leather Palm Gloves

Strong and durable. Premium pearl gray side split cowhide palm and knuckle strap with canvas back. Gunn cut with straight thumb. Gauntlet cuff (229L) offers extra protection.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 224M	416409475	Leather palm gloves w/ 2 1/2" safety cuff, 72 Pr/Cs	M	12/Pk
224L	416409465	Leather palm gloves w/ 2 1/2" safety cuff, 72 Pr/Cs	L	12/Pk
♦ 229L	416409505	Leather palm gloves w/ 5" gauntlet cuff, 60 Pr/Cs	L	12/Pk





864



## 864 Super Premium Deerskin Drivers Gloves

Features top-grain deerskin with double stitching on forefinger for extra strength and keystone thumb. Unlined. Gold. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
864L	C34117651	Unlined drivers gloves	L	Pr
864XL	C34121991	Unlined drivers gloves	XL	Pr



1420



## 1420 Top-Grain Cowhide Drivers Gloves

Features premium quality top-grain cowhide, Gunn cut and straight thumb. Unlined with double stitching on forefinger for extra strength. Pearl. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1420L	C34102491	Unlined cowhide drivers gloves	L	Pr
1420XL	C34119231	Unlined cowhide drivers gloves	XL	Pr



## 1414 Grain/Split Cowhide Drivers Gloves

Features top-grain cowhide palm, split cowhide leather back and keystone thumb. Unlined with double stitching on forefinger for extra strength. Pearl/bourbon. 72 Pr/Cs.



1414

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1414L	C34102291	Unlined cowhide drivers gloves	L	Pr
1414XL	C34119121	Unlined cowhide drivers gloves	XL	Pr



1415



## 1415 Premium Goatskin Drivers Gloves

Made from premium top-grain goatskin for abrasion resistance and tensile strength. Features a keystone thumb for natural feel and added protection. Unlined. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1415L	C34102371	Unlined goatskin drivers gloves	L	Pr
1415XL	C34119151	Unlined goatskin drivers gloves	XL	Pr

## Benefits of Specific Leathers:

### COWHIDE:

- Good abrasion resistance
- Attractive appearance
- Good thermal protection

### PIGSKIN:

- Highest resistance to heat
- Highest abrasion resistance
- Good tensile strength
- Flexible even after repeated wettings

### GOATSKIN:

- Highest natural lanolin content
- Excellent wear and abrasion resistance
- Soft and pliable
- Perfect for medium-duty jobs
- High tensile strength

### DEERSKIN:

- Naturally soft
- Highest tensile strength
- Warm and long wearing
- Excellent dexterity

### SHEEPSKIN:

- Excellent dexterity
- Soft and supple
- Superior sensitivity



Wells Lamont



### Grain Cow Leather Drivers Gloves

Constructed from select grade cow leather. Features shirred elastic back, rolled fabric hem and keystone thumb. Unlined. Ideal for general purpose applications requiring dexterity. 10 Pk/Cs.



3211

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
3211-L	331428985	Select grade drivers gloves	L	12/Pk
3211-XL	331428995	Select grade drivers gloves	XL	12/Pk



### Grain Cowhide Leather Drivers Gloves

High quality grain cowhide leather construction. Gunn cut with straight thumb and bound hem. Shirred elastic wrist for a secure fit. 12 Pk/Cs.



Y0163

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Y0163L	416401665	Leather drivers gloves	L	12/Pk



### Hi-Viz Grain Cowhide Leather Drivers Gloves

Grain cowhide leather construction. Gunn cut with straight thumb and bound hem. Shirred elastic wrist for a secure fit. Hi-viz orange fingertips and "Watch Your Hands" slogan increases visibility and awareness 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ Y0145S	416461445	Hi-viz leather drivers gloves	S	12/Pk
♦ Y0145M	416461455	Hi-viz leather drivers gloves	M	12/Pk
Y0145L	416461465	Hi-viz leather drivers gloves	L	12/Pk
♦ Y0145XL	416461475	Hi-viz leather drivers gloves	XL	12/Pk



Y0145



### Economy Grade Grain Cowhide Leather Drivers Gloves

Grain cowhide leather construction. Gunn cut with straight thumb and bound hem. Shirred elastic wrist for a secure fit. 12 Pk/Cs.



Y0135

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Y0135M	416403535	Economy grade leather drivers gloves	M	12/Pk
Y0135L	416403525	Economy grade leather drivers gloves	L	12/Pk



### Premium Grain Leather Drivers Gloves

Made of top grain A-Grade cowhide leather with Gunn cut, keystone thumb and shirred back. Tough double-stitched leather hemlock side seam prevents seam blowout. 10 Pk/Cs.



1510

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 1510/9	337915095	Premium grain leather drivers gloves	M	12/Pk
♦ 1510/10	337915105	Premium grain leather drivers gloves	L	12/Pk
♦ 1510/11	337915115	Premium grain leather drivers gloves	XL	12/Pk



## Split Back Grain Palm Drivers Gloves

All the benefits of a grain drivers glove, but with a split back and Kevlar® stitching. Features bias tape hem for easy size identification and a seamless index finger which helps to reduce blowouts. 10 Pk/Cs.



1532B

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 1532B/9	337915325	Split back grain palm drivers gloves	M	12/Pk
◆ 1532B/10	337915335	Split back grain palm drivers gloves	L	12/Pk
◆ 1532B/11	337915345	Split back grain palm drivers gloves	XL	12/Pk



## Economy Grain Leather Drivers Gloves

Made from B-Grade cowhide. Features keystone thumb and bias tape hem for easy size identification. Added safety feature of hi-viz orange fingers. 10 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 2510/9	337916395	Economy grain leather drivers gloves	M	12/Pk
◆ 2510/10	337916405	Economy grain leather drivers gloves	L	12/Pk
◆ 2510/11	337916415	Economy grain leather drivers gloves	XL	12/Pk
◆ 2510HVO/9	337916495	Economy grain leather drivers gloves w/ hi-viz orange fingers	M	12/Pk
◆ 2510HVO/10	337916505	Economy grain leather drivers gloves w/ hi-viz orange fingers	L	12/Pk
◆ 2510HVO/11	337916515	Economy grain leather drivers gloves w/ hi-viz orange fingers	XL	12/Pk



## Goatskin Drivers Gloves

Constructed with premium grain goatskin leather for greater softness, sense of touch, exceptional durability and tensile strength. Unlined with a cotton hem and straight thumb. Ideal for construction, forklifts, ranching, utility work, auto industry, material handling, lumber industry, mining and all general purpose applications requiring greater dexterity. Durable, launderable by hand, machine washable, or dry clean. 10 Pk/Cs.



3601

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
3601-L	331436035	Premium grade goatskin gloves	L	12/Pk
3601-XL	331409915	Premium grade goatskin gloves	XL	12/Pk



2510

2510HVO



WELLS LAMONT  
Industrial

1178

## Grips® Ball and Tape Drivers Gloves

Premium quality palomino grain cowhide with lanolin. Features Gunn cut with straight thumb and bound hem. Ball and tape adjustable wrist closure. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 1178M	416406465	Ball & tape palomino leather drivers gloves	M	12/Pk
◆ 1178L	416406455	Ball & tape palomino leather drivers gloves	L	12/Pk
◆ 1178XL	416406485	Ball & tape palomino leather drivers gloves	XL	12/Pk
11782XL	416406445	Ball & tape palomino leather drivers gloves	2XL	3/Pk

WELLS LAMONT  
Industrial



1130

## Palomino Grain Cowhide Drivers Gloves

Premium quality palomino grain cowhide leather construction. Gunn cut with keystone thumb, self hemmed. Reinforced suede palm patch adds protection. Shirred elastic wrist for a secure fit. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 1130M	416406325	Palomino leather cowhide drivers gloves	M	12/Pk
◆ 1130L	416406315	Palomino leather cowhide drivers gloves	L	12/Pk
◆ 1130XL	416406345	Palomino leather cowhide drivers gloves	XL	12/Pk



TILLMAN  
The Global Work Solution**1494 TrueFit™ Goatskin Ultra TPR Gloves**

Abrasion-resistant top-grain goatskin palm with thermoplastic rubber (TPR) pads on knuckle, full finger, thumb, and back of hand for added impact protection. Padded double palm extends to base of fingers for added protection. Double reinforced fingertips on both sides maximize protection and dexterity. Features reinforced thumb, nylon spandex back, hook-and-loop closure and longer elastic cuff for added protection. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 1494L	C34122711	TrueFit goatskin ultra TPR gloves	L	Pr
◆ 1494XL	C34122721	TrueFit goatskin ultra TPR gloves	XL	Pr



1494

TILLMAN  
The Global Work Solution**1470 TrueFit™ Goatskin Performance Gloves**

Top-grain goatskin construction for dexterity. Features spandex back for precision fit, reinforced thumb and elastic cuff with hook-and-loop closure. Rough side out and double palm provide longer life and better gripping power. Smooth surface fingers for improved handling. Top-grain leather side bolsters provide additional protection for side surface work. Finger tips covered in leather for heavy wear area protection. Not designed for welding. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1470L	C34103171	TrueFit goatskin gloves	L	Pr
1470XL	C34103201	TrueFit goatskin gloves	XL	Pr



1470

TILLMAN  
The Global Work Solution**1475 TrueFit™ Cowhide Performance Gloves**

Top-grain cowhide construction for long-lasting wear. Features spandex back for precision fit, reinforced thumb and elastic cuff with hook-and-loop closure. Rough side out and double palm provide longer life and better gripping power. Smooth surface fingers for improved handling. Top-grain leather side bolsters provide additional protection for side surface work. Finger tips covered in leather for heavy wear area protection. Not designed for welding. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1475L	C34103231	TrueFit cowhide gloves	L	Pr
1475XL	C34119461	TrueFit cowhide gloves	XL	Pr



1475

TILLMAN  
The Global Work Solution**1480 TrueFit™ Deerskin Performance Gloves**

Top-grain deerskin construction for all day comfort and protection. Features spandex back for precision fit, reinforced thumb and elastic cuff with hook-and-loop closure. Rough side out double palm for longer life and better gripping power. Smooth surface fingers for improved handling. Top-grain leather side bolsters add additional protection for side surface work. Finger tips covered in leather for heavy wear area protection. Not designed for welding. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1480L	C34103271	TrueFit deerskin gloves	L	Pr
1480XL	C34119501	TrueFit deerskin gloves	XL	Pr



1480



1485



## 1485 TrueFit™ Pigskin Performance Gloves

Made with top-grain pigskin with 3M™ Thinsulate™ winter lining. Features rough side out double palm, reinforced thumb, smooth finger surface and elastic cuff with hook-and-loop closure for secure fit. Top-grain leather side bolsters for added protection. All finger tips are covered in leather for heavy wear protection. Blue/pearl gray. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1485L	C34103311	TrueFit pigskin gloves	L	Pr
1485XL	C34119511	TrueFit pigskin gloves	XL	Pr



1490



## 1490 TrueFit™ Goatskin Ultra Performance Gloves

Features top-grain goatskin double palm and thumb, double reinforced finger tips. Clute cut design improves finger and thumb mobility. Top-grain side bolsters provide additional protection for side surface work. Spandex back for precision fit, longer elastic cuff with hook-and-loop closure. Additional padding in palm for increased comfort and longer wear. Breathable finger design wicks away moisture. Not designed for welding. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1490L	C34103341	TrueFit goatskin ultra performance gloves	L	Pr
1490XL	C34103371	TrueFit goatskin ultra performance gloves	XL	Pr



MPT-58



## M-PACT® Gloves

The M-Pact® delivers full-coverage hand protection with a sonic welded Thermal Plastic Rubber (TPR) knuckle guard and dedicated finger guards that shield the top of your hand from unexpected impact and abrasion injuries. The dual-layer internal fingertip construction reinforces high wear areas of the thumb and index finger for improved abrasion resistance, while the embossed and textured fingertip pattern provides grip where you need it most. For comfort, we incorporated high-impact XRD® padding in the palm to reduce shock and vibration associated with hand tools. CE scores: 3121. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
MPT-58-009	C24558091	M-PACT gloves	M	Pr
MPT-58-010	C24558101	M-PACT gloves	L	Pr
MPT-58-011	C24558111	M-PACT gloves	XL	Pr



ORHD-91



## ORHD® Pinch-Point Protection Gloves

Dual-density thermoplastic rubber disperses forceful impact to knuckles and metacarpals and provides pinch-point protection to tip of each finger. Internal 2 mm EVA foam insert absorbs impact to top of hand. PVC bonded dots disperse liquids, enhance grip, and reduce abrasion to the entire palm. Slip-on cuff and stretch neoprene wrist panels create an unrestrictive fit. Machine washable. Hi-viz yellow/black. CE scores: 4142.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
ORHD-91-009	C24510191	ORHD pinch-point protection gloves	M	Pr
ORHD-91-010	C24510201	ORHD pinch-point protection gloves	L	Pr
ORHD-91-011	C24510211	ORHD pinch-point protection gloves	XL	Pr



## ORHD® Knit Utility Cut 3 Gloves

High-visibility 13-gauge machine knit polyester shell with thermoplastic rubber (TPR) knuckle and metacarpal impact protection. TPR finger guards extend to tip of each finger to prevent crushing impact injuries. Textured nitrile-coated palm provides enhanced gripping power. Durable Armortex® webbing reinforcement. Features extended slip-on cuff and 3 mm internal palm padding. Machine washable. CE test scores (4341). 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
KHD-GP-009	C24527191	ORHD Knit Utility Cut 3 gloves	M	Pr
KHD-GP-010	C24527201	ORHD Knit Utility Cut 3 gloves	L	Pr
KHD-GP-011	C24527211	ORHD Knit Utility Cut 3 gloves	XL	Pr



KHD-GP

MP2-05



MP2-02

MP2-03



## M-Pact 2® Gloves

From racing to industrial safety, the M-Pact® 2 knows no bounds when it comes to protecting your hands from impact, abrasion and hand fatigue. Anatomically designed for an unbelievable fit, the M-Pact® 2 features an accordion knuckle with EVA foam padding and Thermal Plastic Rubber (TPR) finger guards to protect against blunt force impact. Your palm is fully protected with anatomical palm padding and a 4mm XRD® impact-pad, which reduces shock and vibration from hand tools. Durable Armortex® fingertips improve your gripping power in dry, oily and wet conditions. CE scores: 3121. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>Black</b>				
MP2-05-009	C24501701	M-Pact 2 gloves	M	Pr
MP2-05-010	C24501711	M-Pact 2 gloves	L	Pr
MP2-05-011	C24501721	M-Pact 2 gloves	XL	Pr
<b>Red</b>				
♦ MP2-02-009	C24501601	M-Pact 2 gloves	M	Pr
♦ MP2-02-010	C24501611	M-Pact 2 gloves	L	Pr
♦ MP2-02-011	C24501621	M-Pact 2 gloves	XL	Pr
<b>Blue</b>				
♦ MP2-03-009	C24501601	M-Pact 2 gloves	M	Pr
♦ MP2-03-010	C24501661	M-Pact 2 gloves	L	Pr
♦ MP2-03-011	C24501671	M-Pact 2 gloves	XL	Pr



## Safety M-Pact 2® Gloves

The Safety M-Pact® 2 provides full-coverage hand protection and high-visibility for hazardous work environments. The unique accordion knuckle design and molded finger guards provide heavy-duty impact and abrasion protection without sacrificing valuable dexterity. Your palm is fully protected with anatomical palm padding and a 4mm XRD® impact pad to reduce shock and vibration. Armortex® fingertip reinforcement provides durable gripping power so you never lose control. Top it off with high-visibility reflective print, fluorescent ANSI-107 compliant material and a Neoprene cuff for one highly visible tool. CE scores: 3121. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ SP2-91-009	C24521161	Safety M-Pact 2 hi-viz gloves	M	Pr
♦ SP2-91-010	C24521101	Safety M-Pact 2 hi-viz gloves	L	Pr
♦ SP2-91-011	C24521111	Safety M-Pact 2 hi-viz gloves	XL	Pr



SP2-91



MFF-F55



## TAA Compliant FastFit® Covert Gloves

The FastFit® provides service members with an unbelievable fit and easy on/off flexibility. The anatomically cut 2-piece palm eliminates material bunching and TrekDry® material form-fits your hand, keeping them cool and comfortable in any environment. Keep your gloves secure to your gear or pack with the nylon cord loop positioned beneath each wrist. CE scores: 3121. Black. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
MFF-F55-009	C24568091	FastFit Covert gloves	M	Pr
MFF-F55-010	C24568101	FastFit Covert gloves	L	Pr
MFF-F55-011	C24568111	FastFit Covert gloves	XL	Pr





## TAA Compliant M-Pact® Synthetic Leather Mechanics Gloves

Law enforcement and service members trust their hands with the M-Pact® and its ability to protect in the field. Impact-absorbing Thermal Plastic Rubber (TPR) is sonic welded to the glove and delivers flexible protection against common impact injuries and skin abrasions. The uniquely designed Impact Guard™ frees your index finger for smooth trigger guard entry and mobility. The dual-layer internal fingertip construction reinforces the thumb and index finger for improved abrasion resistance, while the embossed fingertip pattern improves feel and overall dexterity. High-impact XRD® padding in the palm absorbs impact and vibration when you're fully engaged so you can maintain your focus. CE scores: 3121. Black. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ MP-F55-009	C24568291	M-Pact synthetic leather mechanics gloves	M	Pr
MP-F55-010	C24568301	M-Pact synthetic leather mechanics gloves	L	Pr
MP-F55-011	C24568311	M-Pact synthetic leather mechanics gloves	XL	Pr



MP-F55



MP2-F55



## TAA Compliant M-Pact 2® Tactical Gloves

Service members understand the importance of having the right tools for the mission. The M-Pact® 2 safeguards your hands from impact injuries with a flexible accordion knuckle and Thermal Plastic Rubber (TPR) finger guards that create a barrier between your hands and the unexpected. For easy trigger access and equipment handling, we left your index finger free from TPR to improve trigger finger mobility. High wear areas of the palm are reinforced and padded with XRD® performance cushioning to reduce hand fatigue in the field and a molded Neoprene cuff provides a seamless fit to the wrist. CE scores: 3121. Black. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
MP2-F55-009	C24553091	M-Pact 2 tactical gloves	M	Pr
MP2-F55-010	C24553101	M-Pact 2 tactical gloves	L	Pr
MP2-F55-011	C24566111	M-Pact 2 tactical gloves	XL	Pr



MG-02

MG-03

MG-05



## The Original™ Gloves

Durable synthetic leather palm with 2-way stretch material for maximum comfort. Features reinforced thumb and fingertip panels for added durability. Flexible TPR (thermoplastic rubber) hook-and-loop closure for a secure fit. Machine washable. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>Red</b>				
MG-02-009	C24500531	Mechanix Original gloves	M	Pr
MG-02-010	C24500541	Mechanix Original gloves	L	Pr
MG-02-011	C24500551	Mechanix Original gloves	XL	Pr
<b>Blue</b>				
MG-03-009	C24500591	Mechanix Original gloves	M	Pr
MG-03-010	C24500601	Mechanix Original gloves	L	Pr
MG-03-011	C24500611	Mechanix Original gloves	XL	Pr
<b>Black</b>				
MG-05-009	C24500681	Mechanix Original gloves	M	Pr
MG-05-010	C24500691	Mechanix Original gloves	L	Pr
MG-05-011	C24500701	Mechanix Original gloves	XL	Pr



SFF-91

SFF-99



## Safety FastFit® Gloves

The Hi-Viz FastFit® glove is built using ANSI-107 compliant reflective and fluorescent materials to make you more conspicuous in hazardous working environments. High-visibility TrekDry® material helps keep your hands cool and comfortable, while hi-viz reflective print provides eye-catching luminance. The anatomically cut 2-piece palm eliminates material bunching for maximum control and the elastic cuff provides a secure fit with easy on/off flexibility between tasks. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>Yellow</b>				
SFF-91-009	C24511091	Safety FastFit gloves	M	Pr
SFF-91-010	C24511101	Safety FastFit gloves	L	Pr
♦ SFF-91-011	C24511111	Safety FastFit gloves	XL	Pr
<b>Orange</b>				
SFF-99-009	C24590091	Safety FastFit gloves	M	Pr
♦ SFF-99-010	C24592101	Safety FastFit gloves	L	Pr
♦ SFF-99-011	C24590111	Safety FastFit gloves	XL	Pr



### FastFit® Gloves

High wear synthetic leather palm with form fitting stretch panels between fingers. Moisture wicking TrekDry® material around wrist, thumb and fingers, keeping hands cool, dry and comfortable. Elastic cuff offers easy on and off flexibility. Machine washable. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>Black/Gray</b>				
MFF-05-009	C24500351	FastFit gloves	M	Pr
MFF-05-010	C24500361	FastFit gloves	L	Pr
MFF-05-011	C24500371	FastFit gloves	XL	Pr
<b>Red</b>				
MFF-02-009	C24500251	FastFit gloves	M	Pr
MFF-02-010	C24500261	FastFit gloves	L	Pr
MFF-02-011	C24500271	FastFit gloves	XL	Pr
<b>Blue</b>				
MFF-03-009	C24500301	FastFit gloves	M	Pr
MFF-03-010	C24500311	FastFit gloves	L	Pr
MFF-03-011	C24500321	FastFit gloves	XL	Pr



H30-05



### Impact Pro® Gloves

Features TPR molded rib panels to protect the backside of hand, knuckles and fingertips. Clarino® Dura-Fit™ synthetic leather palm is enhanced with padded and contoured palm heel for better flexibility and grip. Features 2-way stretch top with Tricot® interior for added comfort. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
H30-05-009	C24502571	Impact Pro gloves	M	Pr
H30-05-010	C24502451	Impact Pro gloves	L	Pr
H30-05-011	C24502511	Impact Pro gloves	XL	Pr



### CG40 Heavy-Duty Gloves

The CG Heavy-Duty is your first line of defense against impact, abrasion and hand fatigue on the jobsite. The machine washable genuine leather palm features multi-zone padding for comfort and leather reinforced fingertips for added durability. Flexible Thermal Plastic Rubber (TPR) impact protection disperses damaging blows to the top of your hand while form-fitting stretch Spandex lets the cool air in when the heat is on. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ CG40-75-009	C24550211	CG40 heavy-duty gloves	M	Pr
CG40-75-010	C24550221	CG40 heavy-duty gloves	L	Pr
♦ CG40-75-011	C24550231	CG40 heavy-duty gloves	XL	Pr



MFF-05

MFF-03

MFF-02



H15-05



### Utility Gloves

Not all work is created equal and neither was our Utility work glove. This all-purpose glove is constructed with a 2-piece synthetic leather palm to eliminate material bunching, so you have better control when using hand tools. Breathable TrekDry® forms to the back of your hands to help keep them cool and comfortable on those sauna-like workdays. The Utility glove is secured by a comfortable Thermal Plastic Rubber (TPR) top closure so you have full range of motion during every job. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
H15-05-010	C24502431	Utility gloves	L	Pr
♦ H15-05-011	C24502441	Utility gloves	XL	Pr



CG40-75



**WELLS LAMONT**  
Industrial

## MechPro™ Gloves

Second skin stretch fit and feel for superior dexterity. Heavy-duty ribbed knit fabric back with synthetic leather palm and fingertips for enhanced grip. Pinched fingertip design, gusseted finger crotch and perforated finger fourchettes for comfort. Double-stitched in high wear areas. Hook-and-loop adjustable wrist closure. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
7701L	416410845	MechPro synthetic leather palm gloves	L	3/Pk
7701XL	416410875	MechPro synthetic leather palm gloves	XL	3/Pk



**WELLS LAMONT**  
Industrial

## MechPro™ Plus Gloves

MechPro 7701 shell with extra padding in palm area to reduce damage from vibration and excessive grip pressure. Helps to minimize shock that can result in carpal tunnel syndrome. Pinched fingertip design, gusseted finger crotch and finger fourchettes for comfort. Hook-and-loop adjustable wrist closure. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Y7711M	416405675	MechPro Plus gloves w/ padded palm	M	3/Pk
Y7711L	416405665	MechPro Plus gloves w/ padded palm	L	3/Pk

**MAJESTIC**

## Golden Eagle Deerskin Mechanics Gloves

Features Grade A gold deerskin palm with black stretch back, pre-curved finger, neoprene knuckle and Velcro® closure. 72 Pr/Cs.



2150

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 2150/9	337916095	Golden Eagle deerskin mechanics gloves	M	12/Pk
♦ 2150/10	337916105	Golden Eagle deerskin mechanics gloves	L	12/Pk
♦ 2150/11	337916115	Golden Eagle deerskin mechanics gloves	XL	12/Pk

**MAJESTIC**

## Bald Eagle Mechanics Gloves

Features premium beige grain pigskin palm with blue stretch knit back, pre-curved finger, neoprene knuckle and Velcro® wrist closure. 72 Pr/Cs.



2152

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 2152/9	337916195	Bald Eagle mechanics gloves	M	12/Pk
♦ 2152/10	337916205	Bald Eagle mechanics gloves	L	12/Pk
♦ 2152/11	337916215	Bald Eagle mechanics gloves	XL	12/Pk

## What Is the Useful Life of Industrial Gloves?



With the diversity of industrial glove applications, OSHA publishes guidelines regarding single or repeated use. Disposable (single-use) gloves, such as surgical or examination gloves, shall be replaced as soon as practical when contaminated. They shall not be washed or decontaminated for reuse. Utility gloves may be decontaminated for reuse if the integrity of the glove is not compromised. If gloves are cracked, torn, punctured or exhibit other signs of deterioration, or when their ability to function as a barrier is in question, they must be discarded.

To learn more, visit [www.osha.gov](http://www.osha.gov) - OSHA 29 CFR Part 1910, Item 1910.1389 Hand Protection





### MAJESTIC White Eagle Mechanics Gloves

Mechanics-style premium white grain goatskin palm with black stretch knit back, pre-curved finger, neoprene knuckles and Velcro® wrist closure. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 2153/9	337916295	White Eagle mechanics gloves	M	12/Pk
♦ 2153/10	337916305	White Eagle mechanics gloves	L	12/Pk
♦ 2153/11	337916315	White Eagle mechanics gloves	XL	12/Pk



2153

### MAJESTIC Armor Skin™ Synthetic Mechanics Gloves

Provides excellent abrasion resistance. Pre-curved finger and neoprene stretch back for comfortable fit and feel. Easy on/off with Velcro® wrist closure. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
♦ 2137BK/9	337915795	Armor Skin synthetic mechanics gloves	M	Black	12/Pk
♦ 2137BK/10	337915805	Armor Skin synthetic mechanics gloves	L	Black	12/Pk
♦ 2137BK/11	337915815	Armor Skin synthetic mechanics gloves	XL	Black	12/Pk
♦ 2137HO/9	337915895	Armor Skin synthetic mechanics gloves	M	Hi-viz orange	12/Pk
♦ 2137HO/10	337915905	Armor Skin synthetic mechanics gloves	L	Hi-viz orange	12/Pk
♦ 2137HO/11	337915915	Armor Skin synthetic mechanics gloves	XL	Hi-viz orange	12/Pk
♦ 2137HY/9	337915995	Armor Skin synthetic mechanics gloves	M	Hi-viz yellow	12/Pk
♦ 2137HY/10	337916005	Armor Skin synthetic mechanics gloves	L	Hi-viz yellow	12/Pk
♦ 2137HY/11	337916015	Armor Skin synthetic mechanics gloves	XL	Hi-viz yellow	12/Pk



2137BK

2137HO

2137HY

### MAJESTIC Armor Skin™ Synthetic Leather Gloves with Slip-On Cuff

Provides excellent abrasion resistance. Pre-curved finger and neoprene stretch back for comfortable fit and feel. Easy on/off with slip-on styling. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 2136HY/9	337915595	Armor Skin synthetic leather gloves w/ slip-on cuff	M	12/Pk
♦ 2136HY/10	337915605	Armor Skin synthetic leather gloves w/ slip-on cuff	L	12/Pk
♦ 2136HY/11	337915615	Armor Skin synthetic leather gloves w/ slip-on cuff	XL	12/Pk



2136HY



21242HO



21242HY



## Knucklehead X10™ Unlined Gloves

Armor Skin™ synthetic leather palm, PVC anti-slip patches, double wish bone palm and neoprene padding offers impact absorption. Full-finger and backhand shock-absorbing thermoplastic rubber protection. Made from contrasting hi-viz material with pre-curved finger design. Fully sewn with high-tenacity thread. Features elastic wrist and terry cloth brow wipe. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
◆ 21242HO/9	337915395	Knucklehead X10 unlined gloves	M	Hi-viz orange	12/Pk
◆ 21242HO/10	337915405	Knucklehead X10 unlined gloves	L	Hi-viz orange	12/Pk
◆ 21242HO/11	337915415	Knucklehead X10 unlined gloves	XL	Hi-viz orange	12/Pk
◆ 21242HY/9	337915495	Knucklehead X10 unlined gloves	M	Hi-viz yellow	12/Pk
◆ 21242HY/10	337915505	Knucklehead X10 unlined gloves	L	Hi-viz yellow	12/Pk
◆ 21242HY/11	337915515	Knucklehead X10 unlined gloves	XL	Hi-viz yellow	12/Pk



## Digital Camo Gloves

Features terry cloth thumb, digital canvas back, black synthetic palm with foam padding, adjustable wrist closure and black PVC grip palm and fingertips. Includes (2) LED lights with each pair. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 924WWM	331440301	Digital camo gloves	M	Pr
924WWL	331440311	Digital camo gloves	L	Pr
924WWXL	331440321	Digital camo gloves	XL	Pr



924WW



## Predator™ Synthetic Leather Palm Gloves

Textured PU-coated synthetic leather palm offers enhanced grip and durability. Tire tread thermoplastic rubber (TPR) on back of hand and thumb for extra protection. Features hi-viz lime 2-way Spandex® back, reinforced thumb crotch and hook-and-loop closure with ID pad. Ideal for oil and gas industry, assembly, construction and landscaping. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
PD2901M	331487341	Predator synthetic leather palm gloves	M	Pr
PD2901L	331487391	Predator synthetic leather palm gloves	L	Pr
PD2901XL	331487441	Predator synthetic leather palm gloves	XL	Pr

PD2901



## Predator™ CT Cut-Resistant Gloves

Constructed with tire tread thermoplastic rubber (TPR) on back of hand and thumb for extra protection. Synthetic leather palm has unique polymer on finger tips, palm and thumb crotch for enhanced grip and abrasion resistance. Features red 2-way Spandex® back and hook-and-loop closure with ID pad. Ideal for automotive, carpentry, construction, material handling and oil/gas industry. ANSI cut level 2. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
PD2902M	331487301	Predator CT cut-resistant gloves	M	Pr
PD2902L	331487311	Predator CT cut-resistant gloves	L	Pr
PD2902XL	331487321	Predator CT cut-resistant gloves	XL	Pr



PD2902



### Predator™ Cow Grain Leather Multi-Task Gloves

Made from brown synthetic leather back with premium cow grain leather palm and tire tread thermoplastic rubber (TPR) on back of hand and thumb for extra protection. Features grain leather reinforced thumb crotch and hook-and-loop closure with ID pad. Ideal for agriculture, automotive, construction, heavy equipment operator, landscaping and material handling. 72 Pr/Cs.



PD2903

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
PD2903M	331487351	Predator cow grain leather multi-task gloves	M	Pr
PD2903L	331487361	Predator cow grain leather multi-task gloves	L	Pr
PD2903XL	331487371	Predator cow grain leather multi-task gloves	XL	Pr



### Predator™ Multi-Task Gloves

Features synthetic leather palm with black 2-way Spandex® back, tire tread thermoplastic rubber (TPR) on back of hand, polymer pads on fingertips, palm and thumb crotch and hook-and-loop closure with ID panel. Ideal for agriculture, automotive, construction, mechanics and warehousing. 72 Pr/Cs.



PD2904

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
PD2904M	331487401	Predator multi-task gloves	M	Pr
PD2904L	331487411	Predator multi-task gloves	L	Pr
PD2904XL	331487421	Predator multi-task gloves	XL	Pr



Winter Gloves,  
Pages 196-198.



### Squids® 3400 Grabber

Keeps gloves and other items handy. Clips attach to clothing, belts, tool belts, gear bags and even D-rings. Breakaway design won't drag you into equipment, reducing the potential for injury. Made of durable, dielectric and non-conductive acetal copolymer.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
19112	332104511	3400 Series grabber	Black	Ea
19118	332104531	3400 Series grabber	Orange	Ea







3M

# Welding & FR Safety

Electromagnetic energy given off by an arc or flame can injure workers and is commonly referred to as radiant energy. Workers must use PPE, such as safety glasses, goggles, welding helmets, FR apparel and gloves.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.



37191



## Jackson Safety\* WH70 BH3\* Variable Auto-Darkening Filter with Balder\* Technology

Features superior angle of view, enhanced visibility and color recognition, variable Shade 9-13, adjustable sensitivity and opening time delays. Curved front cover plate offers reduced heat build-up, reflections and fogging. Aerodynamic shell designed for better fume deflection. Smooth, rounded perimeter for increased comfort. Offers quick and easy replacement of safety plates. Auto-On ADF is always ready to weld. Meets revised ANSI Z87.1 High Impact 2010 standard, CE certified.

ITEM #	ORDER #	DESCRIPTION	UOM
37191	C24171911	WH70 BH3* helmet w/ Balder* technology	Ea



## Jackson Safety\* TrueSight\* II Digital Auto-Darkening Filter with Balder\* Technology

Intuitive, digital control panel. Features variable Shade 5-13, sensitivity and delay adjustments. Large, separate buttons with LED indicator for Weld, Torch and Grind modes. Four independent sensors positioned to reduce possibility of blockage during weld. No retainer for easy helmet installation and removal. Two easy-to-replace AAA batteries included with low-battery indicator. Meets ANSI Z87.1 and CSA Z94.3 compliant.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
♦ 29371	C24128041	HLX Welding Helmet w/ TrueSight* II Digital ADF w/ Balder* Technology	Black	Ea
♦ 30315	C24128011	HLX Welding Helmet w/ TrueSight* II Digital ADF w/ Balder* Technology	Serpent	Ea
30316	C24128021	HLX Welding Helmet w/ TrueSight* II Digital ADF w/ Balder* Technology	Arc Angel	Ea
30319	C24128051	TrueSight* ADF Cartridge		Ea



29371

30315

30316



14989

16622



## Jackson Safety\* WH60 NexGen\* Digital Auto-Darkening Filter

Digital controls feature variable Shade 9-13, sensitivity and delay adjustments. Four independent sensors positioned to reduce possibility of blockage during weld. Replaceable Lithium batteries (included) with low battery indicator. Versatile 3-N-1 built-in function: Weld, Torch, Grind. Built-in mag lens holder. Meets ANSI Z87.1 and CSA Z94.3 compliant. Black.

ITEM #	ORDER #	DESCRIPTION	UOM
14989	C24116791	HSL 100 welding helmet w/ NexGen* ADF	Ea
♦ 16622	C24118191	NexGen* ADF replacement cartridge	Ea



21931



### Jackson Safety\* WH40 Nitro\* Variable Auto-Darkening Filter

Offers welders outstanding features at an economical price. Features variable Shade 9-13 with sensitivity and delay adjustments. Three independent sensors. Solar-powered. Meets ANSI Z87.1 and CSA Z94.3 compliant.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
♦ 21931	C24182301	WH40 Nitro* welding helmet w/ Nitro* variable ADF	Blue	Ea
♦ 36633	C2416633	WH40 Nitro* welding helmet w/ Nitro* variable ADF	Black	Cs



### Jackson Safety\* WH40 Professional Variable Auto-Darkening Filter

Features variable Shade 9-13, sensitivity and delay adjustments. Battery powered, solar-assisted with (2) independent sensors. Technology allows unit to detect welds less than 5 amps. Requires (2) AAA batteries (included). Built-in mag lens holder. Meets ANSI Z87.1 and CSA Z94.3 compliant. Black.



14988

ITEM #	ORDER #	DESCRIPTION	UOM
14988	C24116781	HSL 100 welding helmet w/ Professional Variable ADF	Ea



### Jackson Safety\* WH20 400 Series Fiber Shell Welding Helmets

Features a lightweight vulcanized fiber shell for comfortable yet cool, heavy-duty welding. Made of 10% recycled fiber content. Not suited for damp environments or overhead welding. Meets ANSI Z87.1 standard. Black.

ITEM #	ORDER #	DESCRIPTION	UOM
14528	C24113691	430P Fiber shell helmet, 2" x 4 1/4" lift front	Ea
♦ 14529	C24113931	451P Fiber shell helmet, 4 1/2" x 5 1/4"	Ea
14532	C24114101	490P Fiber shell helmet, 2" x 4 1/4" quick slide	Ea
14527	C24125321	411P Fiber shell helmet, 2" x 4 1/4"	Ea



14527



14529



14532



### Jackson Safety\* WH20 860P Leather Welding Helmet

Features a tough yet pliable leather covering. Ideal for use in overhead welding applications or when working in tight spaces. Meets ANSI Z87.1 and CSA Z94.3 compliant. Red.



14531

ITEM #	ORDER #	DESCRIPTION	UOM
14531	C24114391	860P Leather helmet w/ 2" x 4 1/4" lift front	Ea



### Jackson Safety\* WH10 HSL Series Passive Welding Helmets

Narrow shell design is perfect for working in tight spaces. Extended front increases throat protection against sparks, slag and other physical hazards. Standard Shade 10 polycarbonate filter plate and cover plates are installed at the factory. Meets ANSI Z87.1 and CSA Z94.3 compliant.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
14975	C24116621	HSL 100 (4 1/2" x 5 1/4" fixed front)	Black	Ea
♦ 14976	C24116631	HSL 100 (4 1/2" x 5 1/4" fixed front)	Blue	Ea
14977	C24116641	HSL 100 (4 1/2" x 5 1/4" fixed front)	Red	Ea
14978	C24116661	HSL 100 (4 1/2" x 5 1/4" fixed front) w/ 187 blades	Black	Ea
14982	C24116711	HSL 2 (2" x 4 1/4" lift front)	Black	Ea

14977



14982





14535



## Jackson Safety\* WH10 900 Series Passive Welding Helmets

Lightweight with durable, washable thermoplastic shell. Meets ANSI Z87.1 standard. Black.

ITEM #	ORDER #	DESCRIPTION	UOM
14534	C24114461	930P Passive welding helmet w/ Shade 10, 2" x 4 1/4" lift front	Ea
14535	C24114471	951P Passive welding helmet w/ Shade 10, 4 1/2" x 5 1/4"	Ea
14536	C24114491	990P Passive welding helmet w/ Shade 10, 2" x 4 1/4" quick slide	Ea



100013

## 3M 3M™ Welding Filter 10V

Works well for Stick and MIG welding processes. Offers user selectable dark Shades 10 through 12 and two sensitivity adjustments. Viewing area: 1.73" x 3.66".

ITEM #	ORDER #	DESCRIPTION	UOM
♦ 100013	665516551	Auto-Darkening Filter 10V	Ea



101121

## 3M 3M™ Welding Helmet 10 with Auto-Darkening Filter 10V

Works well for Stick and MIG welding processes. Features user-selectable dark Shades 10 through 12, with light state of Shade 3. Has two user-selectable sensitivity levels. Viewing area: 1.73" x 3.66". Black.

ITEM #	ORDER #	DESCRIPTION	UOM
♦ 101121	665516561	Welding Helmet w/ Headband	Ea
♦ 101185	665516571	Welding Helmet w/out Headband	Ea



07-0012-31BL

## 3M 3M™ Speedglas™ 100 Welding Helmet with Variable Shade Filters

Available with the Speedglas™ 100V filter, which features five user-selectable dark shades, Shade 8 through Shade 12, and a light Shade 3. Filter has three sensitivity settings for Stick, MIG and TIG welding processes: normal- used for most types of welding (both indoors and outdoors), for when other welders are working nearby, and for low-current or stable arc (e.g. TIG) welding. Only recommended for TIG processes down to 10 amps. Black.

ITEM #	ORDER #	DESCRIPTION	UOM
07-0012-31BL	665521121	3M™ Speedglas™ Helmet 100	Ea



### WARNING

These welding safety products must be used only by qualified persons trained in their use and maintenance and only in strict accordance with and adherence to the detailed instruction and precautionary statements provided in the instruction manual which accompanies each product. **Failure to comply with these instructions could result in sickness, serious bodily injury or loss of life.**

For proper use of these products read User Instructions and Warnings on the package. Any questions concerning proper use should be directed to your supervisor, on-site training specialist, industrial hygienist or 3M Occupational Health and Environmental Safety Division (PSD) Technical Service in the U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414.





by Honeywell

## Tigerhood® Thermoplastic Welding Helmets

Provides extended throat protection while blocking fumes and smoke from the face. Molded from Noryl®. Size and shape allow air to circulate, helping to clear any smoke and fumes that seep in and to evaporate perspiration in the perforated sweatband. (If hazardous fumes are present, appropriate respirators must be worn). Molded-in colors eliminate chipping, peeling and fading; and smooth, seamless shell deflects sparks and spatter, reducing the risk of burn through. Exclusive, 3C free-floating headgear with multiple wearing adjustments comfortably accommodates protective spectacles and respirators. Available with Speedy® Loop system for frequent on and off use with protective caps. Fibre-Metal® welding helmets are SEI certified. Comes complete with Shade 10 filter plate installed. Gray.

ITEM #	ORDER #	DESCRIPTION	UOM
990-GY	614608331	Helmet w/ molded-in glassholder, flash barrier, & wide vision 4 1/2" x 5 1/4" lens	Ea
5906-GY	614607241	Helmet w/ molded-in glassholder & 2" x 4" flip up lens	Ea



990-GY

5906-GY



by Honeywell

## Pipeliner® Passive Filter Welding Helmets

Molded from SuperGlas Plus™, a material formulated for light weight and strength. Provides everything pipe welders need to be safe and productive under the harshest welding conditions. Moisture- and impact-resistant. Will not crack, chip or split. Compact design allows access to areas where there is no room for a standard helmet. Shade 10. White.

ITEM #	ORDER #	DESCRIPTION	UOM
110WH	614605131	Pipeliner welding helmet w/ 1-CR ratchet headgear	Ea
110PWE	347688751	Pipeliner welding helmet w/ 1-CP rubber headband suspension	Ea



110



## Jackson Safety\* V100\* WS Series IRUV Cutting Goggles

Features a 2" x 4.25" IRUV Shade 5.0 lens. Flexible frame with an adjustable elastic strap. Available in a fixed or lift front design.

ITEM #	ORDER #	DESCRIPTION	FRAME	UOM
15991	C24117711	V100* WS Flexible frame cutting goggles, fixed front	Red	Ea
15992	C24117721	V100* WS Flexible frame cutting goggles, lift front	Red	Ea



15992



## Uvex Horizon™ Safety Glasses

Classic flip-up style offers versatility for workers in unique environments. Shaded lens protects against high-intensity light sources, and clear, impact-resistant polycarbonate lens provides protection against flying particles. Spatula temples with metal core for adjustability. Scratch-resistant hardcoat on lenses for longer life. Meets ANSI Z87.1-2010 High Impact standard. 200/Case.



S213

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
◆ S212	341531301	Uvex Horizon	Black	Clear/ Shade 3.0 green	Ea
S213	341531311	Uvex Horizon	Black	Clear/ Shade 5.0 green	Ea



## Welders Gear and Helmet Bag

Virtually any welding helmet, including faceshields can fit in the large-capacity main compartment with drawstring closure. Features (2) mesh side pockets to hold welding gloves, water bottles and tools. Hook-and-loop closure front pocket is ideal for keys, cell phone or sunglasses. 24/Case.



520

ITEM #	ORDER #	DESCRIPTION	UOM
520	C34106901	Welder's gear & helmet bag	Ea



## Pigskin Leather Sweatband

Top-grain pigskin leather offers comfort, strength and durability. Designed for tough welding environments. Features snap fasteners for a secure fit. Measures: 3 1/4" x 8 1/2".



569

ITEM #	ORDER #	DESCRIPTION	UOM
569	C34108161	Pigskin leather sweatband	Ea



9030



## We Weld America Jacket

Made from flame-retardant, 9 oz., 100% cotton Westex® FR7A® with "We Weld America" color screen print on back. Cool, comfortable and washable. Provides economical protection from sudden flame exposure, light molten splash and sparks during light welding activity. Features snap fasteners. 30" Length. Green.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
9030-L	C34117811	We Weld America jacket	L	Ea
9030-XL	C34122031	We Weld America jacket	XL	Ea
9030-2X	C34117831	We Weld America jacket	2XL	Ea
9030-3X	C34117841	We Weld America jacket	3XL	Ea



TILLMAN  
The Brand You Demand

## Flame-Retardant Cotton Jackets

Made from 9 oz., 100% cotton, flame-retardant Westex® FR7A®. Features snap fasteners and inside pocket. Offers protection from sudden flame exposure, sparks and light welding. 30" Length. Designed for light-duty welding only.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
6230-L	C34113041	Flame-retardant cotton jacket	L	Green	Ea
6230-XL	C34121481	Flame-retardant cotton jacket	XL	Green	Ea
6230-2X	C34113461	Flame-retardant cotton jacket	2XL	Green	Ea
◆ 6230B-L	C34112701	Flame-retardant cotton jacket	L	Navy blue	Ea
◆ 6230B-XL	C34121171	Flame-retardant cotton jacket	XL	Navy blue	Ea
◆ 6230B-2X	C34112731	Flame-retardant cotton jacket	2XL	Navy blue	Ea
6230D-L	C34112821	Flame-retardant cotton jacket	L	Orange	Ea
6230D-XL	C34121291	Flame-retardant cotton jacket	XL	Orange	Ea
6230D-2X	C34112851	Flame-retardant cotton jacket	2XL	Orange	Ea
6230D-3X	C34112861	Flame-retardant cotton jacket	3XL	Orange	Ea



6230B

6230

6230D



TILLMAN  
The Brand You Demand

## FR Cotton Coveralls

Made from flame-retardant, 9 oz., 100% cotton Westex® FR7A®. Oversized to fit over clothes. Features rugged snap closures, (2) chest pockets, (1) rear inset pocket and (1) front inset pocket. Green.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 6900-L	C34116041	Flame-retardant coveralls	L	Ea
◆ 6900-XL	C34121711	Flame-retardant coveralls	XL	Ea
◆ 6900-2X	C34116211	Flame-retardant coveralls	2XL	Ea
6900-3X	C34116221	Flame-retardant coveralls	3XL	Ea



4236



TILLMAN  
The Brand You Demand

## Leather Aprons

Variety of aprons in side-split cowhide leather all sewn with Kevlar® thread throughout. Bourbon brown.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
4236	C34106591	Bib apron w/ 2 chest pockets, back straps w/ side release buckles	24" x 36"	Ea
◆ 4242	C34106601	Bib apron w/ 2 chest pockets, back straps w/ side release buckles	24" x 42"	Ea
◆ 4248	C34106611	Bib apron w/ 2 chest pockets, back straps w/ side release buckles	24" x 48"	Ea
◆ 4342	C34106631	Split-leg bib apron w/ side release buckles down legs & metal D-rings on front	24" x 42"	Ea
4124	C34106521	Waist apron w/ heavy-duty waist strap	24" x 24"	Ea



6900

TILLMAN  
The Grand Price Demand

## Leather Split-Leg Waist Apron

Premium, side-split cowhide waist apron with side-release buckles down the legs to secure and a heavy-duty waist strap. Measures: 24" x 40". Bourbon brown.

ITEM #	ORDER #	DESCRIPTION	UOM
4440	C34106661	Leather split-leg waist apron	Ea

4440

TILLMAN  
The Grand Price Demand

## Leather Cape Sleeves and Bib

Side-split cowhide cape sleeve designed to protect shoulders, upper chest and sleeves. Features open back for ventilation and soapstone pocket on each sleeve. Sewn with Kevlar® thread throughout. Works together with 14" or 20" leather bib with heavy-duty cotton strap and adjustable side-release buckle for easy on/off. Bourbon brown.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 3221M	C34105891	Side-split cowhide cape sleeve	M	Ea
◆ 3221L	C34105881	Side-split cowhide cape sleeve	L	Ea
◆ 3221XL	C34120331	Side-split cowhide cape sleeve	XL	Ea
3120	C34105791	Side-split cowhide bib	20"	Ea



3221



3221 &amp; 3120

TILLMAN  
The Grand Price Demand

## Leather Spats and Leggings

Made from tough, premium side-split cowhide with rivet reinforced stress points. Sewn with Kevlar® thread. Adjustable straps secure protectors on shoes. 530CL has metal insert on top of foot that can be shaped to fit over shoe. Universal. Bourbon brown.

ITEM #	ORDER #	DESCRIPTION	UOM
526	C34107251	Leather spats, ankle high	Ea
530CL	C34107541	Leggings, 14" w/ metal insert	Ea



526

530CL

TILLMAN  
The Grand Price Demand

## Leather Helmet Bib

Made from premium side-split cowhide leather. Attaches with metal clips. Measures: 8" x 8". Bourbon brown.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 566	C34108131	Leather helmet bib	Ea



566





## Combination FR Cotton Torso and DualTec FR Sleeves

Body made of 9 oz., 100% cotton, Westex® FR7A® cool and comfortable fabric. Designed to self-extinguish, and will not shrink, melt or drip molten residues. Flame-retardant and washable up to 50 home or 25 commercial washings. Features inside pocket and anodized button snaps to prevent arc flashback.

Sleeves made of 9 oz., 40% Twaron®/60% Lenzing FR® fabric. "Leather like" performance, but lighter and cooler. Permanently flame-retardant, and meets cut resistance standard EN388 Level 2. Meets NFPA Category 2 ARC resistance.

Designed for light-duty welding only. Must keep clean to insure protection.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
9730-M	C34197301	Combo FR torso & FR sleeves	M	Ea
9730-L	C34197311	Combo FR torso & FR sleeves	L	Ea
9730-XL	C34197321	Combo FR torso & FR sleeves	XL	Ea
9730-2X	C34197341	Combo FR torso & FR sleeves	2XL	Ea
9730-3X	C34197351	Combo FR torso & FR sleeves	3XL	Ea

9730



TILLMAN  
The Great Price Demand

## Flame-Retardant Cotton Cape Sleeves and Bib

Made from flame-retardant, 9 oz., 100% cotton, Westex® FR7A®. Cape sleeves protect shoulders, upper chest and arms from sudden flame exposure and sparks while increasing ventilation on back. Feature snap fasteners. Washable. Designed for light-duty welding only. Cape sleeves and bibs sold separately. Green.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
6221-L	C34112321	Flame-retardant cotton cape sleeve	L	Ea
6221-XL	C34121121	Flame-retardant cotton cape sleeve	XL	Ea
♦ 6221-2X	C34112601	Flame-retardant cotton cape sleeve	2XL	Ea
♦ 6221-3X	C34112611	Flame-retardant cotton cape sleeve	3XL	Ea
6120	C34111451	Flame-retardant cotton bib	20"	Ea



6221 & 6120

6120



TILLMAN  
The Great Price Demand

## Flame-Retardant Cotton Jacket with Leather Sleeves

Royal blue, 9 oz. 100% cotton Westex® FR7A® torso with side-split cowhide sleeves sewn with Kevlar® thread. Features (1) soapstone pocket on each sleeve and (1) inside pocket. 30" Length.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
9230-L	C34118021	FR cotton jacket w/ leather sleeves	L	Ea
9230-XL	C34122091	FR cotton jacket w/ leather sleeves	XL	Ea
9230-2X	C34118051	FR cotton jacket w/ leather sleeves	2XL	Ea

9230



TILLMAN  
The Great Price Demand

## Flame-Retardant Cotton Sleeves and Apron

Garments made from 9 oz., 100% cotton, Westex® FR7A®. Washable. Green.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
6217	C34112031	FR cotton sleeve w/ 2 1/4" external elastic at both ends	18"	Ea
6218	C34112091	FR cotton sleeves w/ internal elastic at both ends	18"	Ea
♦ 6200	C34111911	FR cotton sleeve w/ adjustable shoulder straps	23"	Ea
6236	C34113891	FR cotton bib apron w/ adjustable shoulder straps	24" x 36"	Ea



6218

TILLMAN  
The Grand Prix Demand**1155 Insulated Extended Cuff Stick Welders Gloves**

Premium, durable side split cowhide for strength. Cotton/foam-lined for moisture absorption and heat protection. Insulated extended cuff for added heat protection on forearms. Double reinforced wing thumb for extra strength on key stress areas to maximize wear and protection. Sewn with Kevlar® thread for added strength. Weltered fingers protect stitching from burning and abrasion. 20" Length. Bourbon brown.



1155

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1155L	C34122731	1155 Welders gloves	L	12/Pk



750

TILLMAN  
The Grand Prix Demand**750 Stick Welders Gloves**

Premium top-grain elkskin gloves feature reinforced thumb, lock stitching with Kevlar® thread and weltered fingers protect seams, unlined palm for added dexterity. Cotton/foam-lined back offers added heat protection and 14" length enhances safety. Pearl. 48/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
750L	C34116651	Top-grain elkskin welders gloves	L	Pr
750XL	C34121841	Top-grain elkskin welders gloves	XL	Pr

TILLMAN  
The Grand Prix Demand**850 Stick Welders Gloves**

Premium top-grain elkskin features reinforced thumb, lock stitching with Kevlar® thread and weltered fingers protect seams, unlined palm and cotton/foam-lined back. Molds to the hand and stays soft under higher heat conditions. Naturally resistant to oil and moisture; will not crack or stiffen like cowhide. 14" Length. Gold. 48/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
850L	C34117531	Gold top-grain elkskin welders gloves	L	Pr
850XL	C34121981	Gold top-grain elkskin welders gloves	XL	Pr



850



1075

TILLMAN  
The Grand Prix Demand**1075 Stick Welders Gloves**

Full featured welding glove with WE WELD AMERICA logo on cuff. Durable premium side split cowhide leather. HotBlock™ triple layer protection on back of glove with cotton/foam lining for insulation. Features double reinforced thumb, weltered fingers and lock stitching with Kevlar® thread for added strength. 14" Length. Red, blue and pearl. 48/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1075L	C34100961	Side split cowhide welders gloves	L	Pr

TILLMAN  
The Grand Prix Demand**1012 Welders Gloves**

Durable, economy select shoulder split cowhide with inner cotton lining and reinforced thumb. Lock stitching with Kevlar® thread for added strength. Weltered fingers protect stitching. 14" Length. Russet. 48/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1012	C34100691	Economy cowhide welders gloves	L	Pr



1012



1105WB

TILLMAN  
The Grand Prix Demand**1105WB Small Hands Welders Gloves**

Designed for smaller hands. Made from blue select shoulder split cowhide with cotton/foam lining for added heat protection. Lock stitching with Kevlar® thread for added strength. Weltered fingers protect stitching. 12" Length. Blue. 48/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1105WB-XS	C34118751	Small hands welders gloves	XS	Pr

TILLMAN  
The Grand Prix Demand**1250 Stick Welders Gloves**

Durable, premium side split cowhide with cotton/foam lining for insulation. Double reinforced thumb. Weltered fingers protect stitching. Lock stitched with Kevlar® thread for added strength. 14" Length. Blue. 48/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1250L	C34101301	Side split cowhide welders gloves	L	Pr
1250XL	C34101271	Side split cowhide welders gloves	XL	Pr



1250



1488



TILLMAN  
The World's Best Glove

## 1488 TrueFit™ TIG Welders Gloves

Top-grain goatskin palm and back for superior feel and dexterity. Black Kevlar® stretch inserts flex to the contours of the hand for a snug fit. Sewn entirely with Kevlar for strength and heat resistance. Features short, contoured cuff and internal elastic for a secure fit. Super "V" thumb design enhances fit. Safe to TIG weld. No spandex. Gray. 72/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 1488L	C34122695	TIG welders gloves	L	12/Pk
◆ 1488XL	C34122705	TIG welders gloves	XL	12/Pk



24C



TILLMAN  
The World's Best Glove

## 24C TIG Welders Gloves

Premium top-grain kidskin leather enhances feel and dexterity. Features straight thumb, lock stitching with Kevlar® thread for added strength and 4" cuff for added protection. Unlined. Pearl. 72/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
24CM	C34105151	Kidskin TIG gloves	M	Pr
24CL	C34105141	Kidskin TIG gloves	L	Pr
24CXL	C34119951	Kidskin TIG gloves	XL	Pr



TILLMAN  
The World's Best Glove

## 24D TIG Welders Gloves

Premium top-grain kidskin leather enhances feel and dexterity. Features straight thumb, lock stitching with Kevlar® thread for added strength and 2" cuff for added protection. Unlined. Pearl. 72/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
24DL	C34119971	Kidskin TIG gloves	L	Pr
24DXL	C34120001	Kidskin TIG gloves	XL	Pr



24D



20



TILLMAN  
The World's Best Glove

## 20 Kidskin/Cowhide TIG Welders Gloves

Pearl top-grain kidskin palm with bourbon split leather cowhide back for added protection. Lock stitched with Kevlar® thread for added strength. Features straight thumb and 2" cuff. Brown and pearl. 72/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
20L	C34105101	Kidskin/cowhide TIG welders gloves	L	Pr
◆ 20XL	C34119911	Kidskin/cowhide TIG welders gloves	XL	Pr



TILLMAN  
The World's Best Glove

## 1328 TIG Welders Gloves

Top-grain goatskin leather enhances feel and durability. Features 4" cuff, seamless index finger, wing thumb and lock stitching with Kevlar® thread for added strength. Pearl. 72/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1328M	C34101611	Goatskin TIG welders gloves	M	Pr
1328L	C34101601	Goatskin TIG welders gloves	L	Pr



1328



25B



TILLMAN  
The World's Best Glove

## 25B TIG Welders Gloves

Lightweight deerskin split leather enhances dexterity. Unlined to maximize tactility. Features straight thumb, 4" cuff and lock stitching with Kevlar® thread for added strength. Pearl. 72/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
25BL	C34105651	Deerskin TIG welders gloves	L	Pr



TILLMAN  
The Grand Price Demand**30 TIG Welders Gloves**

Top-grain pigskin resists oil and water. Features straight thumb, 4" cuff and lock stitching with Kevlar® thread for added strength. Pearl. 72/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
30L	C34105731	Pigskin TIG welders gloves	L	Pr
30XL	C34120211	Pigskin TIG welders gloves	XL	Pr

30



**More Glove Products start on page 90.**

TILLMAN  
The Grand Price Demand**48 Insulated MIG Gloves**

Top-grain goatskin palm and cowhide split back resists heat. Fleece-lined for added protection. Features straight thumb, elastic back, 3 1/2" cuff, thumb strap for extra strength and Kevlar® stitching for seam protection. Brown and pearl. 72/Cs.



48

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
48L	C34123491	Insulated MIG gloves	L	Pr
48XL	C34123501	Insulated MIG gloves	XL	Pr

TILLMAN  
The Grand Price Demand**42 Pigskin MIG Welders Gloves**

Made from premium heavyweight top-grain pigskin with foam-lined back. Great in wet and oily conditions. Features unlined palm for dexterity, 4" cuff, straight thumb with added reinforcement strap and lock stitching with Kevlar® thread for added strength. Brown. 72/Cs.



42

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
42M	C34106551	Pigskin MIG gloves	M	Pr
42L	C34106541	Pigskin MIG gloves	L	Pr

TILLMAN  
The Grand Price Demand**1350 MIG Welders Gloves**

Heavy-duty top-grain cowhide MIG welding gloves, unlined with 4" cuff for added protection. Features wing thumb and seamless forefinger for comfort. Lock stitched with Kevlar® thread for added strength. Pearl. 72/Cs.



1350

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1350L	C34101741	Cowhide MIG welders gloves	L	Pr
1350XL	C34118961	Cowhide MIG welders gloves	XL	Pr

TILLMAN  
The Grand Price Demand**50 MIG Welders Gloves**

Top-grain cowhide palm with cowhide split reinforcements and cowhide split back with elastic for best fit. Features top-grain seamless index finger, fleece lining and 4" cuff for added protection. Sewn with Kevlar® thread for strength and heat resistance. Brown and pearl. 48/Cs.



50

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
50L	C34124501	Cowhide MIG welders gloves	L	Pr
50XL	C34124511	Cowhide MIG welders gloves	XL	Pr

TILLMAN  
The Grand Price Demand**Standard Double-Layer Backhand Pad**

Offers double-layer protection with aluminized carbon Kevlar® top and vermiculite-coated fiberglass bottom. Features leather and elastic straps. Measures: 5 1/2" W x 7 1/2" H. 240/Cs.

ITEM #	ORDER #	DESCRIPTION	UOM
550	C34108001	Standard double-layer backhand pad	Ea

TILLMAN  
The Grand Price Demand**Economy Double-Layer Backhand Pad**

Offers double-layer protection with an aluminized rayon top and acrylic-coated fiberglass bottom. Features leather and elastic straps. Measures: 5 1/2" W x 7 1/2" H. 240/Cs.

ITEM #	ORDER #	DESCRIPTION	UOM
550X	C34108011	Economy double-layer backhand pad	Ea

TILLMAN  
The Grand Price Demand**Premium Triple-Layer Backhand Pad**

Designed to be worn over the back of a welding glove to provide extra protection in high-heat situations. Features aluminized carbon Kevlar® top, middle layer 1500° F melt ceramic wool, and acrylic-coated fiberglass bottom. Leather and elastic straps. Measures: 5 1/2" W x 7 1/2" H. 120/Cs.

ITEM #	ORDER #	DESCRIPTION	UOM
554	C34108041	Premium triple-layer backhand pad	Ea

550



550X



554





# Footwear

Protective footwear is required by OSHA anywhere that objects could pierce the sole or when there are dangers of rolling objects and/or falling objects in the area. Proper fitting is also required so as not to hinder the wearer's work activities.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.



## MACK®

### INDUSTRIAL FOOTWEAR

Innovative Design. Exceptional Comfort.

Full Range of Workboots, Shoes & Colors

Style, Safety and Comfort

Composite & Steel Toe





## Mack® Tradie

This functional and durable 6" double gusset slip-on boot is ideal for the tradesman wanting bang for their buck. The steel toecap provides protection while the PU midsole offers a smooth cushioned ride. The TPU outersole pattern gives excellent slip resistance and heat resistance to 302° F. Water and slip-resistant. Steel toe. Fitting: Neutral foot type. Complies to ASTM F2413-11. Black.

ITEM #	ORDER #	SIZES	UOM
MKTRADIE-BBF070	E93811031	7	Pr
MKTRADIE-BBF075	E93811041	7.5	Pr
MKTRADIE-BBF080	E93811051	8	Pr
MKTRADIE-BBF085	E93811061	8.5	Pr
MKTRADIE-BBF090	E93811071	9	Pr
MKTRADIE-BBF095	E93811081	9.5	Pr
MKTRADIE-BBF100	E93811091	10	Pr

MKTRADIE-BBF



ITEM #	ORDER #	SIZES	UOM
MKTRADIE-BBF105	E93811101	10.5	Pr
MKTRADIE-BBF110	E93811111	11	Pr
MKTRADIE-BBF115	E93811121	11.5	Pr
MKTRADIE-BBF120	E93811131	12	Pr
MKTRADIE-BBF125	E93811141	12.5	Pr
MKTRADIE-BBF130	E93811151	13	Pr



MORE SIZES AVAILABLE



MKTRADES-BBF

## Mack® Tradesman

This 6" lace up buffalo leather boot provides additional ankle stability making it ideal for the apprentices and part timers. The steel toecap provides protection while the PU midsole provides shock attenuation helping to fight fatigue at the end of a long day at work. TPU outersole provides a resistance up to 302° F. Water and slip-resistant. Steel toe. Fitting: Neutral foot type. Complies with ASTM F2413-11. Black.

ITEM #	ORDER #	SIZES	UOM
MKTRADES-BBF070	E93812021	7	Pr
MKTRADES-BBF075	E93812031	7.5	Pr
MKTRADES-BBF080	E93812041	8	Pr
MKTRADES-BBF085	E93812051	8.5	Pr
MKTRADES-BBF090	E93812061	9	Pr
MKTRADES-BBF095	E93812161	9.5	Pr
MKTRADES-BBF100	E93812071	10	Pr
MKTRADES-BBF105	E93812171	10.5	Pr
MKTRADES-BBF110	E93812081	11	Pr
MKTRADES-BBF115	E93812181	11.5	Pr
MKTRADES-BBF120	E93812091	12	Pr
MKTRADES-BBF125	E93812101	12.5	Pr
MKTRADES-BBF130	E93812111	13	Pr

MORE SIZES AVAILABLE



MKBLAST-HHF

## Mack® Blast

This 7" steel toe boot features a zip closure ensuring a quick exit - ideal for those exposed to sparks and working around water. Constructed with top-grain nubuck leather for excellent comfort and durability. The rounded HeelBevel provides a smooth transition from initial contact, while the ForefootFlex ensures a smooth toe-off reducing fatigue. The scuff cap improves durability to ensure that the boots meet standards for as long as possible. TPU outersole provides excellent heat resistance up to 302° F. The Blast is suitable for workers in everything from construction to resource sectors. Water and slip-resistant. Steel toe. Fitting: Wide heel and arch region. Complies with ASTM F2413-11. Honey.

ITEM #	ORDER #	SIZES	UOM
MKBLAST-HHF070	E93814061	7	Pr
MKBLAST-HHF080	E93814071	8	Pr
MKBLAST-HHF085	E93814211	8.5	Pr
MKBLAST-HHF090	E93814081	9	Pr
MKBLAST-HHF095	E93814141	9.5	Pr
MKBLAST-HHF100	E93814091	10	Pr
MKBLAST-HHF105	E93814151	10.5	Pr
MKBLAST-HHF110	E93814101	11	Pr
MKBLAST-HHF115	E93814161	11.5	Pr
MKBLAST-HHF120	E93814111	12	Pr
MKBLAST-HHF130	E93814121	13	Pr

MORE SIZES AVAILABLE



VALUE  
ENTRY  
LEVELTOP  
SELLER!TOP  
SELLER!

Range	Tough Range	Tough Range	MTA	MTA	MTA	Supertec
Style	Tradie	Tradesman	Blast	Charge	Turbo	Bulldog
Closure	Slip-On	Lace-Up	Zip-Up	Lace-up	Lace-up	Lace-up
Toecap	Steel	Steel	Steel	Steel	Steel	Steel
H2O-Resistant	•	•	•	•	•	-
Slip-Resistant	•	•	•	•	•	•
Wellmax® Penetration Resistant	-	-	-	-	-	-
Anti-Static	•	•	•	•	•	-
Scuff Cap	-	-	•	•	•	-
Reflective	-	-	-	-	•	-
Heat-Resistant Sole	302°F	302°F	302°F	302°F	302°F	572°F
TPU Outsole	•	•	•	•	•	•
Midsole	PU - Polyurethane	PU - Polyurethane	PU - Polyurethane	PU - Polyurethane	PU - Polyurethane	Phylon
Innersole	EVA - Cushioned Foam	EVA - Cushioned Foam	PU - Polyurethane	PU - Polyurethane	PU - Polyurethane	PU - Polyurethane
Traction Sole	-	-	-	-	-	-
Low-Catch Sole	-	-	-	-	-	-
Anti-Torsion Sole	-	-	-	-	-	-
Stability Cup	-	-	-	-	-	-
Anterior Ankle Flex	-	-	-	-	-	-
Forefoot Flex	•	•	•	•	•	•
Heel Bevel	•	•	•	•	•	-
Rake 10mm	•	•	•	•	•	-
Material	Buffalo Leather	Buffalo Leather	Nubuck Full Grain Leather	Cowhide Full Grain Leather	Reflective Upper Nubuck Full Grain Leather & Nylon Mesh	Cowhide Full Grain Leather
Lining	No Lining	Knitted Polyester	Knitted Polyester	Knitted Polyester	Knitted Polyester	Cambrelle®
Special Feature	Double Gusset Elastic	Additional Ankle Stability	Zip Closure	Cushioned PU Midsole and Innersole	Reflective Upper to improve visibility in low light	Quick Release Lace Loops
Colors	Black	Black	Honey	Black, Honey	Black	Black, Honey, Rocky Brown
Sizes	5 - 17   6.5 - 12.5	5 - 17   7.5 - 11.5	5 - 14   8.5 - 11.5	5 - 14   8.5 - 11.5	7 - 14   8.5 - 11.5	4-16   7.5 - 11.5
Height	6"	6"	7"	7"	6"	6"
Weight	1.52 lb	1.43 lb	1.79 lb	1.70 lb	1.59 lb	1.65 lb
Approved Standards	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)



## Mack® Charge

This 7" lace up boot with steel toe is one of Mack Boots™ top sellers and is the sister boot to the Blast. The Charge packs a cushioned PU midsole and innersole beneath the foot and wraps the foot in high grade full grain leather upper for comfort, breathability and durability. The TPU outersole provides heat resistant up to 302° F, while the scuff cap improves durability in high wear zones. The Charge is ideal for workers in the resources and construction industries that spend all day in their boots. Water and slip-resistant. Steel toe. Fitting: Wide heel and arch region. Complies with ASTM F2413-11.

### MORE SIZES AVAILABLE

COLOR	Black	Honey				
SIZES	ITEM #	ORDER #	ITEM #	ORDER #	UOM	
7	MKCHARGE-BBF070	E93815061	MKCHARGE-HHF070	E93891071	Pr	
7.5	MKCHARGE-BBF075	E93815311	MKCHARGE-HHF075	E93815621	Pr	
8	MKCHARGE-BBF080	E93815071	MKCHARGE-HHF080	E93891081	Pr	
8.5	MKCHARGE-BBF085	E93815321	MKCHARGE-HHF085	E93815661	Pr	
9	MKCHARGE-BBF090	E93815081	MKCHARGE-HHF090	E93891091	Pr	
9.5	MKCHARGE-BBF095	E93815361	MKCHARGE-HHF095	E93815631	Pr	
10	MKCHARGE-BBF100	E93815091	MKCHARGE-HHF100	E93891101	Pr	
10.5	MKCHARGE-BBF105	E93815371	MKCHARGE-HHF105	E93815671	Pr	
11	MKCHARGE-BBF110	E93815101	MKCHARGE-HHF110	E93891111	Pr	
11.5	MKCHARGE-BBF115	E93815341	MKCHARGE-HHF115	E93815641	Pr	
12	MKCHARGE-BBF120	E93815111	MKCHARGE-HHF120	E93891121	Pr	
13	MKCHARGE-BBF130	E93815121	MKCHARGE-HHF130	E93891131	Pr	





Supertec	Supertec	Pinnacle	Pinnacle	Pinnacle	Lifestyle	Lifestyle	Lifestyle
Rider	Rigger	Granite	Heeler	Dingo	Neptune	Venus	Saturn
Slip-On	Slip-On	Lace-up	Lace-up	Lace-up	Lace-up	Lace-up	Lace-up
Steel	Steel	Composite	Composite	Composite	Composite	Composite	Composite
•	-	•	•	•	-	-	-
•	•	•	•	•	•	•	•
-	-	•	-	-	-	-	-
-	-	-	-	-	-	-	-
-	-	•	•	•	-	-	-
-	-	•	•	•	-	-	-
572°F	572°F	572°F	572°F	572°F	-	-	-
-	-	-	-	-	-	-	-
Phylon	Phylon	Phylon	Phylon	Phylon	EVA - Cushioned Foam	EVA - Cushioned Foam	EVA - Cushioned Foam
PU - Polyurethane	PU - Polyurethane	Silicone Gel	Silicone Gel	Silicone Gel	Silicone Gel	Silicone Gel	Silicone Gel
-	-	•	•	•	-	-	-
-	-	•	•	•	•	•	•
-	-	•	•	•	-	-	-
-	-	•	•	•	-	-	-
•	•	•	•	•	•	•	•
-	-	-	-	-	-	-	-
•	•	•	•	•	•	•	•
Cowhide Full Grain Leather	Cowhide Full Grain Leather	Reflective Upper & Cowhide Full Grain Leather	Reflective Upper & Cowhide Full Grain Leather	Reflective Upper & Cowhide Full Grain Leather	Leather	Upper Mesh, Leather	Upper Mesh, Leather
Cambrelle®	Cambrelle®	Cambrelle®	Cambrelle®	Cambrelle®	Knitted Polyester	Knitted Polyester	Knitted Polyester
High Heat Resistance, Double Elastic Gusset	No Lace, "Cowboy Boot" Style	Ultimate Boot w/Poron® Metguard Protection, Wellmax® Penetration Resistant	Silicone Gel Heel, 1" Extra Ankle Protection compared to Dingo	Silicone Gel Heel, Forefoot & Ankle Flexibility	TPU Shank, "Tennis Shoe" Style	TPU Shank, "Tennis Shoe" Style	TPU Shank, "Tennis Shoe" Style
Black, Rocky Brown	Rocky Brown	Black, Honey	Black, Honey	Black, Honey, Rocky Brown	Black	Black/Red	White/Grey
5-14   7.5 - 11.5	7-14	5-16   8.5 - 11.5	5-17   8.5 - 11.5	5-16   8.5 - 11.5	7-14	7-14	5-14
6"	11"	7"	7"	6"			
1.50 lb	2 lb	1.6 lb	1.56 lb	1.40 lb	1.19 lb	14oz	14oz
ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75 MT 75 PR)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)



## Mack® Turbo

This 6" hiking style, lace up boot with steel toe is designed for the warehouse and transport industries. The Turbo features a reflective upper overlay in the heel to improve visibility in low light. Constructed of nubuck full grain leather and nylon mesh for durability and breathability. The combination of a cushioned PU midsole, HeelBevel and ForefootFlex helps ease the feet through a long day on the job. TPU Outersole provides heat resistance to 302° F. Includes scuff cup to improve durability in high wear zones. Water and slip-resistant. Steel toe. Fitting: Wide heel and arch region. Complies with ASTM F2413-11. Black.



ITEM #	ORDER #	SIZES	UOM
MKTURBO-BBF070	E93880071	7	Pr
MKTURBO-BBF075	E93880201	7.5	Pr
MKTURBO-BBF080	E93880081	8	Pr
MKTURBO-BBF085	E93880211	8.5	Pr
MKTURBO-BBF090	E93880091	9	Pr
MKTURBO-BBF095	E93880221	9.5	Pr
MKTURBO-BBF100	E93880101	10	Pr

ITEM #	ORDER #	SIZES	UOM
MKTURBO-BBF105	E93880231	10.5	Pr
MKTURBO-BBF110	E93880111	11	Pr
MKTURBO-BBF115	E93880241	11.5	Pr
MKTURBO-BBF120	E93880121	12	Pr
MKTURBO-BBF130	E93880131	13	Pr
MKTURBO-BBF140	E93880141	14	Pr



## Mack® Bulldog

The 6" lace up Bulldog is made from cowhide full grain leather and features a Phylon cushioned midsole to reduce weight and a rubber outersole for durability and heat resistance up to 572° F. The sole design includes exceptional ForefootFlex for a smooth toe-off and a reinforced midfoot for support all day long. The Cambrelle® Lining provides the ultimate lining for comfort, moisture management and durability. The combination of features makes the Bulldog ideal for those looking for a comfortable and stylish boot with exceptional durability. Slip-resistant. Steel toe. Fitting: High arched, narrow foot shape. Complies with ASTM F2413-11.

COLOR	Black		Honey		Rocky Brown		
SIZES	ITEM #	ORDER #	ITEM #	ORDER #	ITEM #	ORDER #	UOM
7	MKBULLDOG-BBF070	E93816321	MKBULLDOG-HHF070	E93816531	MKBULLDOG-ROF070	E93816061	Pr
7.5	MKBULLDOG-BBF075	E93816331	MKBULLDOG-HHF075	E93816541	MKBULLDOG-ROF075	E93816831	Pr
8	MKBULLDOG-BBF080	E93893081	MKBULLDOG-HHF080	E93816551	MKBULLDOG-ROF080	E93816071	Pr
8.5	MKBULLDOG-BBF085	E93893201	MKBULLDOG-HHF085	E93816561	MKBULLDOG-ROF085	E93816201	Pr
9	MKBULLDOG-BBF090	E93893091	MKBULLDOG-HHF090	E93816571	MKBULLDOG-ROF090	E93816081	Pr
9.5	MKBULLDOG-BBF095	E93893211	MKBULLDOG-HHF095	E93816581	MKBULLDOG-ROF095	E93816211	Pr
10	MKBULLDOG-BBF100	E93893101	MKBULLDOG-HHF100	E93816591	MKBULLDOG-ROF100	E93816091	Pr
10.5	MKBULLDOG-BBF105	E93893221	MKBULLDOG-HHF105	E93816671	MKBULLDOG-ROF105	E93816221	Pr
11	MKBULLDOG-BBF110	E93893111	MKBULLDOG-HHF110	E93816601	MKBULLDOG-ROF110	E93816101	Pr
11.5	MKBULLDOG-BBF115	E93816341	MKBULLDOG-HHF115	E93816611	MKBULLDOG-ROF115	E93816231	Pr
12	MKBULLDOG-BBF120	E93816351	MKBULLDOG-HHF120	E93816621	MKBULLDOG-ROF120	E93816111	Pr
13	MKBULLDOG-BBF130	E93893131	MKBULLDOG-HHF130	E93816631	MKBULLDOG-ROF130	E93816121	Pr
14	MKBULLDOG-BBF140	E93816361	MKBULLDOG-HHF140	E93816641	MKBULLDOG-ROF140	E93816131	Pr

**MORE SIZES AVAILABLE**



## Mack® Rider

The 6" Rider is a lightweight, slip on boot made of cowhide full grain leather and double elastic gusset. Designed with a steel toe for protection and Cambrelle® lining to provide comfort, durability and moisture management. The high heat resistance rubber outersole (572° F) is ideal for workers exposed to sparks and molten material and require a quick exit. The Phylon cushioned midsole, PU innersole and ForefootFlex deliver flexibility and comfort. Water and slip-resistant. Steel toe. Fitting: High arched, narrow foot shape. Complies with ASTM F2413-11.

COLOR	Black		Rocky Brown		
SIZES	ITEM #	ORDER #	ITEM #	ORDER #	UOM
7	MKRIDER-BBF070	E93870071	MKRIDER-ROF070	E93872071	Pr
7.5	MKRIDER-BBF075	E93870201	MKRIDER-ROF075	E93872191	Pr
8	MKRIDER-BBF080	E93870081	MKRIDER-ROF080	E93872081	Pr
8.5	MKRIDER-BBF085	E93870211	MKRIDER-ROF085	E93872201	Pr
9	MKRIDER-BBF090	E93870091	MKRIDER-ROF090	E93872091	Pr
9.5	MKRIDER-BBF095	E93870221	MKRIDER-ROF095	E93872211	Pr
10	MKRIDER-BBF100	E93870101	MKRIDER-ROF100	E93872101	Pr
10.5	MKRIDER-BBF105	E93870231	MKRIDER-ROF105	E93872221	Pr
11	MKRIDER-BBF110	E93870111	MKRIDER-ROF110	E93872111	Pr
11.5	MKRIDER-BBF115	E93870241	MKRIDER-ROF115	E93872231	Pr
12	MKRIDER-BBF120	E93870121	MKRIDER-ROF120	E93872121	Pr
13	MKRIDER-BBF130	E93870131	MKRIDER-ROF130	E93872131	Pr
14	MKRIDER-BBF140	E93870141	MKRIDER-ROF140	E93872141	Pr

**MORE SIZES AVAILABLE**





## Mack® Rigger

The 11" Rigger slip on boot is built for petroleum, petrochemical, welders, boiler makers, riggers and other workers who need lace free protection. This stylish steel toe boot is designed with a padded ankle, collar and Cambrelle® lining offering comfort, durability and moisture management. The Phylon midsole provides premium cushioning and shock attenuation for a smooth ride. The TPU outersole is slip-resistant and provides high heat protection up to 527° F. Steel toe. Fitting: High arched, narrow foot shape. Complies with ASTM F2413-11. Rocky brown.



MKRIGGER-ROF



ITEM #	ORDER #	SIZES	UOM
MKRIGGER-ROF070	E93873071	7	Pr
MKRIGGER-ROF080	E93873081	8	Pr
MKRIGGER-ROF090	E93873091	9	Pr
MKRIGGER-ROF100	E93873101	10	Pr

ITEM #	ORDER #	SIZES	UOM
MKRIGGER-ROF110	E93873111	11	Pr
MKRIGGER-ROF120	E93873121	12	Pr
MKRIGGER-ROF130	E93873131	13	Pr
MKRIGGER-ROF140	E93873141	14	Pr



MKGRANITE-BBF

HONEY



## Mack® Granite

The 7" lightweight Granite is the ultimate safety boot with the functional design to match! The Granite features a flexible Wellmax® aramid fibre penetration-resistant midsole, Poron® XRD® metatarsal guard and a composite toecap for maximum weight reduction. The upper contains reflective material to improve visibility in low light, while the durable cowhide full grain leather provides the ultimate in flexibility and breathability. The sole and heel include an absorbing silicone gel insert for extra comfort and Gravity® dual-density nitrile rubber outsole is heat-resistant to 572° F. Complete with Cambrelle® lining for comfort and moisture management and scuff cap for durability. The flexible forefoot and anterior ankle flexibility in the upper allows for natural foot and ankle motion while walking. Water and slip-resistant. Composite toe. Fitting: Wide, low arched foot shape. Complies with ASTM F2413-11.

COLOR Black			Honey		
SIZES	ITEM #	ORDER #	ITEM #	ORDER #	UOM
7	MKGRANITE-BBF70	E93827061	MKGRANITE-HHF070	E93857071	Pr
8	MKGRANITE-BBF080	E93827071	MKGRANITE-HHF080	E93857081	Pr
8.5	MKGRANITE-BBF85	E93863301	MKGRANITE-HHF085	E93857201	Pr
9	MKGRANITE-BBF090	E93827081	MKGRANITE-HHF090	E93857091	Pr
9.5	MKGRANITE-BBF95	E93863311	MKGRANITE-HHF095	E93857211	Pr
10	MKGRANITE-BBF100	E93827091	MKGRANITE-HHF100	E93857101	Pr
10.5	MKGRANITE-BBF105	E93863321	MKGRANITE-HHF105	E93857221	Pr
11	MKGRANITE-BBF110	E93827101	MKGRANITE-HHF110	E93857111	Pr
11.5	MKGRANITE-BBF115	E93863331	MKGRANITE-HHF115	E93857231	Pr
12	MKGRANITE-BBF120	E93827111	MKGRANITE-HHF120	E93857121	Pr
13	MKGRANITE-BBF130	E93827121	MKGRANITE-HHF130	E93857131	Pr
14	MKGRANITE-BBF140	E93827131	MKGRANITE-HHF140	E93857141	Pr

MORE SIZES AVAILABLE

ITEM #	ORDER #	SIZES	UOM
MKHEELER-HHF070	E93826321	7	Pr
MKHEELER-HHF080	E93826331	8	Pr
MKHEELER-HHF085	E93826341	8.5	Pr
MKHEELER-HHF090	E93826351	9	Pr
MKHEELER-HHF095	E93826361	9.5	Pr
MKHEELER-HHF100	E93826371	10	Pr
MKHEELER-HHF105	E93826381	10.5	Pr
MKHEELER-HHF110	E93826391	11	Pr
MKHEELER-HHF115	E93826401	11.5	Pr
MKHEELER-HHF120	E93826411	12	Pr
MKHEELER-HHF130	E93826421	13	Pr

MORE SIZES AVAILABLE



## Mack® Heeler

The 7" Heeler is a high quality lightweight boot packed with features to keep you safe and moving well at the end of the day. The upper contains reflective material to improve visibility in low light, while the durable cowhide full grain leather provides the ultimate in flexibility and breathability. The sole and heel include an absorbing silicone gel insert for extra comfort and Gravity® dual-density nitrile rubber outsole is heat-resistant to 572° F. Complete with Cambrelle® lining for comfort and moisture management and scuff cap for durability. The Heeler is the big brother to the Dingo with the same safety and functional features but with an additional inch of ankle support and protection. Water and slip-resistant. Composite toe. Fitting: Wide, low arched foot shape. Complies with ASTM F2413-11. Honey.



MKHEELER-HHF



MKDINGO-BBF

**Mack® Dingo**

The Dingo is a lightweight and functional safety boot ideal for those clocking up big mileage while walking or driving. The sole and heel include an absorbing silicone gel insert for extra comfort and Gravity® dual-density nitrile rubber outsole is heat-resistant to 572° F. Complete with Cambrelle® lining for comfort and moisture management and scuff cap for durability. The Dingo is the little brother to the Heeler with the same safety and functional features but 6" tall. Water and slip-resistant. Composite toe. Fitting: Wide, low arched foot shape. Complies with ASTM F2413-11.

COLOR	Black			Honey			Rocky Brown			UOM
	SIZES	ITEM #	ORDER #	ITEM #	ORDER #	ITEM #	ORDER #	ITEM #	ORDER #	
	7	MKDINGO-BBF070	E93824061	MKDINGO-HHF070	E93852071	MKDINGO-ROF070	E93853071			Pr
	8	MKDINGO-BBF080	E93824071	MKDINGO-HHF080	E93852081	MKDINGO-ROF080	E93853081			Pr
	8.5	MKDINGO-BBF085	E93824201	MKDINGO-HHF085	E93852201	MKDINGO-ROF085	E93853211			Pr
	9	MKDINGO-BBF090	E93824081	MKDINGO-HHF090	E93852091	MKDINGO-ROF090	E93853091			Pr
	9.5	MKDINGO-BBF095	E93824211	MKDINGO-HHF095	E93852211	MKDINGO-ROF095	E93853221			Pr
	10	MKDINGO-BBF100	E93824091	MKDINGO-HHF100	E93852101	MKDINGO-ROF100	E93853101			Pr
	10.5	MKDINGO-BBF105	E93824221	MKDINGO-HHF105	E93852221	MKDINGO-ROF105	E93853231			Pr
	11	MKDINGO-BBF110	E93824101	MKDINGO-HHF110	E93852111	MKDINGO-ROF110	E93853111			Pr
	11.5	MKDINGO-BBF115	E93824231	MKDINGO-HHF115	E93852231	MKDINGO-ROF115	E93853241			Pr
	12	MKDINGO-BBF120	E93824111	MKDINGO-HHF120	E93852121	MKDINGO-ROF120	E93853121			Pr
	13	MKDINGO-BBF130	E93824121	MKDINGO-HHF130	E93852131	MKDINGO-ROF130	E93853131			Pr

MORE SIZES AVAILABLE

**Mack® Neptune**

Leather lace-up safety shoes with padded collar and tongue. The lining is a non-abrasive hydrophobic, knitted mesh that wicks away moisture enabling the skin to remain cool and dry. Silicone gel footbed offers ultimate comfort heel and arch support. Ultra lightweight EVA molded midsole with great shock absorption and cushioning. Special molded TPU shank which reduces torsion flex and durable molded rubber outsole with heat-resistant characteristics. Slip-resistant. Composite toe. Fitting: Narrow foot shape. Complies with ASTM F2413-11 standards. Black.

ITEM #	ORDER #	SIZES	UOM
MKNEPTUNE-B3F070	E93829061	7	Pr
MKNEPTUNE-B3F080	E93829071	8	Pr
MKNEPTUNE-B3F090	E93829081	9	Pr
MKNEPTUNE-B3F100	E93829091	10	Pr



MKNEPTUNE-B3F



ITEM #	ORDER #	SIZES	UOM
MKNEPTUNE-B3F110	E93829101	11	Pr
MKNEPTUNE-B3F120	E93829111	12	Pr
MKNEPTUNE-B3F130	E93829121	13	Pr

MORE SIZES AVAILABLE

**Mack® Saturn**

Lightweight lace-up safety shoes with padded collar and tongue. Constructed of synthetic leather and a soft, non-abrasive hydrophobic, knitted mesh that wicks away moisture, enabling the skin to remain cool and dry. Silicone gel footbed offers ultimate comfort with arch and heel support. Ultra lightweight EVA molded midsole with great shock absorption and cushioning. Special molded TPU shank which reduces torsion flex and durable molded rubber outsole with heat-resistant characteristics. Designed specifically for light industry including warehousing and transport who clock up big miles on their feet with minimal wear and tear on their footwear. Slip-resistant. Composite toe. Fitting: Narrow foot shape. Complies with ASTM F2413-11. White/gray.



MKSATURN-GWF

ITEM #	ORDER #	SIZES	UOM
MKSATURN-GWF070	E93830061	7	Pr
MKSATURN-GWF080	E93830071	8	Pr
MKSATURN-GWF090	E93830081	9	Pr
MKSATURN-GWF100	E93830091	10	Pr

ITEM #	ORDER #	SIZES	UOM
MKSATURN-GWF110	E93830101	11	Pr
MKSATURN-GWF120	E93830111	12	Pr
MKSATURN-GWF130	E93830121	13	Pr

MORE SIZES AVAILABLE



## Mack® Venus

Lightweight lace-up safety shoes with padded collar and tongue. Constructed of synthetic leather and a soft, non-abrasive hydrophobic, knitted mesh that wicks away moisture, enabling the skin to remain cool and dry. Silicone gel footbed offers ultimate comfort with arch and heel support. Ultra lightweight EVA molded midsole with great shock absorption and cushioning. Special molded TPU shank which reduces torsion flex and durable molded rubber outsole with heat-resistant characteristics. Designed specifically for light industry including warehousing and transport who clock up big miles on their feet with minimal wear and tear on their footwear. Slip-resistant. Composite toe. Fitting: Narrow foot shape. Complies with ASTM F2413-11. Black/red.

ITEM #	ORDER #	SIZES	UOM
MKVENUS-BBF070	E93831061	7	Pr
MKVENUS-BBF080	E93831071	8	Pr
MKVENUS-BBF090	E93831081	9	Pr
MKVENUS-BBF100	E93831091	10	Pr



MKVENUS-BBF

ITEM #	ORDER #	SIZES	UOM
MKVENUS-BBF110	E93831101	11	Pr
MKVENUS-BBF120	E93831111	12	Pr
MKVENUS-BBF130	E93831121	13	Pr

**MORE SIZES AVAILABLE**



## SF™ Overboots

Super-sized to fit over bulky leather work boots. Seamless, molded 100% waterproof PVC dual-compound construction features a soft and stretchy upper and tougher durable outsole for longer life. Kick-off lugs molded on the heel for easy removal of overboot. Features SF wide grip outsole with textured treads for better traction. Black.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
11001-L	347610031	Overboots, 12"	L (11-13)	Pr
11001-XL	347610041	Overboots, 12"	XL (14-15)	Pr
11003-L	347629621	Overboots, 4"	L (11-13)	Pr



11001



11003



A352



## Disposable Latex Booties

Ideal for spill cleanup, light industrial and janitorial work, and pesticide and paint spraying. Made of yellow latex with slip-resistant texturized outsole. 12" Height.

CAUTION: This product contains natural latex which may cause allergic reactions in some individuals.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
A352-L	347602811	Disposable booties	L	Pr
A352-XL	347602831	Disposable booties	XL	Pr
A352-2XL	347602841	Disposable booties	2XL	Pr



## CT™ PVC Knee Boots

Steel toe PVC boot is injection-molded for 100% waterproof protection. Features reinforced construction at critical seams, a unique top-line design to help reduce rubbing on legs and increase natural flexing, contour heel cup molding and removable FOOT FORM contour cushion insoles to reduce heel slippage. Trac 10™ outsole pattern helps to reduce slips and falls for worker safety. 14" Height. Meets ASTM F2413-11 M I/75 C/75 EH. Black.

ITEM #	ORDER #	SIZES	UOM
18821-8	347630921	8	Pr
18821-9	347630931	9	Pr
18821-10	347630841	10	Pr

ITEM #	ORDER #	SIZES	UOM
18821-11	347630851	11	Pr
18821-12	347630861	12	Pr
18821-13	347630871	13	Pr



18821





# Ergonomics

Ergonomics is the science of fitting a job to a person and helps lessen muscle fatigue, increases productivity and reduces the number and severity of work-related Musculoskeletal Disorders (MSDs).

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.



## The Mustang® Back Support with Suspenders

Features 8 1/4" wide powerful elastic back panel, breathable, polypropylene mesh body, solid elastic sidebands and (4) super memory plastic stays. Two silicone "grip strips" inhibit riding up, and stiffening mesh at abdominal closure reduces front rolling. Includes sewn-on suspenders. Black.

Warning: If the user now has or has ever had any condition, treatment or problem that would be affected by frequent heavy lifting, a health professional should be contacted before using this product.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
611-M	325371121	Back support w/ suspenders	M	Ea
611-L	325371131	Back support w/ suspenders	L	Ea
611-XL	325304451	Back support w/ suspenders	XL	Ea
♦ 611-2XL	325304471	Back support w/ suspenders	2XL	Ea



## Value Super Maxx Back Support

Delivers firm and comfortable broad lower back and abdominal support. Adjusts instantly for light to heavy lifting. Encourages proper posture when lifting, standing, walking, sitting, driving or playing sports. Features 8" breathable spandex mesh lumbar panel with elastic stretch panel with (4) plastic stays, (2) silicone threaded "grip strips", 1 1/2" detachable hook-and-loop suspenders and dual panel hook-and-loop closure. Black.

Warning: If the user now has or has ever had any condition, treatment or problem that would be affected by frequent heavy lifting, a health professional should be contacted before using this product.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
626-M	325308061	Value Super Maxx back support	M	Ea
626-L	325308071	Value Super Maxx back support	L	Ea
626-XL	325308021	Value Super Maxx back support	XL	Ea
626-2XL	325308341	Value Super Maxx back support	2XL	Ea



## Premium Lumbar Support

Elastic body is made of power knit nylon with lumbar support pad. Double hook-and-loop closure system provides easy adjustment. Suspenders are 1 1/2" wide and are detachable if not needed. Back support is 9" wide. Black.

Warning: If the user now has or has ever had any condition, treatment or problem that would be affected by frequent heavy lifting, a health professional should be contacted before using this product.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ OK-1000S-M	325341011	Premium lumbar support	M	Ea
OK-1000S-L	325341021	Premium lumbar support	L	Ea
♦ OK-1000S-XL	325341031	Premium lumbar support	XL	Ea
♦ OK-1000S-2XL	325341041	Premium lumbar support	2XL	Ea



## Premium Lifters Support

Constructed of durable polyester fabric with a solid inner core. Features an internal lumbar support pad. Adjust easily with double hook-and-loop closure system. Back support is 5" wide. Black.

Warning: If the user now has or has ever had any condition, treatment or problem that would be affected by frequent heavy lifting, a health professional should be contacted before using this product.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ OK-SS-5-M	325377001	Premium lifters support	M	Ea
♦ OK-SS-5-L	325377011	Premium lifters support	L	Ea
♦ OK-SS-5-XL	325377021	Premium lifters support	XL	Ea
♦ OK-SS-5-2XL	325377031	Premium lifters support	2XL	Ea



OK-SS-5



FITS WAIST SIZE\*:

S 23-29" M 28-34" L 33-39" XL 39-46" 2XL 46-52" 3XL 52-58"

[www.occunomix.com/products/media/wysiwyg/Size\\_Charts/O.pdf](http://www.occunomix.com/products/media/wysiwyg/Size_Charts/O.pdf)



## Classic Universal Back and Abs Support

Body is constructed with a cool mesh and has a double hook-and-loop closure system. Suspenders are 1 1/2" wide and detachable. Rubber grippers help keep belt in place. Back support is 9" wide and one size fits most (26"-48"). Black.

Warning: If the user now has or has ever had any condition, treatment or problem that would be affected by frequent heavy lifting, a health professional should be contacted before using this product.

ITEM #	ORDER #	DESCRIPTION	UOM
♦ OK-UNIV	325316671	Universal back & abs support	Ea



## ProFlex® 1650 Economy Elastic Back Supports

All-elastic body (7 1/2" wide) provides firm support, comfort, fit and durability. Two-stage closure adjusts first for exact fit and then for desired level of tension, reminding wearers to lift properly. Features single layer 5" elastic single strap for positive tension and adjustable 1 1/2" knit elastic suspenders that are detachable and cut wide for improved fit. Machine washable. Black.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
11093	332100021	ProFlex economy elastic back support	M	Ea
11094	332100011	ProFlex economy elastic back support	L	Ea
11095	332100041	ProFlex economy elastic back support	XL	Ea
11096	332100051	ProFlex economy elastic back support	2XL	Ea



11093

## Easy Dos and Don'ts for Safe Lifting

### Do:

- Keep your head up and your back straight, and bend at your hips.
- Bring the load as close to you as possible before lifting.
- Lift with your legs, not your back.
- Shift your feet to turn.
- Keep the load directly in front of your body.
- Try to perform lifts at waist height with your elbows in close to your body.
- Limit lifting by hand. Use mechanical lifts or get help.
- Stay fit to help avoid injury.

### Don't:

- Lift heavy loads (35 lbs. or more). Get help.
- Reach across something to lift a load.
- Lift bulky or uneven loads.
- Reach to the side or lift while twisting.

Source: [www.osha.gov](http://www.osha.gov)



## ProFlex® 100 Economy Back Supports

Durable 280-denier spandex body cloth provides breathable comfort and holds its shape over time. Features rubber-tracked webbing to keep the support in place and stretchable bias binding with zig-zag stitching. Adjustable 2-stage closure reminds wearers to lift properly. Detachable and adjustable 1 1/2" knit elastic suspenders. Black.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
11383	332100951	ProFlex economy back support	M	Ea
11384	332100961	ProFlex economy back support	L	Ea
11385	332100971	ProFlex economy back support	XL	Ea
11386	332100981	ProFlex economy back support	2XL	Ea



11383



11284



## ProFlex® 2000SF High-Performance Back Supports

Contoured V-shape naturally positions the back support. Sticky Fingers® stays provide excellent gripping properties and deliver firm, continuous lower back and abdominal support. Power Panel Positioners™ keep elastic bands close to sides so they won't fall out of reach when not in use. Also features reinforced woven cinch tabs and 840-denier durable spandex body cloth for breathability and consistent stretch. Adjustable 2-stage closure reminds wearers to lift properly. Includes detachable 1 1/2" knit elastic suspenders. Machine washable. Black.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 11283	332100791	ProFlex high-performance back support	M	Ea
11284	332100801	ProFlex high-performance back support	L	Ea
11285	332100811	ProFlex high-performance back support	XL	Ea
11286	332100821	ProFlex high-performance back support	2XL	Ea



**Check out our Impact-Resistant Gloves starting on page 125.**



INSIDE



121



## Premium Flat Cap Gel Knee Pads

Adjustable sizing pad reduces rocking to assure proper fit. Over-sized, abrasion-resistant hard plastic cap with flat kneeling surface provides greater kneeling stability. Gel-injected EVA foam padding to absorb impact and provide superior comfort. Hook-and-loop neoprene split strap closure to avoid bunching and slipping. One size fits all. Black.

ITEM #	ORDER #	DESCRIPTION	UOM
121	325303131	Flat cap gel knee pads	Pr





125



### Value Contoured Hard Cap Knee Pads

Abrasion-resistant PE plastic hard caps offer heavy-duty protection against injuries often sustained in rigorous kneeling conditions. Lightweight pads feature EVA foam padding and adjustable straps to ensure hours of comfortable, productive work. One size fits all. Blue.

ITEM #	ORDER #	DESCRIPTION	UOM
125	325303161	Hard cap knee pads, adjustable straps	Pr



### Classic Wide Cap Knee Pads

Large, flexible PVC cap and EVA soft foam padding provide a dome of comfortable protection, extra durability and flexibility. Adjustable hook-and-loop straps guard against annoying shifting to keep pad in place. One size fits all. Blue.

ITEM #	ORDER #	DESCRIPTION	UOM
126	325303181	Classic wide cap knee pads	Pr

126



OK-KP-350-06



### Classic Fabric Knee Cap Pads

Ideal for delicate surfaces. Lightweight and comfortable. Features high-density foam body, durable 600-denier polyester and hook-and-loop closure. Black.

ITEM #	ORDER #	DESCRIPTION	UOM
♦ OK-KP-350-06	325309801	Classic fabric knee cap pads	Pr




### ProFlex® 335 and 335HL Slip-Resistant Cap Knee Pads

Slip-resistant rubber cap design grips work surfaces for firm hold, and 840-denier nylon fabric cover stands up to tough jobs. Features long design for maximum surface coverage and 12 mm NBR foam padding for firm, consistent support. Woven elastic straps extend wear. Anti-odor treated. Wipes clean with damp cloth. Black.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
18335	332104391	Slip-resistant caps, buckle closure	6/Pr/Bx	Pr
18336	332104401	Slip-resistant caps, hook-&-loop closure	6/Pr/Bx	Pr

18335



18380



### ProFlex® Kneeling Pad

Non-conductive, silicone-free, corrosion-resistant design with closed-cell foam rubber construction will not easily compress. Resistant to petroleum products and other liquids. Built-in handle for portability. Measures: 14" x 21" x 1". Black.

ITEM #	ORDER #	DESCRIPTION	UOM
18380	332104451	Model 380 kneeling pad	Ea



**MILLER**  
Fall Protection

# Fall Protection

Anywhere throughout the workplace where there is potential for falling, employers are required to assess all conditions and engineer safety solutions. The addition of fall protection devices may also be required in such work areas.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.

## Fall Protection for Tools

From a world leading supplier of fall protection for people! Struck-by falling objects is a leading cause of injury for workers and the 3rd highest cause of death in the workplace. The DBI-SALA range of Python Safety products has been developed to prevent dropped tools and equipment. Fall Protection for Tools make work environments safer and more productive by drastically reducing incidents resulting in personal injury equipment damage and tool loss.





## Safe Bucket

Designed to be used at height with a built-in closure system that helps prevent dropped objects. Includes multiple connection points that can be tethered to. Vinyl bucket is load rated for 250 lbs. Hook-and-loop closure system helps prevent accidental drops. Indicator tabs show when bucket is in lockdown mode or easy access mode. Hard composite plating sewn into bottom protects bucket from accidental punctures. Protective leather sleeve covers inserts and is resilient to the elements and harsh work environments. Includes heavy-duty hoisting/shoulder strap and high-quality, lightweight aluminum twist-lock carabiner load rated for 6,700 lbs. Size: 15" x 12 1/2" dia.



1500140

ITEM #	ORDER #	DESCRIPTION	UOM
1500140	458056401	Standard safe bucket	Ea



## Tool Holsters

- Scaffold Wrench Holster with Retractor: Quickly holster scaffold wrenches while working at height. Features Beacon™ Hi-Vis Reflectors.
- Drill Battery Holster/Sleeve: Unique sleeve design conforms to the size of virtually any drill battery. Sleeve is cinched to the drill, allowing the drill to be tethered off while being used at height. 10-lb. load rating.

ITEM #	ORDER #	DESCRIPTION	UOM
1500096	458055961	Scaffold wrench holster w/ retractor	Ea
1500090	458055901	Drill battery holster/sleeve	Ea



## Small Parts Pouch

Innovative self-closure system traps objects inside the pouch, making it nearly impossible for objects to fall out once placed in the bag. Easy to retrieve objects since no opening or closing is necessary. Compatible with most tool belts. Black canvas.



1500119

ITEM #	ORDER #	DESCRIPTION	UOM
1500119	458056191	Small parts pouch	Ea

1500096



1500090

Tools not included



## Single Tool Holster

Equipped with D-rings that are load rated for 5 lbs. Beacon™ Hi-Vis Reflectors are easy to identify and locate, even when left in dark spaces. Highly reflective material is stitched into the front and back of the holster allowing it to be detected in low light conditions with a flashlight. Quick-Mag™ magnetic tool staging system speeds up workflow and reduces how often tools need to be holstered. Allows tools to simply stick to the holster ensuring that tools are always at the ready. Drain vent helps keep the holster dry by allowing water to pass through, protecting tools from rusting and protecting holster from dry rot. Retractor is load rated for 1.5 lbs.



1500104

ITEM #	ORDER #	DESCRIPTION	UOM
1500104	458056041	Single tool harness holster w/ retractor	Ea



## Coil Tethers

Alternative to classic Bungee Tethers. Built with lightweight vinyl that's easy to clean, coil tethers naturally stay out of the way thanks to their ultra-compact design.

- **Hook2Hook Coil Tether:** Relaxed length 5"; stretched length 62"; stays out of the way when not in use; 5-lb. load rating.
- **Hard Hat Tether:** Compact coil design keeps lanyard out of the way of user; easy to clean; 2-lb. load rating.



1500063



1500061

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 1500063	458055631	5"-62" Hook2Hook coil tether	Ea
◆ 1500061	458055561	4"-34" Hard hat tether	10/Pk



## Hook2Loop Bungee Tether

Built to be more durable and last longer than competitor products. Third-party load rated and designed to prevent dropped objects. Hook features self-locking carabiner that requires double action to open, then automatically locks and closes to prevent accidental opens. 10-lb. Load rating.



1500047

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 1500047	458055471	32"-47" Hook2Loop bungee tether	Ea





## Heavy-Duty Quick Wrap Tape



1500044

Conforms to the shape of whatever it is applied to. Used with Python Safety D-Rings and Tool Cinch Attachments to create instant tethering points on virtually any tool. Made from a self-fusing silicone rubber that leaves no adhesive or residue behind. Inner fiberglass webbing increases strength and makes tape resistant to sharp objects. 1" x 108".

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 1500044	458055441	Yellow tape	Ea
◆ 1500035	458055351	Blue tape	Ea



## D-Ring

Can be attached to virtually any tool under 2 lbs. using Python® Safety Quick Wrap Tape. Creates an instant attachment point in less than a minute.



1500003

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 1500003	45805503	1/2" x 2 1/4" D-rings	10/Pk



## Quick Spins

Simply slides onto the handle of a tool in seconds. Swivel spin top makes Quick Spins tangle-resistant. Reusable and suitable for non-conductive use. Size: 1" dia.; 1-lb. load rating.



1500029

ITEM #	ORDER #	DESCRIPTION	UOM
1500029	45805529	Quick Spins	10/Pk



## Tool Cinch Attachment

Features a cinch design that allows user to quickly secure equipment up to 35 lbs. Stabilization Wings can be used to keep Tool Cinch Attachment in place using Python® Safety Quick Wrap Tape. For use on pinch bars, sledge hammers, slugging wrenches, and clamps.



1500015

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 1500015	458055151	Tool Cinch Attachment w/ 2 Stabilization Wings	Ea



1191209



## PRO™ Construction Style Harnesses

Designed with integrated comfort padding on shoulders and hips. Includes polyester webbing for superior abrasion resistance and durability, lightweight hardware and connecting components, built-in impact indicators for easy inspection, integral lanyard keeper, tongue-buckle body belt with hip pads, and back and side D-rings for positioning. Features tongue-buckle leg straps for fast and easy donning, spring-loaded torso buckles for quick and easy adjustment, and belt loops. Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.11.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1191209	458035051	Construction style harness	M/L	Ea
1191210	458035061	Construction style harness	XL	Ea

1191209, BACK



## FIRST™ Vest Style Harnesses

Features 5-point adjustment, back D-rings and pass-through or tongue-buckle straps. Corrosion-resistant hardware made of zinc-plated stamped steel. 1 3/4" Wide polyester web with supple back plaque. Capacity: 310 lbs. Meets or exceeds OSHA 1926 regulation and ANSI Z359.11 standard.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
AB17530	458075301	Vest style harness w/ pass-through legs	Universal	Ea
AB17550	458036081	Vest style harness w/ tongue-buckle legs	Universal	Ea



AB17550

AB17530



## Nano-Lok™ Arc Flash Self-Retracting Lifeline

Designed specifically for utility applications to provide protection to workers in electrical transmission and distribution environments. Durable, reinforced, 3/4" webbing with Nomex®/Kevlar® fiber withstands sparks, weld splatter and other high heat exposure. Retractable design provides freedom of movement, keeps lifeline out of the worker's way and reduces dragging, snagging and trip falls. Arc flash industry logo easily identifies product for arc flash use. i-Safe™ enabled with RFID technology. Capacity: 420 lbs. Arc flash rated up to 40 cal/cm². Meets or exceeds industry standards: ASTM F887-11; OSHA 1926.502, 1910.66; ANSI Z359.14, A10.32; CSA Z259.2.2.

### Features:

- Built-in anchorage connector attaches directly to harness webbing, leaving dorsal D-ring open for other equipment or rescue; design fits snug to worker's back
- Swiveling anchorage loop limits lifeline twisting for smoother operation
- Tough, impact-resistant thermoplastic housing provides maximum durability
- Quick-activating speed sensing brake system stops a fall within inches, providing more protection at low heights; designed for smooth consistent operation
- High-capacity energy absorber and impact indicator protected by Kevlar fiber cover



3101539

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 3101539	458015391	Twin-leg SRL w/ aluminum rebar hook & twin-leg anchorage	8'	Ea



## ExoFit NEX™ Vest Style Harnesses

Full-body harness provides comfort and function with soft, yet extremely durable, anti-absorbent webbing, strategically placed padding and protective elements that prolong service life of harness. Chest platform places labels and i-Safe™ RFID tag behind a Velcro® cover to protect labels and provide easy access. Covered pocket with elastic sides is conveniently placed on front of chest strap to hold workplace or personal items such as a cellular phone. Includes reflective material that increases worker safety in low-visibility environments, stand-up, aluminum dorsal D-ring, integrated suspension trauma straps for post fall-arrest comfort, impact indicator stitches and breakaway lanyard keepers. Capacity: 420 lbs. Meets all applicable OSHA regulations and ANSI Z359.11 standard.

### Features:

- Duo-Lok™ quick-connect buckles: lightweight, one-hand use with memory-fit
- Revolver™ vertical torso adjusters: simple, fast adjustment that locks into position
- Hybrid comfort padding: combines premium comfort with durability, protective shoulder caps
- Tech-Lite™ aluminum D-rings: lightweight alloy for added comfort
- Repel™ technology webbing: provides up to 5 times more abrasion resistance and water repellency

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 1113001	458036381	Vest style harness	S	Ea
1113004	458036391	Vest style harness	M	Ea
1113007	458036401	Vest style harness	L	Ea
1113010	458036411	Vest style harness	XL	Ea



1113007



## ExoFit™ XP Construction Style Harness

Designed as a single piece of material constructed in an "X" shape that wraps around for no-tangle donning. Breathable lining wicks away moisture and soft edging prevents chafing. Ergonomic design incorporates removable shoulder, hip and leg padding. Features spring-loaded, stand-up dorsal D-ring, side D-rings, sewn-in back pad and belt, one-handed quick-connect buckle chest and leg straps, and torso buckles to hold straps firmly in place and complete the 5-point adjustment system. i-Safe™ enabled with RFID technology. Hardware is coated for corrosion resistance. Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI Z359.11 standard.



1110152

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1110152	458001521	Construction style harness	L	Ea



## ExoFit™ XP Vest Style Harnesses

Designed as a single piece of material constructed in an "X" shape that wraps around for no-tangle donning. Breathable lining wicks away moisture and soft edging prevents chafing. Ergonomic design incorporates removable shoulder, hip and leg padding. Features spring-loaded, stand-up dorsal D-ring, built-in belt loops, one-handed quick-connect buckles on chest and legs, and torso buckles to hold straps firmly in place and complete the 5-point adjustment system. i-Safe™ enabled with RFID technology. Hardware is coated for corrosion resistance. Front Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI Z359.11 standard.



1110102

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1110101	458001011	Vest style harness	M	Ea
1110102	458001021	Vest style harness	L	Ea





Image Courtesy of DBI Sala



## ExoFit™ Vest Style Harnesses

Designed as a single piece of material constructed in an "X" shape that wraps around for no-tangle donning. Breathable lining wicks away moisture and soft edging prevents chafing. Ergonomic design incorporates built-in shoulder, hip and leg padding. Includes back D-ring and one-handed quick-connect chest and leg buckles. Hardware is coated for corrosion resistance. i-Safe™ enabled with RFID technology. Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI Z359.11 standard.

1107976

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1107975	458079751	Vest style harness	S	Ea
1107976	458079761	Vest style harness	M	Ea
1107977	458079771	Vest style harness	L	Ea
1107981	458079811	Vest style harness	XL	Ea



## Delta™ Construction Harnesses with Hip Pads

Patented No-Tangle triangular design allows harness to fall into place for quick and easy donning and holds its basic shape so shoulder straps don't rub against neck. Water-repellent Repel™ webbing has built-in rip-stitch impact indicators for inspection of harness for prior damaging impact loads. Revolver™ vertical torso adjuster makes adjustments simple and fast, eliminating loose ends and locking into place to prevent slippage. Tech-Lite™ aluminum alloy buckles reduce both carried weight and energy required for all-day job performance. Lanyard keepers hold unused snap hooks and reduce trip hazards. i-Safe™ enabled with RFID technology; label protector has Velcro® cover for holding harness labels and i-Safe identification tag. Includes tongue-buckle leg straps, a spring-loaded stand-up

1101655

dorsal D-ring for fast, easy and safe connections, and side D-rings for positioning. Hip pad ergonomically supports back and hips while bearing heavy loads. Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI Z359.11 standard.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1101654	458035011	Construction vest style harness	M	Ea
1101655	458035021	Construction vest style harness	L	Ea



1102000



## Delta™ Vest Style Harnesses

Patented No-Tangle triangular design allows harness to fall into place for quick and easy donning and holds its basic shape so shoulder straps don't rub against neck. Water-repellent Repel™ webbing has built-in rip-stitch impact indicators for inspection of harness for prior damaging impact loads. Revolver™ vertical torso adjuster makes adjustments simple and fast, eliminating loose ends and locking into place to prevent slippage. Includes tongue-buckle, quick-connect or pass-through leg straps and incorporates a spring-loaded, stand-up dorsal D-ring for fast, easy and safe connections; side D-rings optional. Tech-Lite™ aluminum alloy buckles reduce both carried weight and energy required for all-day job performance. Features lanyard keepers for holding unused snap hooks and reducing trip hazards. i-Safe™ enabled with RFID technology; label protector has Velcro® cover for holding harness labels and i-Safe identification tag. Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1102000	458020021	Vest style harness w/ tongue-buckle legs	Universal	Ea
1103321	458035041	Vest style harness w/ pass-through legs	Universal	Ea
1110600	458010601	Vest style harness w/ quick-connect legs	Universal	Ea
1102008	458020061	Vest style harness w/ side D-rings & tongue-buckle legs	Universal	Ea



1106101



## Delta™ II Derrick Harnesses

Designed for oil industry and workers who operate on monkey board. Features Delta No-Tangle™ design for added comfort and easy donning, seat sling, 18" back D-ring extension, and belt with back support. i-Safe™ enabled with RFID technology. Meets or exceeds all applicable OSHA regulations and ANSI Z359.11 standard.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 1106101	458061011	Derrick harness	M	Ea
◆ 1106102	458061021	Derrick harness	L	Ea
◆ 1106103	458061031	Derrick harness	XL	Ea





## ExoFit NEX™ Construction Style Harnesses

Full-body harness provides comfort and function with soft, yet extremely durable, anti-absorbent webbing, strategically placed padding and protective elements that prolong service life of harness. Chest platform places labels and i-Safe™ RFID tag behind a Velcro® cover to protect labels and provide easy access. Covered pocket with elastic sides is conveniently placed on front of chest strap to hold workplace or personal items such as a cellular phone. Includes reflective material that increases worker safety in low-visibility environments, stand-up dorsal D-ring, side D-rings, integrated suspension trauma straps for post fall-arrest comfort, sewn-in hip pad and removable body belt, impact indicator stitches and breakaway lanyard keepers. Capacity: 420 lbs. Meets all applicable OSHA regulations and ANSI Z359.11 standard.

### Features:

- Duo-Lok™ quick-connect buckles: lightweight, one-hand use with memory-fit
- Revolver™ vertical torso adjusters: simple, fast adjustment that locks into position
- Hybrid comfort padding: combines premium comfort with durability
- Tech-Lite™ aluminum D-rings: lightweight alloy for added comfort
- Repel™ technology webbing: provides up to 5 times more abrasion resistance and water repellency



1113127

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1113121	458036421	Construction style harness	S	Ea
1113124	458036431	Construction style harness	M	Ea

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1113127	458036441	Construction style harness	L	Ea
1113130	458036451	Construction style harness	XL	Ea



## ExoFit™ XP Arc Flash Harnesses

Designed in the shape of an "X" that wraps around for the ultimate in no-tangle donning and comfort, while soft edging prevents rubbing or chafing. Made of soft, lightweight, yet extremely durable 7,000-lb. nylon. Ergonomic Nomex®/Kevlar® back, shoulder and leg padding provides ultimate comfort and is even removable. Features back and front rescue web loops, pass-through buckles, and PVC-coated hardware. Capacity: 310 lbs. Arc flash-resistant up to 40 cal/cm², ASTM F887-04 compliant. Meets or exceeds all applicable OSHA regulations and ANSI Z359.11 standard.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 1110893	458018931	Arc flash harness	S	Ea
♦ 1110890	458008901	Arc flash harness	M	Ea
♦ 1110891	458008911	Arc flash harness	L	Ea
♦ 1110892	458008921	Arc flash harness	XL	Ea



1110890

BACK



## PRO™ PACK Shock-Absorbing Lanyard

Pack style, durable, energy-absorbing lanyard with 1 3/4" polyester webbing. Meets or exceeds OSHA 1926 regulation.



1340180

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1340180	458001801	Twin-leg lanyard w/ snap hook & steel rebar hooks	6'	Ea



## PRO™ D-Ring Extension

Dorsal D-ring extender with D-ring at one end, snap hook at other. 18" (45 cm).



1385000

ITEM #	ORDER #	DESCRIPTION	UOM
1385000	458050011	D-ring extension	Ea



## EZ-STOP™ Web Lanyards

Lighter, stronger and more durable than previous EZ-STOP models; 66% smaller and 40% lighter with 3/4" webbing that reduces weight. Includes HI-10™ Vectran® energy management material, which is a multifilament, high-tenacity performance yarn spun from liquid crystal polymer that is 5x stronger than steel and provides minimal moisture absorption and resists abrasion, chemicals, cuts and impact. Features redesigned steel snap hooks for lighter weight, hi-viz reflective material, Repel™ webbing, protected labels and an i-Safe™ identification tag. Lightest, strongest, smallest shock absorber in the world with rugged, durable, soft shock absorber cover. Patent-pending, locking gate/nose design for maximum strength and security. Dual action, 3,600-lb. gate for ANSI/CSA compliance and increased strength. 2 1/2" Gate opening fits around most structures. Modular models reduce overall cost of ownership, as components can be replaced individually in the field.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1246011	458060111	Single leg lanyard w/ snap hooks both ends	6'	Ea
♦ 1246022	458060221	Twin-leg lanyard w/ snap hooks at leg ends	6'	Ea



1246011



1241460

## EZ-STOP™ Retrax™ Lanyard

Utilizes retraction technology similar to airport security lines, retracting and expanding smoothly and consistently from 2 1/2' to 6'. Retraction keeps lanyard taut and close to body at all times, reducing trip fall hazards and snagging on equipment. Compact and lightweight weighing only 2 lbs. Gate compliance is 3,600 lb. Limits arresting forces to 900 lbs. or less. RFID technology enabled, 1 3/8" wide web. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1241460	458014611	Single leg lanyard w/ snap hooks both ends	2 1/2'-6'	Ea



3590500



## Rebel™ Self-Retracting Lifelines

Lightweight, compact and durable. Safer than traditional lanyards due to retractable technology to ensure falls are stopped within a few inches. Durable thermoplastic housing on both web and cable models incorporates a swiveling anchorage ring, allowing for ultimate functionality in heavy-use environments. Unique speed-sensing brake keeps forces to a minimum and reduces clearance requirements. Web models feature unique, thin webbing that enables a compact size with a load capacity of 310 lbs. Galvanized steel cable models feature a maximum arresting force of 900 lbs. and support capacity of 420 lbs. and 5 mm cable dia. Hooks have 3,600-lb. gate compliance. Two year warranty, no annual re-certification required. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
3100425	458004251	Web SRL w/ snap hook & housing carabiner	11'	Ea
3100431	458004311	Web SRL w/ snap hook & housing carabiner	20'	Ea
3590019	458090191	Cable SRL w/ snap hook & housing carabiner	15'	Ea
3590500	458005001	Cable SRL w/ swivel snap hook & housing carabiner	33'	Ea
3590550	458005501	Cable SRL w/ swivel snap hook & housing carabiner	50'	Ea



## Ultra-Lok™ Self-Retracting Lifeline for Retrieval

Rugged, yet extremely lightweight with stainless steel components, anti-ratcheting twin disc brake system and a semi-sealed design. Speed sensing brake system activates to stop a fall and reduce the forces imposed on the user to safe levels. 310-lb. capacity. Meets ANSI Z359.14, ANSI A10.32, OSHA 1910.66 and OSHA 1926.502 requirements.

### Features:

- 3-Way emergency retrieval system with built-in winch
- Integrated quick-connect mounting bracket
- Stowable retrieval handle
- 50', 3/16" Galvanized steel cable lifeline
- Rugged, extremely lightweight thermoplastic housing
- Internal energy absorption system
- Constant moving brake system pawls
- Built-in carrying handle
- Swiveling anchorage point
- Swiveling snap hook with impact indicator
- Reserve lifeline system
- Ergonomic cable handle equipped with i-Safe™ technology

ITEM #	ORDER #	DESCRIPTION	UOM
3501102	458011081	SRL for retrieval	Ea



3501102



3504430



## Ultra-Lok™ Cable Self-Retracting Lifelines

Constructed with a durable, polyurethane thermoplastic housing, stainless steel working components for corrosion resistance and aluminum side plates for maximum durability and minimum weight. Anti-ratcheting twin disc brake system with an audio indicator lets worker know it is functioning properly. Features 3/16" galvanized cable lifeline, reserve lifeline retention system for added safety, 3,600-lb. rated swivel snap hook and swiveling anchorage loop to prevent twisting of lifeline. i-Safe™ enabled with RFID technology. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
3504433	45804433	Cable SRL w/ swivel snap hook	20'	Ea
3504430	458020201	Cable SRL w/ swivel snap hook	30'	Ea
3504450	458044501	Cable SRL w/ swivel snap hook	50'	Ea



1244306

## ShockWave2™ Web Shock-Absorbing Lanyards

Stretchable lanyard incorporates a unique inner core that immediately begins to extend and absorb energy during a fall, limiting arresting forces to an average of 900 lbs. Features abrasion-resistant tubular webbing for durability and 3,600-lb. gated hooks. Expands to 6' and contracts to 4 1/2' in reaction to movements, reducing trip fall hazards and snagging. Impact indicator allows for visual inspection of unit. i-Safe™ RFID technology enabled. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1244306	458020121	Single leg lanyard w/ self-locking steel snap hooks both ends	6'	Ea
♦ 1244321	458035081	Single leg lanyard w/ self-locking snap hook & 2 1/2" gate flat steel hook	6'	Ea
1244412	458020141	Twin-leg lanyard w/ self-locking snap hook & 2 1/2" gate flat steel hooks at leg ends	6'	Ea



## Talon™ Self-Retracting Lifeline

Compact, lightweight design with an all-metal braking system. Anti-ratcheting dual pawl design limits maximum arresting force to 900 lbs. Two styles of anchorage connectors for larger and smaller diameter anchorage points. Features spring-loaded locking pin, impact-resistant nylon housing with 1" nylon webbing and snap hook impact indicator to warn when unit needs to be replaced. Audible indicator ensures unit is functioning properly. No service/recertification required, reducing cost of ownership. i-Safe™ enabled with RFID technology. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI A10.14-1991 and ANSI Z359.1-2007.

3101000



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
3101000	458000011	Single leg SRL w/ snap hook	8'	Ea



3101277



### Nano-Lok™ Self-Retracting Lifelines

Ergonomically designed for ease-of-use and is ideal for direct connection to most harnesses. Lightweight, stays out of the way and can easily be used as a lanyard replacement. Locks quickly, stopping a fall within inches and providing more protection at low heights. Tension is always kept on the lifeline, which


reduces dragging, snagging and trip falls. Features impact-resistant housing, automatic, quick-activating arrestor, impact indicator, 3,600-lb. rated gate openings on carabiners and hooks, and 6' or 9' retractable lifeline. i-Safe™ enabled. Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI standards.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
3101277	458012771	Twin-leg SRL w/ connector & (2) aluminum rebar hooks	6'	Ea
♦ 3101374	458013741	Twin-leg tie-back SRL w/ fixed connector & 5,000-lb. rated WrapBax hook ends	9'	Ea



### Nano-Lok™ Edge Self-Retracting Lifeline

Specifically designed for foot level tie-off, when anchoring at the user's feet is the only option. Ergonomically designed for comfort. Limits average arresting forces to 900 lbs. or less. Requires fall clearances as low as 16'. Integrated, backpack-style energy absorber works with connector to limit forces to protect against sharp edges. Backpack design stays tight to harness and evenly disperses unit's weight. Easy-to-install, direct-to-harness connector provides 360° of rotation, seamless integration of the energy absorber, and leaves the D-ring open for rescue or other equipment. Global sharp edge icon for quick identification of sharp edge product. Tough, flexible, lifeline: 3/16" galvanized cable provides maximum range of motion, durability and cut resistance. Impact-resistant, lightweight thermoplastic housing provides maximum durability. Various hook options and configurations available. Bright orange color for easy identification. Meets applicable standards, including ANSI Z359.14.



3500227

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
3500227	458012361	Twin-leg SRL w/ steel rebar lock hook, 2 1/2" gate	8'	Ea



3400900



### Sealed-Blok™ Self-Retracting Lifeline

Design separates all dynamic components, including the motor spring and brake, from foreign elements such as grease, moisture and dirt. Environmentally sealed stainless steel and cast aluminum housing is designed for durability, even in harsh environments. Anti-ratcheting brake stops falls within inches and limits arresting forces to 900 lbs. Self-locking swivel snap hook with impact indicator. Large pivoting anchorage handle stays in line with load for added security. i-Safe™ Intelligent Safety System enabled. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 3400900	458020441	SRL w/ galvanized cable & steel snap hook	50'	Ea



### Rope Lifeline Assemblies

Constructed of 5/8" polyester/polypropylene blend that offers additional abrasion and UV resistance. Self-locking snap hook has 3,600-lb. gate strength. Meets or exceeds all applicable OSHA regulations and ANSI standards.



1202754

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1202754	458027541	Rope lifeline w/ snap hook & taped end	30'	Ea
1202794	458035071	Rope lifeline w/ snap hook & taped end	50'	Ea



### Tie-Off Adapters

Pass-through design for quick and easy attachment to anchorage. Standard adapter has 1 3/4" polyester strap with 5,000-lb. minimum tensile strength and 3" wide wear pad and coated steel hardware for added abrasion resistance and durability. i-Safe™ enabled with RFID technology. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.



1003000

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1003000	458030001	Tie-off adapter	3'	Ea
1003006	458035001	Tie-off adapter	6'	Ea



### EZ-Line™ Retractable Horizontal Lifeline System

Innovative retractable design allows for quick and efficient set-up and disassembly of any length system. Retractable lifeline is simply pulled out for installation and retracted with built-in winch for dismantle. Entire 60' system is retracted into easy-to-carry case which eliminates large, bulky coils of cable. Weighs 25 lbs. Built-in pre-tension and impact indicators take guess work out of set-up and inspection. Provides hands-free horizontal mobility and continuous protection for (2) users per span, up to (6) users per system. Stanchions not included.

ITEM #	ORDER #	DESCRIPTION	UOM
7605060	458020231	Retractable horizontal lifeline system	Ea



7605060







## Lad-Saf™ Cable Sleeve for Ladder Safety System

Sleeve with carabiner for Lad-Saf fixed ladder safety system. For use on 3/8" and 5/16" 1x7 or 7x19 solid core cable. Automatically follows user for hands-free climbing and fall protection. Easy to install and detach anywhere along lifeline. Secure locking system stops falls within inches. Built-in gravity lock prevents incorrect installation. Saflok™ steel carabiner for secure connection to harness. Extremely rugged and corrosion-resistant construction; compact, lightweight design with integrated i-Safe™ tag. Order top and bottom brackets, cable and guides separately.

ITEM #	ORDER #	DESCRIPTION	UOM
6160054	458020221	Detachable cable sleeve w/ carabiner	Ea



## Rope Grab

Hands-free, 5/8" diameter rope grab designed as a mobile-type, energy-absorbing grab with less sensitivity to rope variations. For use with polypropylene rope. Meets or exceeds all applicable OSHA regulations and ANSI Z359.15 standard.



ITEM #	ORDER #	DESCRIPTION	UOM
5000335	458020211	Rope grab	Ea



## D-Ring with Anchorage Plate

Stainless steel plate with (2) 1/2" attachment holes. Integral D-ring with 5,000-lb. minimum breaking strength. Bolt or weld the unit to a structure. 1/4" x 2" W x 4 1/4" L. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.



ITEM #	ORDER #	DESCRIPTION	UOM
2101630	458016301	D-ring w/ anchorage plate	Ea
2101636	45801636	D-ring w/ anchorage plate, all stainless steel	Ea



## Suspension Trauma Safety Straps

Allows suspended worker to stand up in harness relieving pressure on arteries and veins around top of legs. Continuous loop design allows both sides of harness to relieve pressure. Strap provides increased comfort and improved circulation to one or both feet at a time while suspended. Safety accessories can be attached to most harness brands/styles right in the field. Installation is fast and efficient - just choke off to strap. Stows easily and stays out of worker's way. To deploy, simply unzip, hook straps together and step into. Sold as set of 2. Harness not included.




ITEM #	ORDER #	DESCRIPTION	UOM
9501403	458020251	Suspension trauma safety straps	Set



## D-Ring Extension

Features a snap hook at one end and a D-ring at the other. Makes harness connections quicker, easier and safer. Heavy-duty webbing construction and RFID technology enabled. Meets or exceeds all applicable OSHA requirements and ANSI standards, including ANSI A10.14 (Type II).

ITEM #	ORDER #	DESCRIPTION	UOM
1231117	458036691	18" D-ring extension	Ea



## Saflok™ Carabiners


Used to securely attach components together. Steel construction with maximum strength of 5,000 lbs. and wide throat openings. Several are designed for easy securing while wearing gloves and all are self-closing/self-locking to keep components firmly attached. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359-2007 for 3,600-lb. gate.

ITEM #	ORDER #	DESCRIPTION	UOM
2000112	458011121	Carabiner, 11/16" opening	Ea
2000114	458020151	Carabiner, 2 3/16" opening	Ea



## Fixed Beam Anchors

Specifically designed for fall arrest anchorage, but can also be used as end point for some horizontal lifeline systems. Installs quickly to beam structure, tightens using built-in adjustment handle. Attaches to beam structure in any orientation or direction for added versatility. Rated 5,000 lbs. minimum strength in any direction. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.




2108406

ITEM #	ORDER #	DESCRIPTION	UOM
2108406	458036011	Fixed beam anchor, fits 2 1/2" to 12" wide flange up to 1 1/2" thick	Ea
2108407	458036921	Fixed beam anchor, fits 2 1/2" to 18" wide flange up to 1 1/2" thick	Ea
2108408	458084081	Fixed beam anchor, fits 2 1/2" to 24" wide flange up to 1 1/2" thick	Ea
2108410	458084101	Fixed beam anchor, fits 12" to 36" wide flange up to 2 1/2" thick	Ea



## Glyder™ and Glyder2™ Sliding Beam Anchorage Systems

Provides complete horizontal mobility and can be tied-off overhead or at feet (use with Force2™ shock-absorbing lanyard when used at feet). Anchor effortlessly slides across beam on replaceable wear pads, eliminating metal-to-metal contact. Stainless steel construction for corrosion resistance and strength (5,000-lb. min. tensile strength). Channel lock prevents beam grip ends from rotating for hassle-free connection. Positive spring-loaded engagement provides precision adjustment. Dual-beam grip adjustment prevents twisting and turning as it moves along beam. Glyder model: pins install from top for easier installation; pin retainment system prevents loss or damage to locking pins. Glyder2 model requires no pins and weighs 3.7 lbs. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.



2104700

ITEM #	ORDER #	DESCRIPTION	UOM
2104700	458020161	Glyder2 sliding beam anchorage system, fits 3 1/2" to 14" wide flange up to 1 1/4" thick	Ea
2110941	458036931	Glyder sliding beam anchorage system, fits 6" to 18" wide flange up to 2 1/2" thick	Ea



Image courtesy of DBI-Sala




2199802

## Compliance in a Can™

**Compliance in a Can:** Complete roofing fall protection system with 5-point harness, 5/8" rope grab with 2' shock absorber and 5/8", 50' blend rope lifeline with attached snap hook.

**Compliance in a Can Light:** Kit includes a 5-point, universal size harness with pass-through legs and a PRO™ single leg, shock-pack lanyard with 3,600-lb. hooks.

ITEM #	ORDER #	DESCRIPTION	UOM
2199803	458098031	Compliance in a Can, original container	Ea
◆ 2199802	458098021	Compliance in a Can Light, original container	Ea



8518000

## Advanced™ 5-Piece Hoist System

Designed for manhole and other confined space entry and retrieval applications. Constructed of lightweight materials including high-strength aluminum. Davit pivots for ease of rescue and has an adjustment feature for overhead clearance restrictions. Lower base adjusts to fit most standard entries. System comes equipped with 11 1/2" to 27 1/2" adjustable offset upper mast, 33" lower mast, 3-piece lightweight base and winch mount brackets. Winches and SRLs sold separately. Meets or exceeds all applicable OSHA regulations and ANSI standards.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 8518000	458068271	Advanced System	Ea



10077571



## Workman® Construction Harness

Vest style harness with back and hip D-rings for work positioning. Features abrasion-resistant, durable yellow polyester webbing for high visibility, lightweight components, integral back pad, removable tongue-buckle tool belt, tongue-buckle leg straps, shoulder pads and web retainer collars. Color-contrasting thigh and torso straps simplify donning. Fits a wide range of body types and sizes. Instructions in English, Spanish and French Canadian. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI Z359.1-2007 and A10.32 and CSA Z259.10-06.

FEATURES	10077571
Size	Standard
Back D-Ring	Yes
Hip D-Rings	Yes
Shoulder Pads	Yes

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
10077571	3085305B1	Construction harness	Standard	Ea



## Workman® Full-Body Harnesses

Vest style harness with back D-ring and optional hip D-rings for work positioning. Features abrasion-resistant, durable yellow polyester webbing for high visibility, lightweight components, Qwik-Fit™ chest strap and web retainer collars. Choice of Qwik-Fit or tongue-buckle leg straps. Color-contrasting thigh and torso straps simplify donning. Fits a wide range of body types and sizes. Instructions in English, Spanish and French Canadian. Meets all applicable OSHA, ANSI Z359.1-2007 and CSA Z259.10-06 standards.

FEATURES	10072487	10072488	10072479	10072483	10072491
Size	Standard	XL	Standard	Standard	Standard
Back D-Ring	Yes	Yes	Yes	Yes	Yes
Hip D-Rings	No	No	No	Yes	Yes
Chest Straps	Qwik-Fit	Qwik-Fit	Qwik-Fit	Qwik-Fit	Qwik-Fit
Leg Strap Buckles	Tongue	Tongue	Qwik-Fit	Qwik-Fit	Tongue

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
10072487	3085985A1	Full-body harness w/ back D-ring & tongue-buckle legs	Standard	Ea
10072488	3085001C1	Full-body harness w/ back D-ring & tongue-buckle legs	XL	Ea
10072479	3085983A1	Full-body harness w/ back D-ring & Qwik-Fit legs	Standard	Ea
♦ 10072483	3085431B1	Full-body harness w/ back & hip D-rings & Qwik-Fit legs	Standard	Ea
10072491	3085432B1	Full-body harness w/ back & hip D-rings & tongue-buckle legs	Standard	Ea



10072479

10077571 BACK

10072479 BACK



## FP Diamond™ Energy-Absorbing Lanyard

Lightweight and features durable polyester sheathing for increased abrasion and UV resistance. Includes a highly visible deployment tag. Pouchless design with added comfort. Contracts to 4 1/2'. Meets all applicable OSHA and CSA standards and requirements, including CSA Z259.11-05 E4.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
10023932	308522171	Single leg lanyard w/ HL2000 harness & HL2000 anchor connectors	6'	Ea



10023932



## FP5K™ Tie-Back Energy-Absorbing Lanyards

Lanyard utilizes a carabiner with a 1" gate opening and 5,000-lb. gate strength in any direction that allows it to be tied back directly to the lanyard. Carabiner body shape helps avoid confusion with standard connectors not designed for tie-back applications. Utilizes Monster-Edge™ webbing with 12,000-lb. minimum breaking strength designed for increased abrasion resistance. Internal wear indicator consists of (2) yellow threads that, when visible, alert a user that the lanyard should be removed from service. Utilizes the Sure-Stop™ energy absorber to keep fall arrest forces below 900 lbs. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI Z359.13 and CSA Z259.11-05 E4.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
10047084	308535541	Single leg tie-back lanyard, adjustable web w/ 36C snap hook & FP5K snap hook	6'	Ea
♦ 10107208	308572501	Twin-leg tie-back lanyard, adjustable web w/ 36C snap hook & (2) FP5K snap hooks	6'	Ea



10107208



10113159



## Workman® Energy-Absorbing Lanyard

Lightweight lanyard with a low-profile body. Energy absorber includes a clear, durable protective cover over the labels to increase service life and allow for easy inspection. Tear-tape design keeps fall arrest forces below 900 lbs. Meets all applicable OSHA regulations and ANSI Z359.13.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 10113159	308531591	Twin-leg lanyard w/ 36C snap hooks	6'	EA





### Dyna-Lock® Self-Retracting Lanyard

Three continuously moving independent braking mechanisms prevent freezing in icy or corrosive conditions. Built-in shock absorber limits fall arrest forces to under 900 lbs. and 4 1/2' per second locking speed. Forged steel, zinc-plated, self-locking swivel snap hook on each unit with load indicator that activates and alerts user of impact loading. Lanyard is 3/16" galvanized cable. Capacity/working load is 400 lbs. maximum and 75 lbs. minimum. Meets all applicable OSHA regulations and ANSI standards, including ANSI Z359.14.



506204

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 506204	308572041	Galvanized cable SRL	50'	Ea



### Workman® Self-Retracting Lanyard

Integral ergonomic carrying handle for easier transport and installation. Swivel snap hook with load indicator at lifeline end greatly limits twisting of cable; also alerts users that unit has been involved in a fall and must be removed from service. RFID-enabled to simplify product tracking and inspection. Working capacity: 400 lbs. No required annual factory recertification. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI Z359.14 and CSA Z259.2.2.



10119507

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 10119507	309000000	Galvanized cable SRL	30'	Ea



### Workman® Personal Fall Limiter

Engineered thermoplastic housing decreases weight; rugged, impact-absorbing protective bumpers add durability. High-quality design reduces cost of ownership and eliminates downtime. Integral swivel on PFL connector and a load indicator that alerts unit has been involved in a fall and must be removed from service. Field-replaceable lifeline. No annual factory recertification. Working capacity: 400 lbs. Meets all applicable OSHA regulations, ANSI Z359.14 and CSA Z259.2.2.


10093350

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
10093350	3085626C1	Web PFL w/ 1" steel carabiner & LC snap hook	12'	Ea



### Workman® FP Stryder™ Anchorage Connector

Lightweight at 4 1/2 lbs. with 400-lb. load capacity and offers easy, single hand installation. Low-friction wear pads with Teflon® eliminate metal-to-metal contact and allow anchorage connector to glide effortlessly along beam flange. Designed with integral load indicator that alerts user if unit has been exposed to a fall. Versatile design allows for mounting overhead or at worker's feet. Adjustable vernier allows for a secure fit and 1/4" adjustment intervals. Easy-to-use, push button adjustment. Fits beam flange widths from 4" to 14". Field serviceable. Meets all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.



10144431

ITEM #	ORDER #	DESCRIPTION	UOM
♦ 10144431	308544331	Anchorage connector	Ea



### Workman® Arc Flash Harnesses

Designed to protect a worker during a fall after an arc-flash exposure at 40 cal/ cm². Durable nylon material will not melt or drip in the event of an arc flash. Features steel back D-ring; Y-shaped D-locator pad that keeps torso straps off of the user's neck to prevent chafing; and Velcro® lanyard keepers for lanyard stowage when not in use. Arc Flash symbol for easy identification. Meets ANSI Z359.1, ASTM F887, OSHA 1910.269 and CSA Z259.10 requirements.



10152652

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 10152652	308526551	Arc flash harness w/ Qwik-Fit™ leg straps	Standard	Ea
♦ 10152637	308526391	Arc flash harness w/ tongue-buckle leg straps	Standard	Ea




### Workman® Mini Personal Fall Limiters

Internal pawl-lock design provides many lower level tie-off points for numerous work applications. Swivel eye connection eliminates line twisting. External energy absorber provides visual load indicator for easy inspection. Twin-leg carabiner connection keeps harness D-ring available for use with other equipment while climbing, or for rescue purposes. Working capacity: 400 lbs. Meets all applicable OSHA regulations and ANSI Z359.14 (Class A).

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 10157844	308578441	Single leg PFL w/ AL36C aluminum snap hook	6'	Ea
♦ 10157860	308578601	Twin-leg PFL w/ Pelican hooks	6'	Ea



10157844



R10CN-TB-BDP/UGN



## Miller Revolution™ Construction Harnesses

Features heavy-duty webbing, mating-buckle chest straps, cam buckles, stand-up D-ring, self-contained label pack, web finials and an integrated back and shoulder pad. Rotating PivotLink™ connection provides convenient attachment point for belts, tools and accessories. Rated to 400 lbs. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements.

FEATURES	R10CN-TB/UGN	R10CN-TB-BDP/UGN
Size	Universal	Universal
Stand-Up Back D-Ring	Yes	Yes
Side D-Rings	No	Yes
Integrated Back/Shoulder Pads	Yes	Yes
Quick-Connect Chest & Leg Buckles	No	No
Cam Shoulder Buckles	Yes	Yes
Tongue Buckle Leg Straps	Yes	Yes
Label Pack	Yes	Yes
Web Finials	Yes	Yes
Removable Belt	No	Yes
Sub-Pelvic Strap	Yes	Yes
PivotLink Hip Connection	Yes	Yes

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ R10CN-TB/UGN	341556881	Construction harness w/ tongue-buckle legs	Universal	Ea
♦ R10CN-TB-BDP/UGN	341557111	Construction harness w/ side D-rings & pad, tongue-buckle legs & removable belt	Universal	Ea

R10CN-TB/UGN

## Miller Revolution™ Harnesses with DualTech™ Webbing

DualTech webbing offers soft, textured inside and durable, chemical-resistant polyester outer material. Features ErgoArmor™ semi-flexible back shield for impact protection, PivotLink™ connection, quick-release cam buckles for one-hand adjustments, self-contained label pack, quick-connect chest buckle, stand-up back D-ring, sub-pelvic strap and web finials. Tested to 7,000-lb. minimum tensile strength for greater safety and longer service life. Rated to 400 lbs. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements.

FEATURES	RDT-QC/UBK	RDT-TB/UBK
Size	Universal	Universal
Stand-Up Back D-Ring	Yes	Yes
Side D-Rings	No	No
Shoulder Pads	Yes	Yes
Quick-Connect Chest & Leg Buckles	Leg only	Chest only
Cam Shoulder Buckles	Yes	Yes
Tongue Buckle Leg Straps	No	Yes
Label Pack	Yes	Yes
Web Finials	Yes	Yes
Removable Belt	No	No
Sub-Pelvic Strap	Yes	Yes



RDT-TB/UBK

RDT-QC/UBK

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
RDT-QC/UBK	341504611	Harness w/ quick-connect legs	Universal	Ea
♦ RDT-TB/UBK	341504661	Harness w/ tongue-buckle legs	Universal	Ea



650CN-BDP/UGN



## Miller Contractor Harnesses

Specifically designed for use in construction. Lightweight, non-stretch webbing with a combination back D-ring pad/shoulder pads to minimize discomfort and stress around neck and shoulders. Soft lumbar back pad adds support and comfort. Features belt loops and removable waist belt, tongue-buckle leg straps, friction-buckle shoulder adjustments, mating-buckle chest straps, self-contained label pack and (2) pull-free lanyard rings. Rated to 400 lbs. capacity. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements.

FEATURES	650CN-BP/UGN	650CN-BDP/UGN
Size	Universal	Universal
Back D-Ring	Yes	Yes
Front D-Ring	Option	Option
Side D-Rings	No	Yes
Chest Strap Buckle	Mating	Mating
Shoulder Strap Buckles	Friction	Friction
Leg Strap Buckles	Tongue	Tongue
Sub-Pelvic Strap	Yes	Yes

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 650CN-BP/UGN	341558481	Contractor harness w/ back D-ring	Universal	Ea
650CN-BDP/UGN	341579911	Contractor harness w/ back & side D-rings	Universal	Ea


650CN-BP/UGN



## Lightweight/Comfort Welder Harness

Lightweight harness features blue, flame-retardant Nomex® webbing to protect against weld splatter. Inner Kevlar® core adds strength and high-temperature resistance. Equipped with back D-ring, mating-buckle chest and leg straps, friction shoulder straps, sub-pelvic strap, belt loops and pull-up adjustment. Rated to 400 lbs. capacity. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements.

FEATURES	650K/UBL
Size	Universal
Back D-Ring	Yes
Front D-Ring	No
Side D-Rings	No
Shoulder Strap Buckles	Friction
Leg Strap Buckles	Mating
Chest Strap Buckles	Mating
Sub-Pelvic Strap	Yes



650K/UBL



E650/UGN



## DuraFlex® Stretchable Harness

Comfortable, stretchable webbing with back D-ring, mating-buckle chest and leg straps, sub-pelvic straps, belt loops, friction shoulder straps and back strap to prevent user from falling out of the harness. Pull-free lanyard rings allow for attachment of lanyard when not in use. Green. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements.

FEATURES	E650/UGN
Size	Universal
Back D-Ring	Yes
Side D-Rings	No
Leg Buckles	Mating
Chest Strap	Mating

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
650K/UBL	341558471	Welder harness	Universal	Ea



219M-Z7/6FTGN

## Manyard® II Stretchable Shock-Absorbing Lanyards

Contracts from 6' to 4', reducing chances of tripping, snagging or dragging. Woven shock-absorbing inner core smoothly expands to reduce fall arrest forces, while outer jacket serves as a back-up web lanyard. Unique warning flag provides visual proof that lanyard has been involved in a fall and must be removed from service. Snap hooks have 3/4" gate opening and rebar hooks have 2 1/2" opening. Includes inspection log label. Green. Connector gates rated at 3,600 lbs. Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
216M-Z7/6FTGN	341558431	Single leg lanyard w/ locking snap hooks both ends	6'	Ea
219M-Z7/6FTGN	341558421	Single leg lanyard w/ locking snap hook & rebar hook	6'	Ea
232M-Z7/6FTGN	341558401	Twin-leg lanyard w/ locking snap hooks all ends	6'	Ea



## StretchStop® Lanyards with SofStop® Shock Absorber

Contracts from 6' to 4', reducing chances of tripping, snagging or dragging. SofStop shock absorber is designed with a specially-woven inner core that smoothly expands to reduce fall arrest forces. Includes a heavy-duty back-up safety strap. Snap hooks have 3/4" throat opening and rebar hooks have 2 1/2" opening. Green. Connector gates rated at 3,600 lbs. Meets all applicable OSHA, ANSI and CSA standards and requirements.



913SS-Z7/6FTGN

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
913SS-Z7/6FTGN	341564811	Single leg lanyard w/ locking snap hooks both ends	6'	Ea
913RSS-Z7/6FTGN	341560141	Single leg lanyard w/ locking snap hook & locking rebar hook	6'	Ea
8798SS-Z7/6FTGN	341569081	Twin-leg lanyard w/ locking snap hooks all ends	6'	Ea
8798RSS-Z7/6FTGN	341579861	Twin-leg lanyard w/ locking snap hook & locking rebar hooks	6'	Ea





## BackBiter® Tie-Back Lanyards

All-in-one lanyard designed specifically for tie-back use reduces inventory and increases worker compliance. Features SofStop® shock absorber designed with a specially-woven inner core that smoothly expands to reduce fall arrest forces. Includes locking Miller 5K® snap hook (5,000-lb. gate load capacity from any angle), locking snap hook with 3/4" gate opening harness connection, heavy-duty webbing and cross-arm anchorage connector. Twin-leg models can be used for 100% tie-off requirements. Green. All connectors rated at 3,600-lb. gate strength. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
913B/6FTGN	341543671	Single leg tie-back lanyard	6'	Ea
♦ 8798B/6FTGN	341552001	Twin-leg tie-back lanyard	6'	Ea



## Miller Scorpion™ Personal Fall Limiters

Lightweight, compact design offers greater mobility, requires less fall clearance and reduces tripping hazards. Greater versatility through dual operation. Attaches directly to harness D-ring for use as personal fall limiter or as traditional self-retracting lifeline. Includes quick-activating, high strength stainless steel braking system to arrest free falls; visual load indicator to warn when unit must be removed from service; and carabiner. No annual factory recertification required. Capacity: 310 lbs. (400-lb. rated models available). Connector gates rated at 3,600 lbs. Meets all applicable OSHA, ANSI and CSA standards and requirements.



PFL-4-Z7/9FT

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
PFL-4-Z7/9FT	341558361	PFL w/ carabiner, swivel shackle & locking snap hook	9'	Ea



## MightyLite™ Self-Retracting Lifelines

Ideally suited to a variety of construction, industrial, warehouse, utility and confined space applications. Compact design with swivels on snap hook and on top of unit perfect for hard-to-mount and permanent mount locations. Constructed with corrosion-resistant aluminum and stainless steel for long life. Automatic inertia brakes engage during a fall. Choose from 1" polyester webbing or galvanized wire rope. No annual factory recertification required. Rated to 400 lbs. when using 928LS/18INYL SofStop® shock absorber. Connector gates rated at 3,600 lbs. Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ RL20P-Z7/20FT	341558371	Web SRL w/ tagline & carabiner	20'	Ea
♦ RL20G-Z7/20FT	341558331	Cable SRL w/ tagline & carabiner	20'	Ea



RL20G-Z7/20FT



RL20P-Z7/20FT



## TurboLite™ Personal Fall Limiters

Compact and lightweight unit attaches directly to harness back D-ring for greater mobility. Eliminates need for different fall protection equipment to address changes in fall clearance. High-strength, impact-resistant nylon housing is lightweight and designed for maximum durability with 6' of working capacity lifeline. Capacity: 400 lbs. Connector gates rated at 3,600 lbs. No annual factory recertification required. Meets all applicable OSHA, ANSI and CSA standards and requirements.



MFL-1-Z7/6FT

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
MFL-1-Z7/6FT	341557191	PFL w/ steel twist-lock carabiner & locking snap hook	6'	Ea
♦ MFL-2-Z7/6FT	341564001	PFL w/ steel twist-lock carabiner & locking rebar hook	6'	Ea
♦ MFL-3-Z7/6FT	341564011	PFL w/ locking snap hook, no unit connector	6'	Ea
♦ MFL-4-Z7/6FT	341564021	PFL w/ locking rebar hook, no unit connector	6'	Ea
♦ MFL-9-Z7/6FT	341557791	PFL w/ locking snap hooks both ends	6'	Ea
♦ MFL-10-Z7/6FT	341559021	PFL w/ locking snap hook & locking rebar hook	6'	Ea



## Turbo T-BAK™ Personal Fall Limiters

Tie-back anywhere on lifeline. Cost-effective alternative to tie-back, shock-absorbing lanyards. All-in-one, self-retracting lifeline/anchorage connector designed for anchoring below user's harness back D-ring for greater safety, with integrated shock absorber for tie-back applications with load indicator device. Heavy-duty web lifeline extends/retracts smoothly without interruption. Provides more tie-off anchorage locations with greater variety of beam-size options. Miller 5K® locking snap hook has 5,000-lb. gate capacity from any angle. High-tech strength and abrasion-resistant webbing with white side stripe stitching indicating tie-back use. User-rated for 400-lbs. capacity. Meets all applicable OSHA, ANSI, CSA and CE standards and requirements. ANSI Z359-compliant model has connector gates rated at 3,600 lbs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ MFLT-1/7.5FT	341566411	PFL w/out unit connector	7 1/2'	Ea
◆ MFLT-2/7.5FT	341566421	PFL w/ steel twist-lock carabiner	7 1/2'	Ea
◆ MFLT-3/7.5FT	341566441	PFL w/ lightweight aluminum twist-lock carabiner	7 1/2'	Ea
◆ MFLT-4/7.5FT	341566451	PFL w/ locking snap hook w/ 3/4" gate opening	7 1/2'	Ea
◆ MFLT-5/7.5FT	341566461	PFL w/ ANSI Z359-compliant snap hook w/ 3/4" gate opening	7 1/2'	Ea
◆ MFLT-1B/7.5FT	341566471	Twin Turbo™ D-ring connector w/ (2) MFLT-1/7.5FT PFL units	7 1/2'	Ea

MFLT-2/7.5FT



MFLT-1/7.5FT



## Falcon™ Self-Retracting Lifelines

High impact-resistant nylon housing with smooth, round edges increases durability. Corrosion-resistant stainless steel and aluminum internal components. Unique side payout design reduces wear on entry guide bushing and cable. Spring tension operation designed not to pull or drag on worker to improve productivity and reduce fatigue. Available in 3/16" galvanized wire rope, stainless steel cable or 0.69" web. Cable models have dual swivels (unit top and snap hook) included to minimize lifeline twisting during use. Improved load indicator on snap hook identifies when unit needs to be removed from service. No annual factory recertification required. Web model rated to 400 lbs. capacity; cable models require SofStop® shock absorber (928LS/18INYL) for 400-lb. rating. Connector gates rated at 3,600 lbs. Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
MP20P-Z7/20FT	341562361	Web SRL w/ stainless steel swivel, carabiner & aluminum snap hook	20'	Ea
MP20G-Z7/20FT	341589711	Cable SRL w/ tagline & carabiner	20'	Ea

MP20G-Z7/20FT



FL11-3-Z7/11FT



## Miller MiniLite® Fall Limiter

Self-retracting 11' web lanyard with quick-activating braking system that limits a free fall to inches. Reduces need for extended fall distance clearance, minimizing injuries and making rescue easier. Includes steel twist-lock carabiner, stainless steel swivel shackle and locking snap hook. Capacity: 310 lbs. Connector gates rated at 3,600 lbs. Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
FL11-3-Z7/11FT	341558351	Fall limiter w/ steel twist-lock carabiner & swivel shackle	11'	Ea



## Miller Grip™ 3/4" Portable/Reusable Anchorage Connector

Designed as intermediary for securing connecting device to anchorage. Primarily used in concrete applications to attach lifeline or lanyard of single user. Portable, reusable anchorage device easily fastens by pulling spring-loaded trigger and fitting device through hole drilled in properly cured concrete. When anchor is in place, tapered wedges open inside hole and provide secure grip. Can be removed and simply reinstalled in new vertical or horizontal location. 5,000-lb. Ultimate strength, single user connection, 400-lb. capacity.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 496	341508031	Anchorage connector	Ea



496



8816-14



## Miller Shadow® Adjustable Aluminum Beam Anchor

Connects horizontally to wide range of I and H beam flanges from 3" to 14" wide and up to 2 1/2" thick. Once attached, unit slides along beam with worker to provide increased safety, mobility and productivity. Integral positive-lock engagement system eliminates need for loose connection pins which can be installed incorrectly or inadvertently disengaged. Meets all applicable OSHA regulations and ANSI standards.

ITEM #	ORDER #	DESCRIPTION	UOM
8816-14	341510151	Shadow beam anchor	Ea



## Body Belt

Maintains worker position in operations such as setting forms and tying rebar. Features heavy-duty webbing with built-in 3" back pad, tongue buckle and side D-rings. Universal size is L/XL. For positioning only and not intended for fall protection.



2NA/UBK

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2NA/UBK	341507101	Body belt w/ side D-rings	Universal	Ea



## Harness Belt

Harness accessory for attaching tools. Black web belt is 1 3/4" with tongue buckle. Universal size is L/XL. Not intended for fall protection.



6414N/UBK

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
6414N/UBK	341508261	Harness belt	Universal	Ea



17D-1



## Miller Carabiners

Lightweight, automatic twist-lock operation.

ITEM #	ORDER #	DESCRIPTION	UOM
17D-1	34150171	Steel carabiner, 1" gate opening	Ea
18D-1	341506821	Steel carabiner, 2" gate opening	Ea



## Titan™ Cross-Arm Strap

Commonly used in conjunction with tie-off point, such as an I-beam, column, rebar, scaffolding, roof truss or other structural member to join connecting device to anchor point. 6' Web strap features a D-ring which slips through a web loop. Meets all applicable OSHA, ANSI and CSA standards and requirements.



T7314/6FTAF

ITEM #	ORDER #	DESCRIPTION	UOM
T7314/6FTAF	341506661	Cross-arm strap	Ea

T6121-27/6FTAF



## Titan™ Pack-Type Shock-Absorbing Lanyard

Lightweight, durable polyester webbing with shock-absorber pack. In the event of a fall, pack smoothly expands to reduce fall forces, while backup safety strap deploys for added fall protection. Connector gates rated at 3,600 lbs. Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
T6121-27/6FTAF	341567461	Twin-leg pack-type lanyard w/ snap hooks all ends	6'	Ea





## Titan™ Non-Stretch Harnesses

Constructed with lightweight, durable, non-stretch polyester webbing, fully adjustable full-body harness has sliding back D-ring, mating-buckle chest and shoulder straps and sub-pelvic strap. Rated at 400 lbs. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements.

FEATURES	T4000/UAK	T4500/UAK	T4007/UAK	T4507/UAK
Size	Universal	Universal	Universal	Universal
Sliding Back D-Ring	Yes	Yes	Yes	Yes
Side D-Rings	No	No	Yes	Yes
Integrated Back/Shoulder Pads	No	No	No	No
Chest & Shoulder Buckles	Mating	Mating	Mating	Mating
Leg Strap Buckles	Mating	Tongue	Mating	Tongue
Label Pack	Yes	Yes	Yes	Yes
Web Finials	No	No	No	No
Removable Belt	No	No	No	No
Sub-Pelvic Strap	Yes	Yes	Yes	Yes
Lanyard Ring	Yes	Yes	Yes	Yes

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
T4000/UAK	341541571	Harness w/ back D-ring & mating-buckle legs	Universal	Ea
T4500/UAK	341506461	Harness w/ back D-ring & tongue-buckle legs	Universal	Ea
♦ T4007/UAK	341506431	Harness w/ back & side D-rings & mating-buckle legs	Universal	Ea
T4507/UAK	341506471	Harness w/ back & side D-rings & tongue-buckle legs	Universal	Ea



## Titan T-Flex™ Stretchable Harnesses

Durable, stretch webbing and fully adjustable design improves comfort and mobility. Features back strap to prevent roll out, sliding back D-ring and pad for positioning, non-slip, mating-buckle chest strap, sub-pelvic strap and pull-free lanyard ring.



TF4500/UAK

Contrasting color leg straps simplify donning. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements.

FEATURES	TF4000/UAK	TF4500/UAK	TF4007/UAK	TF4507/UAK
Size	Universal	Universal	Universal	Universal
Sliding Back D-Ring & Pad	Yes	Yes	Yes	Yes
Side D-Rings	No	No	Yes	Yes
Integrated Back/Shoulder Pads	No	No	No	No
Chest Strap	Mating	Mating	Mating	Mating
Shoulder Buckles	No	No	No	No
Leg Strap Buckles	Mating	Tongue	Mating	Tongue
Label Pack	Yes	Yes	Yes	Yes
Web Finials	No	No	No	No
Removable Belt	No	No	No	No
Sub-Pelvic Strap	Yes	Yes	Yes	Yes
Lanyard Ring	Yes	Yes	Yes	Yes

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ TF4000/UAK	341505621	Stretchable harness w/ back D-ring & mating-buckle legs	Universal	Ea
♦ TF4500/UAK	341505641	Stretchable harness w/ back D-ring & tongue-buckle legs	Universal	Ea
♦ TF4007/UAK	341505631	Stretchable harness w/ back & side D-rings & mating-buckle legs	Universal	Ea
TF4507/UAK	341505651	Stretchable harness w/ back & side D-rings & tongue-buckle legs	Universal	Ea



## Titan™ Harness/ Shock-Absorbing Lanyard Combo

Features sliding back D-ring with attached lanyard which keeps worker in an upright position in the event of a fall. Lightweight, durable webbing provides all day comfort and sub-pelvic strap helps reduce pressure on shoulders and legs. Equipped with mating-buckle leg straps. Permanently attached, 6' shock-absorbing tubular lanyard with snap hook features a built-in woven inner core that smoothly expands to reduce fall arrest forces. Capacity: 400 lbs. Lanyard connector gates rated at 3,600 lbs. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI A10.32.



TK4051-Z7/U/6FTAK

FEATURES	TRK4051/U/6FTAK
Size	Universal
Side D-Rings	No
Front D-Rings	No
Shoulder Strap	Mating
Leg Strap	Mating
Chest Strap	Mating

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
TK4051-Z7/U/6FTAK	341566651	Harness/lanyard combo	Universal	Ea



**MILLER**  
by Honeywell

## Titan™ Tubular Shock-Absorbing Lanyard

Lightweight, durable 6' webbing with built-in, woven inner core that smoothly

expands to reduce fall arrest forces, while outer jacket serves as a backup web lanyard. Connector gates rated at 3,600 lbs. Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
T5111-Z7/6FTA	341566801	Single leg tubular lanyard w/ snap hooks both ends	6'	Ea



**MILLER**  
by Honeywell

TRK4500-Z7/50FTAKU

## Titan™ Roofing Fall Protection Kit

Ideal for commercial or residential roofing applications. Contains lightweight, full-body harness, 3' pack-type shock-absorbing lanyard with snap hooks at each end, reusable roof anchor with attachment D-ring, 5/8" trailing rope grab and 50' rope lifeline. Fully adjustable harness has sliding back D-ring, sub-pelvic support strap, mating-buckle chest and shoulder straps, and tongue-buckle leg straps. Rated at 400 lbs. Trilingual labeling and instructions. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI A10.32.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
TRK4500-Z7/50FTAKU	341567341	Roofing kit	Universal	Ea



**MILLER**  
by Honeywell

## Bandit™ Tool Lanyard

Designed for attachment to waist belt while still allowing enough freedom of movement to perform task at hand. Tools connect using carabiner or by looping cord around tool and cinching tight. Includes loop for waist belt attachment and lightweight aluminum mini-carabiner and cord adjuster.

ITEM #	ORDER #	DESCRIPTION	UOM
9077/1	341510611	Tool lanyard	Ea



**MILLER**  
by Honeywell

219WRS-Z7/6FTYL

## Manyard® Shock-Absorbing Lanyards

Specially woven shock-absorbing inner core smoothly expands to reduce fall arrest forces, while outer jacket serves as a back-up web lanyard. Unique warning flag provides visual proof that lanyard has been involved in a fall and must be removed from service. Yellow. Connector gates rated at 3,600 lbs. Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
219WRS-Z7/6FTYL	341566721	Single leg lanyard w/ snap hook & rebar hook	6'	Ea



TCK4500-Z7/U/6FTAK

**MILLER**  
by Honeywell

## Titan™ Construction Fall Protection Kit

All-in-one kit designed specifically for construction industry. Includes 6' tubular shock-absorbing lanyard; 6' cross-arm strap anchorage connector; and full-body harness with tongue-buckle leg straps, sliding back D-ring and sub-pelvic support strap, rated at 400 lbs. Lanyard connector gates rated at 3,600 lbs. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
TCK4500-Z7/U/6FTAK	341566971	Construction fall protection kit	Universal	Ea



## Permanent Roof Anchors for Wood Ridge Peak

Designed to provide permanent anchorage points when securely installed on wood ridge peak. Constructed of stainless steel and intended to provide fall protection for single worker. Supplied with (8) 16d nails. Single or double D-ring configurations. Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ RA40	341504461	Double D™ permanent roof anchor	Ea
◆ RA41	341504471	Single D™ permanent roof anchor	Ea



## Titan B-Compliant™ Roof Kit

Economical, easy-to-use, complete fall protection solution simplifies product selection by providing all necessary components for fall protection safety and to meet federal OSHA compliance.

### Includes:

- Lightweight, full-body harness with 3-point adjustment and mating-buckle leg and chest straps for easy adjustment and comfortable fit. Allows for quick donning and greater mobility, increasing productivity with less worker fatigue. Universal size is L/XL.
- Rope grab with permanently-attached, 3' lanyard with shock absorber pack. In the event of a fall, rope grab locks on to rope reducing force on worker.
- 25' High-strength, 5/8" dia. polyester/polypropylene rope lifeline with locking snap hook enables quick attachment to roof anchor and is UV- and moisture-resistant for increased durability.
- Reusable stainless steel roof anchor bracket with plated D-ring is corrosion-resistant.
- Waterproof container protects equipment when stored.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ TRK2000-Z7/25FT	341567291	Roof kit	Ea



TRK2000-Z7/25FT



## Xenon® Permanent Horizontal Lifeline Kit

Automatic pass-through fall protection for multiple workers. Do-it-yourself installation with patented stainless steel components that are easy-to-use and require minimal maintenance. For use along crane rail runways, loading bays/docks, machinery, conveyors, rooftops, inside sports arenas, pipe racks, bridges and many industrial applications. Stainless steel system kits designed for up to 2 workers (up to 4 workers with a second Xenon shock absorber). Kit includes stainless steel 5/16" wire rope, Xenon 4-in-1 shock absorber, intermediate bracket, (2) stainless steel D-bolt anchorage connectors (rated up to 10,000 lbs.), swageless fast-attach fitting, anchor shackle, thimble, cable clips, hardware and instruction manual. Xenon shuttle sold separately. Meets all applicable global standards for Safety at Height.

- Xenon shuttle self-aligns for smooth pass-through of intermediate brackets. Double-locking mechanism ensures security; allows for easy, one-hand operation. No moving pass-through parts. Ideal for dusty, gritty or salty environments.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ X00060	341559851	Permanent HLL kit w/ (1) intermediate bracket	60'	Ea
◆ 1005709	341559861	Shuttle		Ea



## Vi-Go™ Automatic Pass-Through Cable Sleeve

Cable sleeve, sold separately from the Vi-Go Ladder Climbing Safety Systems, is designed to follow user along a 3/8" or 5/16" cable lifeline while ascending or descending, instantly locking in the event of a fall. Integrated shock-absorbing element provides dual shock-absorbing system to further reduce fall forces and protects system and ladder from damage. Once a fall occurs, the deployed shock absorber indicates unit must be removed from service. Can be used with automatic or manual system. Includes integral swivel and carabiner.



VGCS-SC

ITEM #	ORDER #	DESCRIPTION	UOM
◆ VGCS-SC	341561411	Automatic pass-through cable sleeve	Ea





# Water Safety

PFDs must be marked with a USCG approval number and all are required to be the correct size for each wearer. All PFDs must be easily accessible and in good, working condition without defects.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.



2000004522



## Deluxe Merchant Mate™ II Vest

Designed to turn most unconscious wearers face up with foam-filled collar for additional head support and (2) chest adjusters for improving flotation angle. Constructed of heavy-duty, 210-denier nylon shell and lining with 62 sq. in. of 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on panels and collar. Includes special opening on back to accommodate most brands of fall protection harnesses. Features a USCG-approved whistle with pocket for whistle and light storage. Universal. USCG Approved, Type I. International orange.

ITEM #	ORDER #	DESCRIPTION	UOM
2000004522	623900051	Deluxe Merchant Mate II vest	Ea



## General Purpose Vest

Features (2) encircling body belts and (1) chest strap, durable CROSSTECH® flotation foam and 200-denier nylon oxford outer shell. Includes 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. Universal. USCG Approved, Type III. International orange.



2000011389

ITEM #	ORDER #	DESCRIPTION	UOM
2000011389	623900281	General purpose vest	Ea



## Ship Mate II™ Vest

Economical, heavy-duty flotation vest (PFD) with tough nylon shell and Vislon® zipper. Features Aquafoam™ personal flotation foam, roomy armholes, adjustable side tabs, marine mesh inner lining and 62 sq. in. of 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. Universal. USCG Approved, Type III. International orange.



14040RG

ITEM #	ORDER #	DESCRIPTION	UOM
14040RG-00-000F	623900081	Ship Mate II vest	Ea



## Work Boat™ Vests

Heavy-duty flotation vest features (2) adjustable belts for secure, comfortable fit and oversized armholes for improved range of motion. Leg straps tuck away in back pockets for added safety and improved in-water performance. Durable nylon shell with marine mesh inner lining and 62 sq. in. of 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.



14600RG

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
14600RG-04-000F	623900241	Work Boat vest	L	Ea
14600RG-05-000F	623900251	Work Boat vest	XL	Ea
14600RG-06-000F	623900261	Work Boat vest	2XL	Ea



## First Mate™ Vests

Four-pocket flotation vest with soft, comfortable flotation foam for all-day wear. Features adjustable side tabs for a contoured fit and quick-adjust side tabs with Velcro® closure on pockets. Includes contoured foam cut, sturdy D-ring, 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on panels and Vislon® zipper. Minimum 15 lb. buoyancy. USCG Approved, Type III. International orange.



2000011405

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2000011404	623900291	First Mate vest	S/M	Ea
2000011405	623900301	First Mate vest	L/XL	Ea
2000011406	623900311	First Mate vest	2XL	Ea
2000011407	623900321	First Mate vest	3XL	Ea
2000011408	623900331	First Mate vest	4XL	Ea



## Versatile™ Vests

Tough nylon shell with 7-piece foam design for all-day comfort. Features (4) roomy pockets for accessories with full hook-and-loop closures, rustproof Vislon® zipper and eyelets for attaching lights or badge. Multiple foam inserts for flexibility and quick-adjust side tabs for secure fit and comfort. 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 for high visibility. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.



I4650RG

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
I4650RG-03-000F	623900351	Versatile vest	M	Ea
I4650RG-04-000F	623900361	Versatile vest	L	Ea
I4650RG-05-000F	623900371	Versatile vest	XL	Ea
I4650RG-06-000F	623900381	Versatile vest	2XL	Ea
I4650RG-07-000F	623900391	Versatile vest	3XL	Ea



## Welders Vest

Economical, heavy-duty personal flotation device (PFD) with tough fiberglass shell and Vislon® zipper. Features side adjustments for secure fit. Includes Aquafoam™ flotation foam, roomy armholes, marine mesh inner lining and fiberglass front for marine welding. Universal. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.



I4050RG

ITEM #	ORDER #	DESCRIPTION	UOM
I4050RG-00-000F	623900091	Welders vest	Ea



## Deck Hand II™ Vests

Heavy-duty flotation vest features (10) flotation panels for flexible, contoured fit, rustproof Vislon® zipper and heavy-duty encircling body belt. Includes chest pocket with Velcro® closure, size adjustments, tough nylon outer shell with marine mesh inner lining and 62 sq. in. of 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.



I4160RG

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
I4160RG-03-000F	623900111	Deck Hand II vest	M	Ea
I4160RG-04-000F	623900121	Deck Hand II vest	L	Ea
I4160RG-05-000F	623900131	Deck Hand II vest	XL	Ea

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
I4160RG-06-000F	623900141	Deck Hand II vest	2XL	Ea
I4160RG-07-000F	623900151	Deck Hand II vest	3XL	Ea
I4160RG-08-000F	623900161	Deck Hand II vest	4XL	Ea



2000004520



## Work Master™ Vests

Includes soft, comfortable closed-cell foam, belt with snag-resistant buckle for quick adjustment, hinged back panel and heavy-duty nylon shell. Marine mesh inner lining for breathability with flotation collar for added protection. Features 62 sq. in. 3M™ Scotchlite™ Reflective Material SOLAS-grade 6755 on panels. Minimum 17 1/2 lb. buoyancy. USCG Approved, Type III/V. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2000004520	623900401	Work Master vest	Universal	Ea
2000004521	623900411	Work Master vest	Oversize	Ea



## Force II™ Vests

Durable, easy-to-clean, PVC-coated work vest offers fall protection with opening for D-ring and lanyard. Aquafoam™ flotation foam retains buoyancy even when punctured. Features 3M™ Scotchlite™ Reflective Material, SOLAS-grade 3150-A PS, with adhesive backing on panels. Includes snag-resistant buckles. Minimum 17 1/2 lb. buoyancy. Self-extinguishing under ASTM 1692-74. USCG Approved, Type V. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2000013834	623900431	Force II vest	Universal	Ea
2000015183	623900421	Force II vest	Oversize	Ea



2000013834



2000011434



## Deck Hand™ Vests

Heavy-duty flotation vest made with tough, nylon oxford outer shell and soft, lightweight mesh for ventilation. Includes rustproof Vislon® zipper, 1" heavy-duty encircling body belt and side adjustments for a secure fit. Features CROSSTECH® flotation foam and 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 2000011433	623900631	Deck Hand vest	M	Ea
2000011434	623900641	Deck Hand vest	L	Ea
2000011435	623900651	Deck Hand vest	XL	Ea
2000011436	623900661	Deck Hand vest	2XL	Ea
2000011437	623900671	Deck Hand vest	3XL	Ea



## Work Zone Gear™ Vests

Designed with soft, lightweight mesh on upper half for comfort and ventilation. Features tough, nylon oxford outer shell, (2) 1" encircling body straps, zipper front and (2) pockets with Velcro® closure. Includes lightweight, durable CROSSTECH® flotation foam, D-rings for attaching gear and 3M™ Scotchlite™ Reflective Material, SOLAS-grade on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III.



ITEM #	ORDER #	SIZES	COLOR	UOM
<b>3M™ Scotchlite™ 6755 Work Zone Gear Vest</b>				
2000011409	623900441	S	International orange	Ea
2000011410	623900451	M	International orange	Ea
2000011357	623900461	L	International orange	Ea
2000011412	623900471	XL	International orange	Ea
2000011413	623900481	2XL	International orange	Ea
2000011414	623900491	3XL	International orange	Ea
<b>3M™ Scotchlite™ 6187, ANSI Class 2 Work Zone Gear Vest</b>				
♦ 14240RG-03-ANS	623900511	M	ANSI hi-viz orange	Ea
14240RG-04-ANS	623900521	L	ANSI hi-viz orange	Ea
14240RG-05-ANS	623900531	XL	ANSI hi-viz orange	Ea
14240RG-06-ANS	623900541	2XL	ANSI hi-viz orange	Ea
14240RG-07-ANS	623900551	3XL	ANSI hi-viz orange	Ea
♦ 300001118	623911181	M	ANSI hi-viz green	Ea
♦ 300001119	623911191	L	ANSI hi-viz green	Ea
300001120	623911201	XL	ANSI hi-viz green	Ea
♦ 300001121	623911221	2XL	ANSI hi-viz green	Ea
♦ 300001123	623911231	3XL	ANSI hi-viz green	Ea



## Search and Rescue (SAR) Flotation Vests

Soft, lightweight mesh for ventilation. Aquafoam™ and CROSSTECH® flotation foam offers extra comfort. Includes (2) 1 1/2" encircling belts, adjustable chest strap, zipper front, (2) pockets with hook-and-loop closure and D-rings for attaching gear. Features 62 sq. in. 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved Type III. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 2000011416	623900571	SAR flotation vest	M	Ea
♦ 2000011417	623900581	SAR flotation vest	L	Ea
2000011418	623900591	SAR flotation vest	XL	Ea
2000011419	623900601	SAR flotation vest	2XL	Ea
♦ 2000011420	623900611	SAR flotation vest	3XL	Ea



2000011417





## Powerboat™ Flotation Jackets

Bomber-style float coat incorporates comfortable fit with improved wrist and waistband that will not expand as it gets wet. Water-resistant construction and design. Features soft Suisse Aire™ foam with coated nylon outer shell, multiple pockets with hook-and-loop closure, (4) outside pockets, sleeve utility pocket, inside chest pocket, and 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755. Includes internal adjustable belt for secure fit. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
◆ 3000002987	623929871	Powerboat jacket	S	International orange	Ea
◆ 3000002986	623929861	Powerboat jacket	M	International orange	Ea
◆ 3000002985	623929851	Powerboat jacket	L	International orange	Ea
◆ 3000002984	623929841	Powerboat jacket	XL	International orange	Ea
◆ 3000002983	623929831	Powerboat jacket	2XL	International orange	Ea
◆ 3000002982	623929821	Powerboat jacket	3XL	International orange	Ea
◆ 3000002954	623929541	Powerboat jacket	S	Green	Ea
◆ 3000002953	623929531	Powerboat jacket	M	Green	Ea
◆ 3000002952	623929521	Powerboat jacket	L	Green	Ea
◆ 3000002951	623929511	Powerboat jacket	XL	Green	Ea
◆ 3000002950	623929501	Powerboat jacket	2XL	Green	Ea
◆ 3000002949	623911161	Powerboat jacket	3XL	Green	Ea



See More Hi-Viz Products  
on Pages 202 - 207.



## VR™ Versatile Rescue Vests

Designed to provide extra shock absorption with polyethylene foam. Made with rugged, 500-denier nylon pack cloth outer shell for strength and durability, and soft 200-denier nylon liner for comfort. Front and back fold-out side panels provide side protection for a full range of sizes and fold in for added ventilation. Thin, low-profile design adds cushioning while permitting unrestricted freedom of movement while the longer torso length offers greater body coverage. Designed with a removable crotch strap that stows in pocket when not in use and features adjustable, elastic shoulders to help take-up excess fabric. Includes 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on front and back for improved nighttime visibility. Universal. Minimum 25 lb. buoyancy. USCG Approved, Type V.

### Features:

- Quick-release belt with attached tether
- (4) Front adjustable straps
- Waist belt under foam to help prevent ride-up
- Stainless steel shoulder adjustment hardware allows for customized fit for tall or short wearers
- Chest pad covers center split
- Tether cover to keep loose straps confined
- Polyethylene foam absorbs shock and helps insulate
- Convenient web attachment strip to clip a whistle, extra carabiners, etc.
- Lash tabs on left and right chest and shoulders for fastening knife or tools
- Multiple belt loops and tunnels to retain loose ends
- Utility chest pad with multiple pockets and loops
- Lower front pocket provides room for storage

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
I650RED-00-000	623902101	Versatile rescue vest	Red/black	Ea
I650YEL-00-000	623902111	Versatile rescue vest	Yellow	Ea



## Inflatable Work Vest

Automatically inflates when it is submerged. Features heavy-duty puncture-resistant outer shell that wipes clean, fall protection harness opening in back, 31.5 sq. in. of reflective tape, and a tri-fold design for easy repacking. Provides a minimum of 35 lbs. of buoyancy when fully inflated. Universal. USCG approved. International orange.

ITEM #	ORDER #	DESCRIPTION	UOM
3000003509	623935091	Inflatable work vest	Ea

3000003509



## Ultra 4000 Convertible-Automatic Vests

Made of nylon outer shell with D-ring, cylinder storage pocket, high-visibility reflective tape, emergency whistle on bladder and Secumar® 1F automatic inflator with single-point indicator and 2" adjustable belt. Convertible from automatic to manual by changing the water-soluble pill cage to a yellow override tab. Features automatic override tab to re-arm as manual only and clear window to view arming status. Includes mesh storage bag, cylinder and water-sensing pill. Universal. Provides 33.7 lb. buoyancy when fully inflated. USCG Approved, Type V convertible device: Type II when armed in automatic mode, Type III when armed as manual only.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
2000004041	623901651	Automatic/inflatable vest	Orange	Ea
1439BLK-00-000	623901641	Automatic/inflatable vest	Black	Ea



1439BLK



2000005012



## Ultra Commercial-Automatic Vests


Automatic inflation when submerged in water, manual inflation by pulling lanyard or by oral tube. Halkey-Roberts® 1F automatic inflator with single-point indicator. Features high-visibility reflective tape, emergency whistle on bladder, clear window to view arming status, pocket to store extra cylinder or gear, and D-ring. Heavy-duty nylon outer shell with 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on front and 2" adjustable belt for secure fit. Tri-fold design provides comfortable fit and easy repacking. 33.7 lb. buoyancy when fully inflated. Adult universal. USCG Approved Type V for use when worn on uninspected commercial vessels less than 40' in length, not carrying passengers for hire. Approved substitute for a Type II or III PFD only when worn and used in accordance with the owner's manual.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
2000005011	623901671	Ultra commercial-automatic vest	Black	Ea
♦ 2000005012	623901661	Ultra commercial-automatic vest	Orange	Ea



## Type IV Ring Buoy and Buoy Bag

Industrial 30" dia. ring buoy is molded from high-impact linear, low-density polyethylene for superior life expectancy in the most severe environmental conditions. Encircling rope is replaceable. Features SOLAS grade, 3150-A PS 3M™ Scotchlite™ Reflective Material with adhesive backing. For use with quick-release ring buoy brackets. Buoy bags are orange with rope included.



10300RG-00-REF

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
10300RG-00-REF	623903861	Type IV ring buoy w/ reflective tape	30"	Ea
10230RG-00-000	623903781	Ring Buoy Rope & Bag w/ 90' of floating polypropylene rope		Ea



## Rescue Mate™ Rescue Bags

Durable 1000-denier Cordura® bag holds 3/8" braided, floating polypropylene rope strong enough to support up to 1,800 lbs. of tensile pressure. Distinctive orange bag features quick-release carrying strap and features 1" reflective tape around the center for increased visibility, even in the dark.



10210RG

ITEM #	ORDER #	DESCRIPTION	UOM
♦ 10200RG-00-000	623903621	Rescue Mate Rescue Bag, 50' of rope	Ea
10210RG-00-000	623903631	Rescue Mate Rescue Bag, 70' of rope	Ea



## LED light

Bright, flashing strobe automatically turns on when it comes in contact with water, and can manually be turned off with the flick of a switch. Compact design and attachment loops that accommodate up to 2" of webbing make this ideal to be kept on PFDs. Meets USCG and SOLAS requirements.

ITEM #	ORDER #	DESCRIPTION	UOM
1916LTE-00-000	623903741	LED light	Ea



1916LTE



## Ice Rescue Suits

One-piece suit made of 100% closed-cell neoprene. Provides buoyancy and insulation. Features off-set zipper for better face seal and flap, attached gloves, waterproof zipper and sealed seams. Designed with wrist pocket to hold ice picks, reinforced knees and elbows for long-lasting durability, thick-soled boot with tread for sure footing, and integral chest harness with stainless steel front and back D-rings. Uses 3M™ Scotchlite™ Reflective Material, SOLAS-grade 3150-A PS with adhesive backing on front and back panels for high visibility. Individual storage bag included. Designed for rescue operations in extreme cold water and ice conditions. Not USCG approved. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2000017317	623901691	Ice Rescue suit	Universal	Ea
♦ 2000017316	623901701	Ice Rescue suit	Over-size	Ea



1810

2000017317



**Here are some things to remember should you ever have to abandon a ship:**

- ✓ Ensure distress alerts have been sent. If you have emergency location beacons – including personal beacons – switch them on, and leave them on.
- ✓ Put on as many layers of warm clothing as possible, including your feet. Make sure to cover your head, neck, and hands. The outer layer should be as watertight as possible. Fasten clothing to improve insulation and to minimize cold water flushing in and out beneath the clothing.
- ✓ If an immersion suit is available put it on over the warm clothing.
- ✓ Put on a suitable lifejacket and secure it correctly. If in cold water you will quickly lose full use of your fingers. If the lifejacket is fitted with crotch and/or other retaining straps, make sure that they are pulled tight... If the lifejacket is of the automatic inflation type, inflate it manually after leaving the interior of the ship but before entering the water.

Source: Guide For Cold Water Survival  
- U.S.Coast Guard, [www.uscg.mil](http://www.uscg.mil)



## Rapid Rescue Extreme™ Surface Suits

Features waterproof, breathable fabric, internal suspenders for fit and latex waterproof seals around neck and wrist. Includes waterproof entry zipper, CORDURA® knees and elbows for durability, seal protectors around wrist and neck, relief zipper, built-in waterproof sock and air purge valve. Red/black.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1810-03-000	623901781	Rapid Rescue Extreme dry suit	M	Ea
1810-04-000	623901791	Rapid Rescue Extreme dry suit	L	Ea
1810-05-000	623901801	Rapid Rescue Extreme dry suit	XL	Ea
1810-06-000	623901811	Rapid Rescue Extreme dry suit	2XL	Ea

2000008113



## SOLAS Cold Water Immersion Suits

Made with 5 mm stretchable, flame-retardant neoprene for quality anti-hypothermia protection. Generous fit for easy donning. Features buddy line, lifting harness and head pillow accessory. Each suit comes in color-coded storage bag. Adult sizes for small-over-size. Complies with SOLAS Chapter III, IMO RES.MSC.207.(81) and are MED Approved. Has head pillow support for USCG approval. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 2000008111	623981111	Type S cold water immersion suit	Child-Universal	Ea
2000008112	623981121	Type S cold water immersion suit	Adult-S	Ea
2000008113	623981131	Type S cold water immersion suit	Adult-Universal	Ea
♦ 2000008114	623981141	Type S cold water immersion suit	Adult-Over-size	Ea





# Protective Clothing

Protective apparel must be fitted correctly so the wearer can perform tasks without restriction. Employers are required to provide employees with all PPE suited specifically to each task.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.

Kearby-Clark  
PROFESSIONAL



## DUPONT PERSONAL PROTECTION



DuPont™  
**Tychem**

DuPont™  
**Tyvek**

DuPont™  
**ProShield**



DuPont  
Personal Protection

## DuPont™ ProShield® NexGen® Coveralls

ProShield® NexGen® garments are suitable for protection against non-hazardous particles, light liquid splash and aerosols in many industrial applications. Made with a microporous film that is laminated to a spunbonded polypropylene substrate. Applications include automotive refinishing, waste cleanup and remediation. Features zipper front and serged seams. White.

NG120S

NG122S

NG125S

NG127S



ITEM #	ORDER #	SIZES	UOM
<b>Collar, Open Wrists and Ankles</b>			
NG120S-L	31710125	L	25/Cs
NG120S-XL	31710128	XL	25/Cs
NG120S-2XL	31710129	2XL	25/Cs
NG120S-3XL	31710130	3XL	25/Cs
NG120S-4XL	31710131	4XL	25/Cs
<b>Attached Hood and Boots, Elastic Wrists</b>			
NG122S-M	31710135	M	25/Cs
NG122S-L	31710134	L	25/Cs
NG122S-XL	31710136	XL	25/Cs
NG122S-2XL	31710137	2XL	25/Cs
NG122S-3XL	31710138	3XL	25/Cs
NG122S-4XL	31710139	4XL	25/Cs
NG122S-5XL	31710140	5XL	25/Cs

ITEM #	ORDER #	SIZES	UOM
<b>Collar, Elastic Wrists and Ankles</b>			
NG125S-M	31710635	M	25/Cs
♦ NG125S-L	31710141	L	25/Cs
NG125S-XL	31710142	XL	25/Cs
NG125S-2XL	31710143	2XL	25/Cs
NG125S-3XL	31710144	3XL	25/Cs
NG125S-4XL	31710145	4XL	25/Cs
♦ NG125S-5XL	31710146	5XL	25/Cs
<b>Storm Flap, Respirator-Fit Hood, Elastic Face, Wrists and Ankles</b>			
♦ NG127S-M	31716146	M	25/Cs
NG127S-L	31716147	L	25/Cs
NG127S-XL	31716148	XL	25/Cs
NG127S-2XL	31716149	2XL	25/Cs
NG127S-3XL	31716150	3XL	25/Cs
NG127S-4XL	31716151	4XL	25/Cs

## DuPont™ Tyvek® and General Protection Products

Typical General Industrial Hazards/Description/Examples

		Non-Hazardous								Hazardous											
		Particles			Aerosol	Light Liquid Splash				Particles									Aerosol	Flame Resistant	
Brands	Exposure	General Dirt & Grime	Animal Waste	Sanding & Grinding Waste	Spray Paints	Oil & Grease	Lubricants	Fertilizer	Sewage	Fertilizer	Pesticides	Asbestos	Lead	Chromium	Beryllium	Mold	Fiberglass	Carbon	Radioactive Particles	Isocyanate	
	Tyvek®																				
	ProShield® NexGen®																				
	ProShield® Basic																				
	Tempro®																				

It is the user's responsibility to determine the nature and level of hazard and the proper personal protective equipment needed. The information set forth herein reflects laboratory performance of fabrics, not complete garments under controlled conditions. It is intended for informational use by persons having technical skill for evaluation under their specific end-use conditions, at their own discretion and risk. Anyone intending to use this information should first verify that the garment selected is suitable for the intended use. In many cases, seams and closures have shorter breakthrough times and higher penetration rates than the fabric. Please contact the garment manufacturer for specific data. These garments are intended for limited use and should be disposed of after single use. If fabric becomes torn, abraded or punctured, end user should discontinue use of garment to avoid potential exposure.

### WARNINGS:

Tyvek®, NexGen®, NuFab® and ProShield® garments are not flame-resistant and should not be used around heat, flame, sparks or in potentially flammable or explosive environments.

Garments made of Tyvek®, NexGen®, NuFab®, ProShield® and Tempo® should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers or other garment surfaces in conditions where slipping may occur.

Tempo® garments are flame retardant treated, not inherently flame-resistant, and are intended to be worn OVER flame-resistant protective apparel.



**PB120SBU**



**PB122SWH**



**PB125SWH**



**PB127SWHM**

DuPont  
Personal Protection

## DuPont™ ProShield® Basic Coveralls

Meltblown, spunbond polypropylene garments have been optimized for comfort, softness and breathability. Features serged seams and zipper front with storm flap. Offers protection from dirt, grime and non-hazardous dry particles. Applications include general maintenance and janitorial/cleaning.

ITEM #	ORDER #	SIZES	COLOR	UOM
<b>Collar, Open Wrists and Ankles</b>				
PB120SBUMD002500	31712500	M	Blue	25/Cs
PB120SBULG002500	31712501	L	Blue	25/Cs
PB120SBUXL002500	31712502	XL	Blue	25/Cs
PB120SBU2X002500	31712503	2XL	Blue	25/Cs
PB120SBU3X002500	31712504	3XL	Blue	25/Cs
◆ PB120SBU4X002500	31712505	4XL	Blue	25/Cs
PB120SWHMD002500	31712510	M	White	25/Cs
PB120SWHLG002500	31712511	L	White	25/Cs
PB120SWHXL002500	31712512	XL	White	25/Cs
PB120SWH2X002500	31712513	2XL	White	25/Cs
PB120SWH3X002500	31712514	3XL	White	25/Cs
◆ PB120SWH4X002500	31712515	4XL	White	25/Cs
<b>Attached Hood and Boots, Elastic Wrists</b>				
PB122SBUMD002500	31712520	M	Blue	25/Cs
PB122SBULG002500	31712521	L	Blue	25/Cs
PB122SBUXL002500	31712522	XL	Blue	25/Cs
PB122SBU2X002500	31712523	2XL	Blue	25/Cs
PB122SBU3X002500	31712524	3XL	Blue	25/Cs
◆ PB122SBU4X002500	31712525	4XL	Blue	25/Cs
PB122SWHMD002500	31712530	M	White	25/Cs
PB122SWHLG002500	31712531	L	White	25/Cs
PB122SWHXL002500	31712532	XL	White	25/Cs
PB122SWH2X002500	31712533	2XL	White	25/Cs
PB122SWH3X002500	31712534	3XL	White	25/Cs
◆ PB122SWH4X002500	31712535	4XL	White	25/Cs

ITEM #	ORDER #	SIZES	COLOR	UOM
<b>Collar, Elastic Wrists and Ankles</b>				
PB125SBUMD002500	31712540	M	Blue	25/Cs
PB125SBULG002500	31712541	L	Blue	25/Cs
PB125SBUXL002500	31712542	XL	Blue	25/Cs
PB125SBU2X002500	31712543	2XL	Blue	25/Cs
PB125SBU3X002500	31712544	3XL	Blue	25/Cs
◆ PB125SBU4X002500	31712545	4XL	Blue	25/Cs
PB125SWHMD002500	31712550	M	White	25/Cs
PB125SWHLG002500	31712551	L	White	25/Cs
PB125SWHXL002500	31712552	XL	White	25/Cs
PB125SWH2X002500	31712553	2XL	White	25/Cs
PB125SWH3X002500	31712554	3XL	White	25/Cs
◆ PB125SWH4X002500	31712555	4XL	White	25/Cs
<b>Attached Hood, Elastic Wrists and Ankles</b>				
PB127SBUMD002500	31712560	M	Blue	25/Cs
PB127SBULG002500	31712561	L	Blue	25/Cs
PB127SBUXL002500	31712562	XL	Blue	25/Cs
PB127SBU2X002500	31712563	2XL	Blue	25/Cs
PB127SBU3X002500	31712564	3XL	Blue	25/Cs
◆ PB127SBU4X002500	31712565	4XL	Blue	25/Cs
PB127SWHMD002500	31712570	M	White	25/Cs
PB127SWHLG002500	31712571	L	White	25/Cs
PB127SWHXL002500	31712572	XL	White	25/Cs
PB127SWH2X002500	31712573	2XL	White	25/Cs
PB127SWH3X002500	31712574	3XL	White	25/Cs
◆ PB127SWH4X002500	31712575	4XL	White	25/Cs






DuPont  
Personal Protection

## DuPont™ Tyvek® Coveralls

Provides an effective barrier for dry, small particles, even after abrasion, with an ideal balance of protection, durability and comfort. Flashspun high-density polyethylene substrate provides comfortable, inherent barrier protection against hazardous dry particles and light non-hazardous liquid splash. Proprietary comfort-fit design offers greater range of movement and increased worker comfort. Feature serged seams and nylon zipper. White.



TY120S

TY122S

TY125S

TY127S

ITEM #	ORDER #	SIZES	UOM
<b>Collar, Open Wrists and Ankles</b>			
TY120S-M	31710459	M	25/Cs
TY120S-L	31710458	L	25/Cs
TY120S-XL	31710461	XL	25/Cs
TY120S-2XL	31710462	2XL	25/Cs
TY120S-3XL	31710463	3XL	25/Cs
TY120S-4XL	31710464	4XL	25/Cs
<b>Attached Hood and Boots, Elastic Wrists and Ankles</b>			
TY122S-M	31710467	M	25/Cs
TY122S-L	31710466	L	25/Cs
TY122S-XL	31710469	XL	25/Cs
TY122S-2XL	31710470	2XL	25/Cs
TY122S-3XL	31710471	3XL	25/Cs
TY122S-4XL	31710472	4XL	25/Cs

ITEM #	ORDER #	SIZES	UOM
<b>Collar, Elastic Wrists and Ankles</b>			
TY125S-M	31710476	M	25/Cs
TY125S-L	31710475	L	25/Cs
TY125S-XL	31710478	XL	25/Cs
TY125S-2XL	31710479	2XL	25/Cs
TY125S-3XL	31710480	3XL	25/Cs
TY125S-4XL	31710481	4XL	25/Cs
<b>Attached Hood, Elastic Wrists and Ankles</b>			
TY127S-M	31710485	M	25/Cs
TY127S-L	31710484	L	25/Cs
TY127S-XL	31710487	XL	25/Cs
TY127S-2XL	31710488	2XL	25/Cs
TY127S-3XL	31710489	3XL	25/Cs
TY127S-4XL	31710490	4XL	25/Cs

DuPont  
Personal Protection

## DuPont™ Tychem® QC Coveralls

Made with polyethylene-coated fabric which provides protection against light liquid splash. Bright yellow color creates contrast across a wide range of natural backgrounds for high visibility in the workplace. Lightweight fabric is durable and resistant to tear and abrasion. Ideal for use in chemical processing and manufacturing applications. Features zipper front closure.

Warning: Not flame-resistant and should not be used around heat, flame, sparks or in potentially flammable or explosive environments. Garments should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers or other garment surfaces in conditions where slipping could occur. Consult user manual for instructions on proper use, care and maintenance of Tychem® garments.



QC120B

QC122S

QC125B

QC125S

QC127S

ITEM #	ORDER #	SIZES	SEAMS	UOM
<b>Collar, Open Wrists and Ankles</b>				
◆ QC120B-L	31710295	L	Bound	12/Cs
◆ QC120B-XL	31710298	XL	Bound	12/Cs
◆ QC120B-2XL	31710299	2XL	Bound	12/Cs
◆ QC120B-3XL	31710300	3XL	Bound	12/Cs
◆ QC120B-4XL	31710323	4XL	Bound	12/Cs
<b>Attached Hood and Socks, Elastic Wrists and Face</b>				
QC122S-L	31710314	L	Serged	12/Cs
QC122S-XL	31710317	XL	Serged	12/Cs
QC122S-2XL	31710318	2XL	Serged	12/Cs
QC122S-3XL	31710319	3XL	Serged	12/Cs
<b>Collar, Front Storm Flap, Elastic Wrists and Ankles</b>				
◆ QC125B-L	31710321	L	Bound	12/Cs
QC125B-XL	31710324	XL	Bound	12/Cs
◆ QC125B-2XL	31710325	2XL	Bound	12/Cs
◆ QC125B-3XL	31710326	3XL	Bound	12/Cs

ITEM #	ORDER #	SIZES	SEAMS	UOM
<b>Collar, Front Storm Flap, Elastic Wrists and Ankles, Continued</b>				
QC125B-4XL	31710327	4XL	Bound	12/Cs
◆ QC125S-L	31710329	L	Serged	12/Cs
◆ QC125S-XL	31710332	XL	Serged	12/Cs
QC125S-2XL	31710333	2XL	Serged	12/Cs
◆ QC125S-3XL	31710334	3XL	Serged	12/Cs
◆ QC125S-4XL	31710335	4XL	Serged	12/Cs
<b>Attached Hood, Elastic Face, Wrists and Ankles</b>				
QC127S-M	31710346	M	Serged	12/Cs
QC127S-L	31710345	L	Serged	12/Cs
QC127S-XL	31710348	XL	Serged	12/Cs
QC127S-2XL	31710349	2XL	Serged	12/Cs
QC127S-3XL	31710350	3XL	Serged	12/Cs
◆ QC127S-4XL	31710351	4XL	Serged	12/Cs
QC127S-5XL	31710352	5XL	Serged	12/Cs



DuPont  
Personal Protection

## DuPont™ Tychem® F Coveralls

Made of proprietary barrier film laminated to Tyvek® substrate. Fabric provides at least 30 minutes of protection against over 180 challenge chemicals including chemical warfare agents and toxic industrial chemicals. Strong, durable and lightweight. Low-visibility gray color is preferred by law enforcement, emergency medical service (EMS) technicians and military personnel. Taped seams (sewn seams covered with a strip of compatible chemical-resistant fabric through heat sealing) offer strong chemical resistance against heavy liquid splashes. Features elastic wrists and ankles, 2-piece attached hood design with zipper that extends to chin, and storm flap that covers zipper.

Warning: Not flame-resistant and should not be used around heat, flame, sparks or in potentially flammable or explosive environments. Garments should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers or other garment surfaces in conditions where slipping could occur. Consult user manual for instructions on proper use, care and maintenance of Tychem® garments.

ITEM #	ORDER #	SIZES	UOM
♦ TF145T-M	31710728	M	6/Cs
♦ TF145T-L	31710727	L	6/Cs
TF145T-XL	31710729	XL	6/Cs

ITEM #	ORDER #	SIZES	UOM
♦ TF145T-2XL	31710730	2XL	6/Cs
♦ TF145T-3XL	31710731	3XL	6/Cs
♦ TF145T-4XL	31710732	4XL	6/Cs



DuPont  
Personal Protection

## DuPont™ Tychem® SL Coveralls

Made from lightweight Tyvek® laminated to chemical-resistant Saranex™ 23P film. Provides protection against a broad spectrum of chemicals, hazardous particles and liquids. Strong fabric reduces risk of tears and abrasions. Zipper front with storm flap. White.

Warning: Not flame-resistant and should not be used around heat, flame, sparks, or in potentially flammable or explosive environments. Garments should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers or other garment surfaces in conditions where slipping could occur. Consult user manual for instructions on proper use, care and maintenance of Tychem® garments.

ITEM #	ORDER #	SIZES	SEAMS	UOM
<b>Collar, Open Wrists and Ankles</b>				
♦ SL120B-L	31710378	L	Bound	12/Cs
♦ SL120B-XL	31710381	XL	Bound	12/Cs
♦ SL120B-2XL	31710382	2XL	Bound	12/Cs
♦ SL120B-3XL	31710383	3XL	Bound	12/Cs
♦ SL120B-4XL	31710384	4XL	Bound	12/Cs
<b>Attached Hood and Socks, Elastic Face and Wrists</b>				
SL122B-XL	31710389	XL	Bound	12/Cs
SL122B-2XL	31710390	2XL	Bound	12/Cs
SL122B-3XL	31710391	3XL	Bound	12/Cs
<b>Collar, Elastic Wrists and Ankles</b>				
♦ SL125T-L	31712378	L	Taped	12/Cs
♦ SL125T-XL	31710699	XL	Taped	12/Cs
♦ SL125T-2XL	31712382	2XL	Taped	12/Cs
♦ SL125T-3XL	31713529	3XL	Taped	12/Cs
SL125T-4XL	31713314	4XL	Taped	12/Cs
♦ SL125B-L	31710399	L	Bound	12/Cs
♦ SL125B-XL	31710402	XL	Bound	12/Cs
♦ SL125B-2XL	31710403	2XL	Bound	12/Cs
♦ SL125B-3XL	31710404	3XL	Bound	12/Cs
♦ SL125B-4XL	31710405	4XL	Bound	12/Cs



DuPont  
Personal Protection

## DuPont™ Tempro® Coveralls

Cost-efficient over garment designed to be worn over primary flame-resistant garments to provide a barrier against non-hazardous particles and aerosols. Serge seams. Blue.

TM120S



TM122S



TM127S



ITEM #	ORDER #	SIZES	UOM
<b>Collar, Open Wrists and Ankles</b>			
♦ TM120S-L	31712975	L	25/Cs
♦ TM120S-XL	31712978	XL	25/Cs
♦ TM120S-2XL	31712979	2XL	25/Cs
♦ TM120S-3XL	31712980	3XL	25/Cs
♦ TM120S-4XL	31713965	4XL	25/Cs
♦ TM120S-5XL	31714029	5XL	25/Cs

ITEM #	ORDER #	SIZES	UOM
<b>Attached Hood and Socks, Elastic Wrists</b>			
♦ TM122S-L	31713564	L	25/Cs
♦ TM122S-XL	31713761	XL	25/Cs
♦ TM122S-2XL	31714082	2XL	25/Cs
♦ TM122S-3XL	31711122	3XL	25/Cs
♦ TM122S-4XL	31711123	4XL	25/Cs
♦ TM122S-5XL	31712509	5XL	25/Cs

ITEM #	ORDER #	SIZES	UOM
<b>Attached Hood, Elastic Wrists and Ankles</b>			
♦ TM127S-L	31712985	L	25/Cs
♦ TM127S-XL	31712988	XL	25/Cs
♦ TM127S-2XL	31712989	2XL	25/Cs
♦ TM127S-3XL	31712990	3XL	25/Cs
♦ TM127S-4XL	31710457	4XL	25/Cs
♦ TM127S-5XL	31714038	5XL	25/Cs




10468



## KleenGuard\* A10 Light-Duty Coveralls

Lightweight polypropylene material provides great comfort. Features zipper front closure and elastic wrists and ankles. Typical uses include food processing, general maintenance and manufacturing. White. Meets ANSI/ISEA 101-1996 sizing standards.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 10468	15401114	A10 Coveralls	L	25/Cs
♦ 10636	15401111	A10 Coveralls	XL	25/Cs



36811



## KleenGuard\* A10 Light-Duty Shoe Covers

Lightweight spunbond polypropylene material for cool comfort and protection in non-hazardous environments. Light-duty protection provided against dirt, grime and certain non-hazardous dry particulates. Fully elasticized and low-skid. Blue. Universal. Meets ANSI/ISEA 101-1996 sizing standards.

ITEM #	ORDER #	DESCRIPTION	UOM
36811	15406811	A10 Shoe covers	300/Cs



**More Shoe and Boot Covers,  
Page 190.**





49002



49102



49112



58502



## KleenGuard® A20 Breathable Particle Protection Coveralls

Constructed of patented Microforce® Barrier SMS fabric that offers protection against dry particulates. Patented Reflex® design is 7 1/2 times less likely to rip out than ANSI minimums and provides 12% more chest room and 6% longer body length. Features zipper front closure. Typical uses include laboratories, decontamination modesty garment, remediation, pesticides and heavy-dust environments. Lightweight and breathable.

ITEM #	ORDER #	SIZES	COLOR	UOM
<b>Collar, Open Wrists and Ankles</b>				
◆ 49002	15409002	M	White	24/Cs
49003	15408225	L	White	24/Cs
49004	15408238	XL	White	24/Cs
49005	15408239	2XL	White	24/Cs
◆ 49006	15408235	3XL	White	20/Cs
◆ 49007	15400618	4XL	White	20/Cs
<b>Collar, Elastic Back, Wrists and Ankles</b>				
◆ 49102	15408246	M	White	24/Cs
◆ 49103	15408248	L	White	24/Cs
49104	15408250	XL	White	24/Cs
49105	15408244	2XL	White	24/Cs
49106	15408245	3XL	White	20/Cs
◆ 49107	15404910	4XL	White	20/Cs
<b>Attached Hood, Elastic Back, Wrists and Ankles</b>				
◆ 49112	15408251	M	White	24/Cs
◆ 49113	15408252	L	White	24/Cs
49114	15408254	XL	White	24/Cs
49115	15408256	2XL	White	24/Cs
49116	15408219	3XL	White	20/Cs
◆ 49117	15400619	4XL	White	20/Cs
<b>Collar, Elastic Wrists and Ankles</b>				
◆ 58502	15400286	M	Blue	24/Cs
58503	15408503	L	Blue	24/Cs
58504	15400279	XL	Blue	24/Cs
58505	15408505	2XL	Blue	24/Cs
58506	15408506	3XL	Blue	20/Cs
58507	15408507	4XL	Blue	20/Cs



## KleenGuard® A30 Breathable Splash and Particle Protection Coveralls

Breathable, patented Microforce® Barrier SMS Fabric. Strong and abrasion-resistant. Typical uses include pharmaceutical research, dry particle contamination, aerospace, maintenance/general manufacturing. Patented Reflex® design is 7 1/2 times less likely to rip out than ANSI minimums and provides 12% more chest room and 6% longer body length. Features zipper front closure with 1" flap and elastic back. White.

ITEM #	ORDER #	SIZES	UOM
<b>Collar, Elastic Wrists and Ankles</b>			
46102	15400580	M	25/Cs
46103	15400581	L	25/Cs
46104	15400582	XL	25/Cs
46105	15400583	2XL	25/Cs
46106	15400585	3XL	21/Cs
46107	15400586	4XL	21/Cs
<b>Attached Hood, Elastic Wrists and Ankles</b>			
◆ 46112	15400587	M	25/Cs
◆ 46113	15400588	L	25/Cs
46114	15406114	XL	25/Cs
◆ 46115	15400589	2XL	25/Cs
◆ 46116	15400590	3XL	21/Cs
◆ 46117	15406117	4XL	21/Cs



## KleenGuard® A40 Liquid and Particle Protection Coveralls

Breathable, microporous film laminate with zipper front closure. Low in lint. Ideal for fiberglass manufacturing, tank cleaning, utilities and liquid handling. White. NFPA 99 compliant anti-static material. Passes ASTM F1670 testing for penetration of blood and bodily fluids. Meets ANSI/ISEA 101-1996 sizing standard.

ITEM #	ORDER #	SIZES	UOM
<b>Collar, Open Wrists and Ankles</b>			
◆ 44302	15400302	M	25/Cs
44303	15400303	L	25/Cs
44304	15400304	XL	25/Cs
44305	15400305	2XL	25/Cs
44306	15400306	3XL	25/Cs
<b>Collar, Elastic Wrists and Ankles</b>			
◆ 44313	15400313	L	25/Cs
◆ 44314	15400314	XL	25/Cs
◆ 44315	15401315	2XL	25/Cs
44316	15401316	3XL	25/Cs
<b>Attached Hood, Elastic Wrists and Ankles</b>			
44323	15400298	L	25/Cs
44324	15400299	XL	25/Cs
44325	15401325	2XL	25/Cs
44326	15400300	3XL	25/Cs
44327	15400301	4XL	25/Cs



42527



## KleenGuard\* A40 Breathable Back Coveralls with Thumb Hole

Front and sleeves are a microporous film laminate designed for protection against hazardous particles and liquids while breathable back is a SMS fabric extending from shoulder to ankle to keep wearer cool. Features zipper front closure, elastic ankles and elastic wrists with thumb holes for easy donning of gloves. Provides air movement and ventilation. Ideal for fiberglass manufacturing, tank cleaning, utilities and liquid handling. White. NFPA 99 compliant anti-static material. Passes ASTM F1670 testing for penetration of blood and bodily fluids. Meets ANSI/ISEA 101-1996 sizing standard.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
42526	15402503	A40 Breathable back coveralls w/ thumb hole	L	25/Cs
42527	15404252	A40 Breathable back coveralls w/ thumb hole	XL	25/Cs
◆ 42528	15402504	A40 Breathable back coveralls w/ thumb hole	2XL	25/Cs
◆ 42529	15402505	A40 Breathable back coveralls w/ thumb hole	3XL	25/Cs



37167



## KleenGuard\* A45 Liquid and Particle Protection Coveralls

TAA-compliant protective apparel constructed with Reflex\* design. Features snap front closure and open wrists and ankles. All components are specified as silicone-free. Contains no components made from natural rubber latex. Passes NFPA 99 for anti-static materials. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
37167	15407167	A45 Coveralls w/ snap closure	XL	25/Cs
◆ 37168	15407168	A45 Coveralls w/ snap closure	2XL	25/Cs
◆ 37169	15407169	A45 Coveralls w/ snap closure	3XL	25/Cs



45094



## KleenGuard\* A60 Bloodborne Pathogen and Chemical Protection Coveralls

Patented 3-layer fabric construction designed with a middle layer of microporous film that allows heat and sweat vapor to escape, yet protects against many dry particulates and liquids, even under pressure. Outer layers provide protection of the film barrier against tearing and abrasion. Seamless front provides greater protection. Features attached hood and boots, elastic wrists and ankles, and zipper front closure with taped storm flap. Patented Reflex\* design is 7 1/2 times less likely to rip out than ANSI minimums and provides 12% more chest room and 6% longer body length. Blue. Passes ASTM F1670/F1671 testing for penetration of blood, bodily fluids and bloodborne pathogens.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
45093	15400424	A60 Coveralls	L	24/Cs
45094	15405094	A60 Coveralls	XL	24/Cs
◆ 45095	15400426	A60 Coveralls	2XL	24/Cs
◆ 45096	15400427	A60 Coveralls	3XL	20/Cs







## Our Quality Shows in Every Format...



Collar, open wrists  
and ankles



Collar, elastic wrists  
and ankles




Attached hood, elastic  
wrists and ankles



Attached hood and boots,  
elastic wrists and ankles

## ...And in Every Seam.



### SERGED SEAM

is a basic stitched seam that's appropriate for exposure to non-hazardous substances. Overlap stitching provides strength and durability.



### BOUND SEAM

is a serged seam that's reinforced with binding for strength and tear resistance.



### TAPED SEAM

is serged, then reinforced with a film tape that's resistant to water and many liquid chemicals.\*

\*If your application requires a chemical-resistant taped seam, you should ensure that the tape offers appropriate resistance to the chemical involved.

## Symbol Key



Breathable



Allows Sweat and  
Moisture Vapor  
to Escape



Resistant to  
Dry Particles



Repellent to  
Liquid Splashes



Resistant to Liquids  
Under Pressure



Resistant to Blood,  
Body Fluids and  
Bloodborne Pathogens



Resistant to Many  
Liquid and Dry  
Particulate Chemicals



Resistant to Select  
Chemicals and Vapors




Anti-Static



Resistant to Flame

These symbols will help you identify the Kimberly-Clark Professional\* Protective Apparel that meets your specific needs. Look for them on the product pages.

## Sizing Chart for Reflex\* Design Garments





DuPont  
Personal Protection

## DuPont™ SureStep™ Shoe and Boot Covers

Features a unique polyethylene extrusion coating for skid resistance. Tear-resistant fabric has a seamless bottom design and is fluid-resistant for safety and extended life. Virtually lint-free, will not delaminate. Generous cut.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
◆ PE444SWHLG010000	31716622	SureStep™ boot covers, 13" high	L	White	100/Cs
◆ PE444SWHXL010000	31714441	SureStep™ boot covers, 13" high	XL	White	100/Cs
◆ PE440SWHLG020000	31710217	SureStep™ shoe covers	L	White	200/Cs
PE440SWHXL020000	31710218	SureStep™ shoe covers	XL	White	200/Cs
PE440SBULG020000	31711669	SureStep™ shoe covers	L	Blue	200/Cs
◆ PE440SBUXL020000	31711670	SureStep™ shoe covers	XL	Blue	200/Cs



PE440S

DuPont  
Personal Protection

## DuPont™ Tyvek® Shoe Covers

Flashspun high-density polyethylene provides an ideal balance of durability and comfort. Provides an effective barrier against hazardous, small sized particles, even after abrasion. Features elastic top and serged seams. Universal. White.



TY450S

ITEM #	ORDER #	DESCRIPTION	UOM
TY450SWH00020000	31713959	Tyvek® shoe covers, 5"	200/Cs
◆ TY450SWH000200LG	31714083	Tyvek® shoe covers, 8 1/4"	200/Cs

DuPont  
Personal Protection

## DuPont™ Tyvek® Boot Covers

Made of flashspun high-density polyethylene that provides an effective barrier against hazardous, small sized particles, even after abrasion. Features elastic top and serged seams. 18" Height.



TY454S

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
TY454SWH00010000	31718090	Boot covers	L	White	100/Cs
◆ TY454SWHLG0100SR	31714075	Boot covers	L	Gray	100/Cs
◆ TY454SWHXL0100SR	31714065	Boot covers	XL	Gray	100/Cs



DuPont  
Personal Protection

## DuPont™ Tyvek® FC Boot Covers

Made with spunbonded olefin with skid-resistant friction coating. Features elastic top and serged seams. 18" Height. Universal. Gray.

FC454S

ITEM #	ORDER #	DESCRIPTION	UOM
FC454SGY00010000	31714100	Tyvek® FC boot covers	100/Cs



DuPont  
Personal Protection

## DuPont™ Tyvek® FC Shoe Covers

Made from Tyvek® with skid-resistant coating and low elastic top. Features serged seams. 5" Height. Universal. Gray.

FC450S

ITEM #	ORDER #	DESCRIPTION	UOM
FC450SGY00020000	31713961	Tyvek® FC shoe covers	200/Cs



TY273B

QC273B

DuPont  
Personal Protection

## DuPont™ Tyvek® Aprons

Provide front body protection from non-hazardous particles and light liquid splash. Bib-style with neck loop for easy on and off. Low linting and static-free. Measures: 28" x 36". White.

ITEM #	ORDER #	DESCRIPTION	UOM
TY273BWH00010000	31710784	Tyvek® bib-style aprons	100/Cs

DuPont  
Personal Protection

## DuPont™ Tychem® QC Bib Aprons

Polyethylene-coated fabric offers effective splash protection. Lightweight fabric is durable and resistant to tear and abrasion. Bright yellow color creates contrast across a broad range of backgrounds. Features sewn ties and bound seams. Measures: 28" x 36".

Warning: Not flame-resistant and should not be used around heat, flame, sparks or in potentially flammable or explosive environments. Garments should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers or other garment surfaces in conditions where slipping could occur. Consult user manual for instructions on proper use, care and maintenance of Tychem® garments.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ QC273BYL00010000	31710674	Tychem® QC aprons	100/Cs



DuPont  
Personal Protection

## DuPont™ Tyvek® Frocks

Flashpun high-density polyethylene substrate provides comfortable, inherent barrier protection against hazardous dry particles and light liquid splash. Features snap closures and no pockets. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>Open Wrists</b>				
TY210SWHMD003000	31710494	Tyvek® frocks	M	30/Cs
TY210SWHLG003000	31710493	Tyvek® frocks	L	30/Cs
TY210SWHXL003000	31710496	Tyvek® frocks	XL	30/Cs
TY210SWH2X003000	31710497	Tyvek® frocks	2XL	30/Cs
TY210SWH3X003000	31710498	Tyvek® frocks	3XL	30/Cs
TY210SWH4X003000	31710499	Tyvek® frocks	4XL	30/Cs

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>Elastic Wrists, Extra Long</b>				
TY211SWHMD003000	31710502	Tyvek® frocks	M	30/Cs
TY211SWHLG003000	31710501	Tyvek® frocks	L	30/Cs
TY211SWHXL003000	31710504	Tyvek® frocks	XL	30/Cs
TY211SWH2X003000	31710505	Tyvek® frocks	2XL	30/Cs
TY211SWH3X003000	31710506	Tyvek® frocks	3XL	30/Cs
TY211SWH4X003000	31713282	Tyvek® frocks	4XL	30/Cs
TY211SWH5X003000	31713266	Tyvek® frocks	5XL	30/Cs

DuPont  
Personal Protection

## DuPont™ Tyvek® Lab Coats

Constructed of flashpun high-density polyethylene. Features open wrists, snap closures and (2) pockets. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
TY212SWHMD003000	31710508	Tyvek® lab coats	M	30/Cs
TY212SWHLG003000	31710507	Tyvek® lab coats	L	30/Cs
TY212SWHXL003000	31710510	Tyvek® lab coats	XL	30/Cs

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
TY212SWH2X003000	31710511	Tyvek® lab coats	2XL	30/Cs
TY212SWH3X003000	31710512	Tyvek® lab coats	3XL	30/Cs

DuPont  
Personal Protection

## DuPont™ Tyvek® Shirts

Flashpun high-density polyethylene (HDPE) substrate provides comfortable inherent barrier protection against hazardous dry particles and non-hazardous, light liquid splash. Featured serged seams and snap front with open wrists. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
TY303SWHMD005000	31710521	Tyvek® long sleeve shirts	M	50/Cs
TY303SWHLG005000	31710520	Tyvek® long sleeve shirts	L	50/Cs
TY303SWHXL005000	31710523	Tyvek® long sleeve shirts	XL	50/Cs

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
TY303SWH2X005000	31710524	Tyvek® long sleeve shirts	2XL	50/Cs
TY303SWH3X005000	31710525	Tyvek® long sleeve shirts	3XL	50/Cs
TY303SWH4X005000	31710526	Tyvek® long sleeve shirts	4XL	50/Cs

DuPont  
Personal Protection

## DuPont™ Tyvek® Hoods

Designed as a pullover with elasticized face opening and helps cover shoulders. Features serged seams. Universal. White.

ITEM #	ORDER #	DESCRIPTION	UOM
TY657SWH00010000	31710539	Tyvek® pullover hood	100/Cs

DuPont  
Personal Protection

## DuPont™ Tyvek® Pants

Unique non-woven technology offers barrier protection against dry particulates and light liquid splash. Reinforced in high stress areas. Features elastic waist and open ankles. Stop particles down to one micron. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
TY350SWHMD005000	31710528	Tyvek® pants	M	50/Cs
TY350SWHLG005000	31710527	Tyvek® pants	L	50/Cs

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
TY350SWHXL005000	31710530	Tyvek® pants	XL	50/Cs
TY350SWH2X005000	31710531	Tyvek® pants	2XL	50/Cs





DuPont  
Personal Protection

## DuPont™ Tyvek® Sleeves

Offers extra protection for arms and garments. Effective barrier to hazardous dry particles, aerosols and non-hazardous light liquid splash. Features elastic ends to ensure secure fit and serged seams. 18" Length. White.



ITEM #	ORDER #	DESCRIPTION	UOM
TY500S	31710538	Tyvek® sleeves	200/Cs



9378T

## Kevlar® Double-Ply Cut-Resistant Sleeves

Made with 100% DuPont™ Kevlar. Provides high-tensile strength and will not melt, ignite or conduct electricity. High comfort level allows for manual dexterity. Non-coated, 2-ply, washable and made with FDA-accepted materials for use in food processing applications. Do not bleach. 18" Length. Yellow. ANSI cut level 3.

ITEM #	ORDER #	DESCRIPTION	UOM
9378	331493791	Kevlar regular weight sleeve	Ea
9378E	331416411	Kevlar econo weight sleeve	Ea
9378T	331493781	Kevlar regular weight sleeve w/ thumb slot	Ea
9378TE	331416441	Kevlar econo weight sleeve w/ thumb slot	Ea

2003



## Classic 3-Piece Rain Suit

Made from .35 mm PVC on polyester broadloom fabric for double-layered protection and durability. Consists of jacket, detachable hood and fly-front bib pants. Ideal for construction, utilities, airlines and municipalities. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2003-L	331455641	Classic 3-piece rain suit	L	Ea
2003-XL	331455651	Classic 3-piece rain suit	XL	Ea
2003-2X	331455661	Classic 3-piece rain suit	2XL	Ea
2003-3X	331455671	Classic 3-piece rain suit	3XL	Ea
2003-4X	331449851	Classic 3-piece rain suit	4XL	Ea



## Schooner Ponchos

Made of .10 mm PVC film that provides light-duty protection from rain, dust and wind. Features attached hood and side snap closures. Includes handy tote pouch. Measures: 52" x 80". Universal.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
042	331423711	Schooner poncho	Clear	Ea
043	331423721	Schooner poncho	Blue	Ea



042



3882



## Dominator Rainwear

Made with .42 mm PVC/hi-tensile polyester/PVC in green for easy identification. Offers excellent splash protection and is a good choice for use in environments with exposure to chemicals and acids. Jacket has attached hood and zipper front with storm flap; bib pants have plain front and black plastic take-up snaps at ankles. Limited flammability tested in accordance with ASTM D6413-08 test method.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
3882-L	331456491	Dominator 2-piece rain suit	L	Ea
3882-XL	331456501	Dominator 2-piece rain suit	XL	Ea
3882-2X	331429241	Dominator 2-piece rain suit	2XL	Ea
3882-3X	331436261	Dominator 2-piece rain suit	3XL	Ea



Honeywell

**Kevlar® Sleeve**

100% DuPont™ Kevlar engineered fiber. Two-ply tube design offers superior cut and slash resistance. Thumb hole keeps sleeve securely in place while offering increased protection in the palm area. 18" Length. Yellow.

ITEM #	ORDER #	DESCRIPTION	UOM
KVS-2-18TH	341514211	Kevlar knit sleeve	Ea

DuPont  
Personal Protection**DuPont™ Proshield® NexGen® Sleeves**

ProShield® NexGen® garments are suitable for protection against non-hazardous particles, light liquid splash and aerosols in many industrial applications. Made with a microporous film that is laminated to a spunbonded polypropylene substrate. Applications include automotive refinishing, waste cleanup and remediation. Features serged seams. 18" Length. White.



NG500S

ITEM #	ORDER #	DESCRIPTION	UOM
NG500SWH00020000	31711577	Proshield® NexGen® sleeves	200/Cs

**Classic Series 49" Raincoat**

Made from .35 mm PVC on polyester broadloom fabric for double-layered protection and long-term durability. Applications include construction, utilities, airlines, municipalities and more. Features cape-vented back and (2) patch pockets. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
200C-M	331482561	Classic raincoat	M	Ea
200C-L	331482571	Classic raincoat	L	Ea
200C-XL	331482581	Classic raincoat	XL	Ea
200C-2X	331482591	Classic raincoat	2XL	Ea



200C

**Classic Rainwear Rider Coat**

Features extended 60" length, matching corduroy collar, detachable hood, cape-ventilated back, badge tab holder, black plastic take-up snaps at wrists and snap-close, storm-fly front. Includes inner leg snaps that form chaps. Applications include security work, refineries and wherever more coverage is needed. Black.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
267C-L	331427171	Classic rainwear rider coat	L	Ea
267C-XL	331427201	Classic rainwear rider coat	XL	Ea
267C-2X	331427211	Classic rainwear rider coat	2XL	Ea
267C-3X	331427221	Classic rainwear rider coat	3XL	Ea
♦ 267C-4X	331437381	Classic rainwear rider coat	4XL	Ea



267C

**Classic Plus 3-Piece Reflective Suit**

Constructed of .35 mm PVC on polyester broadloom fabric. Ideal for both indoor and outdoor use. Jacket features corduroy collar, cape-ventilated back and detachable hood. Jacket and bib-style pants have highly reflective tape stripes to increase visibility in low-light conditions. Applications include construction, utilities, airlines and municipalities. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2403R-L	331426321	Classic Plus reflective suit	L	Ea
2403R-XL	331426351	Classic Plus reflective suit	XL	Ea
2403R-2XL	331426361	Classic Plus reflective suit	2XL	Ea



2403R



# Cold Weather Gear

Winter weather presents hazards including slippery roads/surfaces, strong winds and environmental cold. Employers must prevent illnesses, injuries, or fatalities by controlling these hazards in workplaces.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.



LUX-TJBJ-BY



## Class 3 Premium 4-Way Black Bottom Bomber Jacket

Convertible, 2-layer jacket in PU-coated polyester with 3M™ Scotchlite™ Reflective Material. Features snap-on, roll-up hood, flip-up collar, zipper/snap front, radio pocket, (2) outside hand pockets and (1) inside pocket. Collar, elasticized cuffs and waistband are dark to hide dirt. On warmer days, zip out inner fleece lining and wear bomber jacket as windbreaker jacket, still Class 3. Remove sleeves to wear as Class 2 vest alone, or with inner fleece jacket underneath. Non-compliant, black fleece jacket can be worn alone when working away from traffic. ANSI 107-2010 Class 3 compliant. Yellow.



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ LUX-TJBJ-BYL	325308441	Premium black bottom bomber jacket	L	Ea
LUX-TJBJ-BYXL	325327191	Premium black bottom bomber jacket	XL	Ea

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
LUX-TJBJ-BY2X	325308451	Premium black bottom bomber jacket	2XL	Ea
♦ LUX-TJBJ-BY3X	325308461	Premium black bottom bomber jacket	3XL	Ea





### Class 3 Classic 3-Way Black Bottom Bomber Jacket

Made of 100% ANSI polyester with PU coating and 2" silver reflective tape. Features sealed seams, 100% black polyester fleece zip-out liner, roll-away hood, (2) outer pockets, (1) inner pocket, (1) radio pocket, (1) pencil pocket, (2) mic tabs, and black bottom front, collar, cuffs and waistband. Waterproof. ANSI 107-2010 Class 3 compliant. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ LUX-ETBJR-M	325357891	Classic 3-way bomber jacket	M	Ea
LUX-ETBJR-L	325357881	Classic 3-way bomber jacket	L	Ea
LUX-ETBJR-XL	325357901	Classic 3-way bomber jacket	XL	Ea
♦ LUX-ETBJR-2X	325357911	Classic 3-way bomber jacket	2XL	Ea



LUX-ETBJR

LUX-SWT3HZ-0



### Class 3 Premium Wicking Zip-Up Sweatshirts

Made of 9 oz., 100% ANSI wicking polyester which keeps wearer warm and dry. Features elastic cuffs and waistband, zipper, attached hood and (2) pockets. Includes 2" 3M™ Scotchlite™ Reflective Material, (2) stripes on each arm, (2) vertical and (1) 360° horizontal. ANSI 107-2010 Class 3 compliant.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>Orange</b>				
LUX-SWT3HZ-OL	325301471	Class 3 premium wicking zip-up sweatshirt	L	Ea
LUX-SWT3HZ-0XL	325306741	Class 3 premium wicking zip-up sweatshirt	XL	Ea
♦ LUX-SWT3HZ-02X	325301501	Class 3 premium wicking zip-up sweatshirt	2XL	Ea
<b>Yellow</b>				
LUX-SWT3HZ-YL	325301541	Class 3 premium wicking zip-up sweatshirt	L	Ea
LUX-SWT3HZ-YXL	325301571	Class 3 premium wicking zip-up sweatshirt	XL	Ea
LUX-SWT3HZ-Y2X	325301581	Class 3 premium wicking zip-up sweatshirt	2XL	Ea



LUX-SWT3HZ-Y

LUX-SWT3-Y



### Class 3 Wicking Crew Neck Sweatshirt

Made of 9 oz., 100% ANSI wicking polyester to keep wearer warm and dry. Features elastic cuffs and waistband. Includes 2" 3M™ Scotchlite™ Reflective Material, (2) stripes on each arm, (2) vertical and (1) 360° horizontal. ANSI 107-2010 Class 3 compliant. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ LUX-SWT3-YL	325347121	Class 3 wicking crew neck sweatshirt	L	Ea
♦ LUX-SWT3-YXL	325347131	Class 3 wicking crew neck sweatshirt	XL	Ea
♦ LUX-SWT3-Y2X	325347141	Class 3 wicking crew neck sweatshirt	2XL	Ea





## Ansell

### Winter Monkey Grip™ Gloves

Keep hands warm, dry and protected from abrasions. Curved fingers, wing thumb, and soft jersey lining are comfortable and easy to wear. Tough vinyl coating stays soft when cold. Great for outdoor work, cold storage and fishing industries.



23-193

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
23-173	220102365	Monkey Grip gloves, orange vinyl w/ safety cuff & raised finish	10	12/Pk
23-193	220102375	Monkey Grip gloves, orange vinyl w/ safety cuff	10	12/Pk



### North Polar® Gloves

Cold weather, insulated gloves with a waterproof liner to help keep liquids out and hands dry. Extended knitwrist provides additional weather protection. Features Gunn cut with wing thumb for comfort. Recommended for temperatures down to -36° F (-38° C). Ideal for construction, forestry, snow clearing, de-icing, highway work, baggage handling and maintenance. Blue with yellow back.



70/6465NK

ITEM #	ORDER #	DESCRIPTION	UOM
70/6465NK	347636145	Insulated leather palm gloves	12/Pk



### Knucklehead X10™ Insulated Gloves

ARMOR SKIN™ synthetic leather palm, PVC anti-slip patches, double wish bone palm and neoprene padding offers impact absorption. Full-finger and backhand shock-absorbing thermoplastic rubber protection. Made from contrasting hi-viz material with pre-curved finger design. Fully sewn with high-tenacity thread. Features elastic wrist, terry cloth brow wipe and 3M™ Thinsulate™ lining. Waterproof.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>Hi-Viz Orange</b>				
21247H0/9	337982465	Knucklehead X10 insulated gloves	M	12/Pk
21247H0/10	337982475	Knucklehead X10 insulated gloves	L	12/Pk
21247H0/11	337982485	Knucklehead X10 insulated gloves	XL	12/Pk
21247H0/12	337982495	Knucklehead X10 insulated gloves	2XL	12/Pk
<b>Hi-Viz Yellow</b>				
21247HY/9	337983465	Knucklehead X10 insulated gloves	M	12/Pk
21247HY/10	337983475	Knucklehead X10 insulated gloves	L	12/Pk
21247HY/11	337983485	Knucklehead X10 insulated gloves	XL	12/Pk
21247HY/12	337983495	Knucklehead X10 insulated gloves	2XL	12/Pk



### Bald Eagle Mechanics Gloves

Features premium beige grain pigskin palm with blue stretch knit back, pre-curved finger, neoprene knuckle, Velcro® wrist closure and 3M™ Thinsulate™ lining. 72 Pr/Cs.



2152T



### White Eagle Mechanics Gloves

Mechanics-style premium white grain goatskin palm with black stretch knit back, pre-curved finger, neoprene knuckles, Velcro® wrist closure and 3M™ Thinsulate™ lining. 72 Pr/Cs.



2153T

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2152T/9	337961545	Bald Eagle mechanics gloves w/ Thinsulate lining	M	12/Pk
2152T/10	337961555	Bald Eagle mechanics gloves w/ Thinsulate lining	L	12/Pk
2152T/11	337961565	Bald Eagle mechanics gloves w/ Thinsulate lining	XL	12/Pk
2152T/12	337961575	Bald Eagle mechanics gloves w/ Thinsulate lining	2XL	12/Pk

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2153T/9	337994555	White Eagle mechanics gloves w/ Thinsulate lining	M	12/Pk
2153T/10	337994565	White Eagle mechanics gloves w/ Thinsulate lining	L	12/Pk
2153T/11	337994575	White Eagle mechanics gloves w/ Thinsulate lining	XL	12/Pk
2153T/12	337994585	White Eagle mechanics gloves w/ Thinsulate lining	2XL	12/Pk



### Thermosock® Insulated Gloves

Cowskin leather palm gloves lined with Thermosock to keep hands warm and dry. Features 2 1/2" rubberized safety cuff. Ideal for agriculture, carpentry, construction, farming, forestry and landscaping.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1320	331406545	Thermosock insulated gloves	L	12/Pk



1320



### Artic Jack® Insulated Pigskin Leather Palm Gloves

Made with premium grain leather with Thermosock® lining and 2 1/2" safety cuff. Pigskin tends to become softer with use and withstands moisture without stiffening. Ideal for construction and farming, forklifts, ranching, utility work, insulated conditions and wet conditions plus general purpose applications requiring greater dexterity.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1965-XL	331408245	Artic Jack insulated pigskin gloves	XL	12/Pk



1965



### Artic Jack® Insulated Leather Drivers Gloves

Premium grain pigskin with Thermosock® lining, keystone thumb and slip-on cuff. Pigskin tends to become softer with use and withstands moisture without stiffening. When laundered, this leather will return more to its natural soft texture. Ideal for construction and farming, forklifts, ranching, utility work plus general purpose applications requiring greater dexterity. 10 Dz/Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 3460-M	331409675	Artic Jack insulated gloves	M	12/Pk
♦ 3460-L	331409665	Artic Jack insulated gloves	L	12/Pk
♦ 3460-XL	331409695	Artic Jack insulated gloves	XL	12/Pk



3460



### Ninja® Ice Proprietary HPT™ Coated Palm and Fingertips Gloves

Made from 7-gauge acrylic terry liner on the inside and a 15-gauge HPT-coated nylon liner on the outside. Proprietary coating process creates encapsulated air molecules repelling liquids for a firm wet or dry grip, and provides a cushioning effect to minimize impact. Remains soft and flexible in temperatures as low as -58° F. Treated with Actifresh™ to kill bacteria and promote freshness. Ideal for agriculture, cold storage, commercial fishing, construction, outdoor winter use and utilities. 6 Dz/Cs. CE score 3232; CE/EN 511 cold hazard 02X.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
N9690-L	331491015	Ninja Ice HPT gloves	L	12/Pk



N9690



TILLMAN  
The World's Best Price Guaranteed

### 1565 Pigskin Insulated Work Gloves

Rugged top-grain pigskin palm and knuckle strap. Features canvas back, wing thumb, Gunn cut, safety cuff and 3M™ Thinsulate™ lining.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1565	C34119721	Pigskin insulated work gloves	XL	Pr



1565





1568



## 1568 Split Leather/Cotton Winter Gloves

Rugged, select shoulder split cowhide palm, canvas back winter gloves feature ColdBlock™ poly/cotton lining for added all day warmth. Waterproof lining keeps hands dry. Wing thumb naturally fits contours of hand. Heavy-duty duck safety cuff.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1568L	C34119741	Standard winter gloves, blue cowhide	L	Pr



1578B



## 1578B Economy Winter-Lined Work Gloves

Features rugged cowhide split leather palm and knuckle strap with canvas back. Cotton foam lined for added warmth. Wing thumb naturally fits contour of hand. Heavy-duty safety cuff. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1578B	C34104581	Economy winter-lined work gloves	L	Pr



1592



## 1592 Deerskin Winter Gloves

Features top-grain deerskin palm naturally resistant to cold. Nylon spandex back provides snug and comfortable fit. Thinsulate™ lining offers warmth and minimizes bulk. Integrated knit cuff keeps debris out.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1592L	C34125921	1592 Deerskin winter gloves	L	Pr
1592XL	C34125931	1592 Deerskin winter gloves	XL	Pr



Our full-line of Hand Protection starts on Page 90.



7750

WELLS LAMONT  
Industrial

## MechPro® Insulated Gloves

Machine washable synthetic suede leather in palm and fingertips with stretch spandex back for comfort and fit. Features Feeltite® hook-and-loop adjustable wrist closure, reinforced finger and thumb tips and fleece lining with C70 Thinsulate™ insulation for warmth.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 7750L	416410935	MechPro insulated gloves	L	12/Pk
♦ 7750XL	416410955	MechPro insulated gloves	XL	12/Pk



Y0042

WELLS LAMONT  
Industrial

## Thermofill™ Lined Leather Palm Gloves

Provides comfort, durability and thermal protection. Premium grain pigskin leather palms with Gunn cut, wing thumb and safety cuff. Thermofill insulation for warmth. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ Y0042L	416400455	Thermofill lined leather palm gloves	L	6/Pk



## Hot Rods® Hand Warmers Display

Stay productive, warm and comfortable working outdoors with the help of instant hand warmers. Non-toxic and odorless warmers activate after shaking. Reach an average temperature of 120° F and provide warmth up to 8 hours. 40 Pair/box.

ITEM #	ORDER #	DESCRIPTION	UOM
1100-80D	325301845	Hot Rod hand warmer display	Bx



1100-80D



## Hot Rods® 3-in-1 Plush Fleece Winter Liners

Plush double-napped heavyweight stretch polyester fleece liner can be worn three ways. Can cover the neck only; cover the neck and head; or cover the neck, head and face. Adjustable drawstring can be tightened to keep the liner snug, and (2) hook-and-loop tab closures make it easy to wear with a hard hat. Also available in flame-resistant version (1070FR).

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
♦ 1070E	325310711	3-in-1 Plush fleece winter liner, middle weight	Black	Ea
1070-CAMO	325305011	3-in-1 Plush fleece winter liner	Camouflage	Ea
♦ 1070FR	325310731	3-in-1 Plush fleece winter liner, flame-resistant	Charcoal black	Ea

1070E

1070FR



LB600



## Long Neck Basic Winter Liner

Hard hat liner is designed with 100% cotton twill top with FR treatment until washed. Features heavy fleece lining and an extra long nape. Blue.

ITEM #	ORDER #	DESCRIPTION	UOM
♦ LB600	325316001	FR-treated winter liner	Ea



LK810



## Full Face Tube Winter Liner

Hard hat tube liner fits over regular brim hard hats and covers the majority of face. Red.

ITEM #	ORDER #	DESCRIPTION	UOM
♦ LK810	325301941	Full face tube liner	Ea



LK910FR



## Classic Flame-Resistant Full-Face Tube Liner

Made from 9.5 oz. modacrylic soft rib knit. Sewn with Nomex® thread. Arc rating: 11.6 cal/cm², HRC2. Meets ASTM F1506 and NFPA 70E. Navy.



LZ620



## Hot Rods® Winter Liner

Features 100% cotton twill top with polyester fleece lining and 100% polyester bottom. Button closure and zipper are all plastic, no metal parts. Universal. Navy.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ LK910FR	325309191	Classic full-face tube liner, FR	Ea

ITEM #	ORDER #	DESCRIPTION	UOM
LZ620	325301981	Winter liner	Ea



## Classic Hard Hat Knitted Tube Liner

Knitted tube liners are constructed of 100% polyester and fit snugly over hard hats, blocking wind tunneling inside the crown. Liners trap warmth inside hard hats to keep head and ears warm. Space-saving design folds up on the outside of a hard hat when not in use.



RK800



## Classic Flame-Resistant Hard Hat Tube Liner

Made from 9.5 oz. modacrylic soft rib knit. Sewn with Nomex® thread. Arc rating: 11.6 cal/cm², HRC2. Meets ASTM F1506 and NFPA 70E. Navy.



RK900FR

ITEM #	ORDER #	DESCRIPTION	UOM
RK800	325318001	Knitted tube liner	Ea

ITEM #	ORDER #	DESCRIPTION	UOM
◆ RK900FR	325309251	Classic FR hard hat tube liner	Ea



SF560



XX301



SS550



XX600



## Winter Liners

Various winter liners to protect user from cold environments.

- Classic shoulder-length HD fleece: 100% Polyester anti-pilling heavyweight fleece
- Classic shoulder-length Sherpa: 100% Cotton twill outer shell with 50% acrylic/50% polyester Sherpa lining
- Value regular-length quilted: 100% Cotton twill
- Value mid-length twill: 100% Cotton twill top with fleece lining, FR treatment until washed

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
SF560	325302271	Classic shoulder-length HD fleece	Gray	Ea
SS550	325302291	Classic shoulder-length Sherpa	Navy	Ea
XX301	325343045	Value regular-length quilted	Blue	6/Pk
◆ XX600	325303031	Value mid-length twill	Blue	Ea





14497



14499



14502



10118417



10118418



10118422



10118427



## Jackson Safety\* Winter Liners

Various navy blue winter liners to protect workers from the cold.

- 14497: Keeps wind out and traps warmth for temps 0° F to -20° F. Full face and neck model protects mouth and cheeks. Fits over most safety caps. Knitted flame-resistant treated polyester meets 16 CFR 1610, Class 1.
- 14499: Detachable bottom section double-layered with heavy knit spun polyester. Top section is flame-retardant and bottom section does not support combustion. Top section is lined with red heavyweight fleece.
- 14502: Quilted nylon shell with fastener straps and (3) layers of thick foam. Water-resistant material. Temperature range between 32° to 0° F. Meets 16 CFR 1610, Class 1.

ITEM #	ORDER #	DESCRIPTION	UOM
14497	C24134371	Full face & neck winter liner	Ea
14499	C24124521	Ultra winter liner	Ea
14502	C2412409	Poly-fleece winter liner	Ea



## V-Gard® Winter Liners

Provide excellent protection against cold with maximum economy.

- V-Gard liner knit cap is a stylish skullie cap that prevents liner from obstructing vision. Made from 100% high bulk acrylic.
- V-Gard liner knit hat/cap cover is made from 100% acrylic. Bright yellow-green for greater visibility. Full face tube mounts under or over brim of MSA caps or hats, covering ears, mouth, cheeks and neck. Extended nape and wraparound collar for tucking into coat/shirt.
- V-Gard value liner is made of 100% cotton twill with adjustable chin strap.
- FR 2-piece liner has a multi-layered FR top and features no metal parts. Water-repellent. Arc rating: 8 cal/cm².

ITEM #	ORDER #	DESCRIPTION	UOM
10118417	3085866D1	V-Gard liner knit cap	Ea
10118418	3085867D1	V-Gard liner knit hat/cap cover	Ea
10118422	3085869D1	V-Gard value liner, extended	Ea
10118427	3085845D5	FR 2-piece liner	3/Pk



## Single Serve Hot Stik Tubes

Each great-tasting serving is filled with essential electrolytes, minerals and vitamins to help to stimulate the body and keep it protected during increased exposure to the cold. Green Tea has a natural caffeine content of 13.7 mg per stick. Yield: .16 oz. makes 8-10 oz. drink. 10 Stiks/tube, 20 tubes/case.

ITEM #	ORDER #	DESCRIPTION	UOM
060300-AC	33170300	Apple Cider	Cs
◆ 060301-GT	33170124	Green Tea	Cs
◆ 060303-OS	33170906	Orange Spice	Cs



060301-GT




060300-AC



# Hi-Viz Apparel

Employees providing temporary traffic control should wear high-visibility clothing with a background of fluorescent orange-red or yellow-green and retroreflective material of orange, yellow, white, silver, or yellow-green.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.



## Class 2 Premium Solid Dual Stripe Vest

Made of 100% ANSI polyester tricot with 2" 3M™ Scotchlite™ Reflective Material, (2) 360° horizontal and (2) vertical stripes. Features hook-and-loop closure. Machine washable. ANSI 107-2010 Class 2 compliant. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
LUX-SSFULLG-YL	325300571	Class 2 dual stripe vest	L	Ea
LUX-SSFULLG-YXL	325300601	Class 2 dual stripe vest	XL	Ea
LUX-SSFULLG-Y2X	325300611	Class 2 dual stripe vest	2XL	Ea
LUX-SSFULLG-Y3X	325300621	Class 2 dual stripe vest	3XL	Ea
♦ LUX-SSFULLG-Y4X	325300631	Class 2 dual stripe vest	4XL	Ea

LUX-SSFULLG-Y



## Class 2 Premium Expandable Two-Tone Mesh Vest

Bright, 100% ANSI polyester mesh with 2" 3M™ Scotchlite™ Reflective Material, (1) 360° horizontal and (2) vertical stripes with contrasting color trim. Features zipper closure, (2) lower inside pockets and (1) outer left chest pocket. ANSI 107-2010 Class 2 compliant. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
LUX-SC2TZ-YM/L	325300051	Class 2 expandable two-tone mesh vest	M/L	Ea
LUX-SC2TZ-YXL/2	325300061	Class 2 expandable two-tone mesh vest	XL/2XL	Ea
LUX-SC2TZ-Y3/4X	325300071	Class 2 expandable two-tone mesh vest	3XL/4XL	Ea



LUX-SC2TZ-Y

LUX-SSBRPC-Y



## Class 2 Premium 5-Pt. Breakaway Mesh Vest

Lightweight, 100% ANSI polyester mesh with 2" 3M™ Scotchlite™ Reflective Material, (1) 360° horizontal and (2) vertical stripes. Features hook-and-loop closure at top, sides and front that breakaway when tugged with moderate force, to help prevent workers from being caught and pulled. Designed with (1) outside lower pocket and (1) inside chest pocket with hook-and-loop closure. ANSI 107-2010 Class 2 compliant. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ LUX-SSBRPC-YL	325347251	Class 2 premium breakaway mesh vest	L	Ea
♦ LUX-SSBRPC-YXL	325347261	Class 2 premium breakaway mesh vest	XL	Ea
♦ LUX-SSBRPC-Y2X	325347271	Class 2 premium breakaway mesh vest	2XL	Ea
♦ LUX-SSBRPC-Y3X	325347281	Class 2 premium breakaway mesh vest	3XL	Ea





## Class 2 Value Solid Vests

Made of lightweight, 100% ANSI polyester tricot with 2" silver reflective tape stripes, (1) 360° horizontal and (2) vertical. Features hook-and-loop closure. ANSI 107-2010 Class 2 compliant.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>Yellow</b>				
ECO-G-YS/M	325343101	Class 2 value solid vest	S/M	Ea
ECO-G-YL/XL	325343111	Class 2 value solid vest	L/XL	Ea
ECO-G-Y2/3X	325343121	Class 2 value solid vest	2XL/3XL	Ea
♦ ECO-G-Y4/5X	325343131	Class 2 value solid vest	4XL/5XL	Ea
<b>Orange</b>				
♦ ECO-G-OS/M	325343001	Class 2 value solid vest	S/M	Ea
ECO-G-OL/XL	325343011	Class 2 value solid vest	L/XL	Ea
ECO-G-O2/3X	325343021	Class 2 value solid vest	2XL/3XL	Ea
ECO-G-O4/5X	325343031	Class 2 value solid vest	4XL/5XL	Ea

ECO-G-Y

ECO-G-O



ECO-GC-Y



## Class 2 Value Mesh Vest

Made of 100% ANSI polyester mesh with 2" silver reflective tape stripes, (1) 360° horizontal and (2) vertical. Features hook-and-loop closure and (1) inside left chest pocket with closure. ANSI 107-2010 Class 2 compliant. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
ECO-GC-YS/M	325347531	Class 2 value mesh vest	S/M	Ea
ECO-GC-YL/XL	325347541	Class 2 value mesh vest	L/XL	Ea
ECO-GC-Y2/3X	325347551	Class 2 value mesh vest	2XL/3XL	Ea
ECO-GC-Y4/5X	325347561	Class 2 value mesh vest	4XL/5XL	Ea



## Class 2 Classic Surveyors Mesh Vests

Lightweight, 100% polyester mesh with 2" silver reflective tape stripes, (1) 360° horizontal and (2) vertical. Pockets: (2) inside lower with pen compartment, (4) pen on outside right chest and (1) outside left, double with (4) pen compartments. Features zipper front. ANSI 107-2010 Class 2 compliant.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>Yellow</b>				
LUX-SSGCS-YL/XL	325351121	Class 2 classic surveyors mesh vest	L/XL	Ea
LUX-SSGCS-Y2/3X	325341131	Class 2 classic surveyors mesh vest	2XL/3XL	Ea
LUX-SSGCS-Y4/5X	325351131	Class 2 classic surveyors mesh vest	4XL/5XL	Ea
<b>Orange</b>				
LUX-SSGCS-OL/XL	325347381	Class 2 classic surveyors mesh vest	L/XL	Ea
LUX-SSGCS-O2/3X	325347391	Class 2 classic surveyors mesh vest	2XL/3XL	Ea
♦ LUX-SSGCS-O4/5X	325347401	Class 2 classic surveyors mesh vest	4XL/5XL	Ea

LUX-SSGCS-O

LUX-SSGCS-Y







ECO-ATRNSM-Y



## Value Two-Tone Surveyor Mesh Vest

Made of 100% ANSI polyester mesh with 2" silver reflective tape backed by contrasting ANSI compliant trim. Features zipper front closure, (2) mic tabs and large arm opening for use over cold weather outerwear. Pockets: double left chest with (4) pencil compartments, right chest radio/phone with hook-and-loop flap, (2) lower front with hook-and-loop flap, (2) lower inside, and (1) inside flashlight. ANSI 107-2010 Class 2 compliant. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ ECO-ATRNSM-YM	325328501	Two-tone surveyor mesh vest	M	Ea
♦ ECO-ATRNSM-YL	325328511	Two-tone surveyor mesh vest	L	Ea
♦ ECO-ATRNSM-YXL	325328521	Two-tone surveyor mesh vest	XL	Ea
♦ ECO-ATRNSM-Y2X	325328531	Two-tone surveyor mesh vest	2XL	Ea
♦ ECO-ATRNSM-Y3X	325328541	Two-tone surveyor mesh vest	3XL	Ea
♦ ECO-ATRNSM-Y4X	325328551	Two-tone surveyor mesh vest	4XL	Ea
♦ ECO-ATRNSM-Y5X	325328561	Two-tone surveyor mesh vest	5XL	Ea



## Non-ANSI Value Vest with Gloss Tape

100% Polyester mesh vest with 1" vertical, glossy tape stripes. Features elastic side straps, hook-and-loop closure and (1) inside lower pocket. Non-ANSI. Orange.

ITEM #	ORDER #	DESCRIPTION	UOM
LUX-XGTM-OR	325347521	Non-ANSI mesh vest	Ea

LUX-XGTM-O



LUX-XNTM-YR

LUX-XNTM-OR



## Non-ANSI Value Vests

100% Polyester mesh vest without stripes. Features elastic side straps, hook-and-loop closure and (1) inside lower pocket. Non-ANSI.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
LUX-XNTM-YR	325305181	Non-ANSI mesh vest, no stripes	Yellow	Ea
LUX-XNTM-OR	325305171	Non-ANSI mesh vest, no stripes	Orange	Ea



## Value Mesh Two-Tone Vest

100% Polyester mesh fabric features 1 3/8" silver reflective tape backed by orange trim. Offers elastic side straps, hook-and-loop closure and (1) inside lower pocket. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
LUX-XTTM-YR	325307911	Value mesh two-tone vest	Regular	Ea

LUX-XTTM-Y





ECO-GC2T-Y



### Class 2 Value Mesh Two-Tone Vest

Made of 100% ANSI polyester mesh with 2" silver reflective tape backed by contrasting ANSI compliant trim. Features hook-and-loop closure and (1) left inner chest pocket. ANSI 107-2010 Class 2 compliant. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
ECO-GC2T-YL/XL	325322551	Class 2 mesh two-tone vest	L/XL	Ea
♦ ECO-GC2T-Y2/3X	325322561	Class 2 mesh two-tone vest	2XL/3XL	Ea
♦ ECO-GC2T-Y4/5X	325322571	Class 2 mesh two-tone vest	4XL/5XL	Ea



### Class 2 Mesh Safety Vest

100% Polyester fluorescent yellow mesh material with 2" reflective tape on shoulders and chest. Secures with front hook-and-loop closure. ANSI 107-2010 Class 2 High-Visibility Apparel compliant.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
690-1208	G73512081	Class 2 safety vest	M	Ea
690-1209	G73512091	Class 2 safety vest	L	Ea
690-1210	G73512101	Class 2 safety vest	XL	Ea
690-1211	G73512111	Class 2 safety vest	2XL	Ea
690-1212	G73512121	Class 2 safety vest	3XL	Ea



690-1210



### Value Mesh Vests with Zipper

Made of 100% ANSI polyester mesh with 2" silver reflective tape. Features zipper closure and inner left chest pocket. ANSI 107-2010 Class 2 compliant.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>Orange</b>				
♦ ECO-GCZ-OS/M	325377141	Value mesh vest w/ zipper	S/M	Ea
♦ ECO-GCZ-OL/XL	325377151	Value mesh vest w/ zipper	L/XL	Ea
♦ ECO-GCZ-O2/3X	325327951	Value mesh vest w/ zipper	2XL/3XL	Ea
♦ ECO-GCZ-O4/5X	325327961	Value mesh vest w/ zipper	4XL/5XL	Ea
<b>Yellow</b>				
♦ ECO-GCZ-YS/M	325377181	Value mesh vest w/ zipper	S/M	Ea
♦ ECO-GCZ-YL/XL	325377191	Value mesh vest w/ zipper	L/XL	Ea
♦ ECO-GCZ-Y2/3X	325305521	Value mesh vest w/ zipper	2XL/3XL	Ea
♦ ECO-GCZ-Y4/5X	325377211	Value mesh vest w/ zipper	4XL/5XL	Ea

ECO-GCZ-O



ECO-GCZ-Y



## Standard Wicking T-Shirt with Pocket

Made of 3.8 oz., 100% ANSI wicking birdseye fabric with 2" silver reflective tape. Features left chest pocket and lightweight fabric for comfort. ANSI 107-2010 Class 2 compliant. Yellow.

LUX-SSETP2B-Y



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ LUX-SSETP2B-YL	325337721	Standard wicking t-shirt w/ pocket	L	Ea
♦ LUX-SSETP2B-YXL	325347651	Standard wicking t-shirt w/ pocket	XL	Ea



ECO-GCZ3-Y



## Class 3 Value Zipper-Front Mesh Vests

Made of 100% ANSI polyester mesh with 2" reflective tape stripes, (1) 360° horizontal and (2) vertical. Features (2) pockets and zipper closure. ANSI 107-2010 Class 3 compliant.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>Yellow</b>				
ECO-GCZ3-YS/M	325347001	Class 3 value zipper-front vest	S/M	Ea
ECO-GCZ3-YL/XL	325347011	Class 3 value zipper-front vest	L/XL	Ea
♦ ECO-GCZ3-Y2/3X	325347021	Class 3 value zipper-front vest	2XL/3XL	Ea
♦ ECO-GCZ3-Y4/5X	325347031	Class 3 value zipper-front vest	4XL/5XL	Ea
<b>Orange</b>				
♦ ECO-GCZ3-OS/M	325347041	Class 3 value zipper-front vest	S/M	Ea
ECO-GCZ3-OL/XL	325347051	Class 3 value zipper-front vest	L/XL	Ea
♦ ECO-GCZ3-O2/3X	325347061	Class 3 value zipper-front vest	2XL/3XL	Ea
ECO-GCZ3-O4/5X	325347071	Class 3 value zipper-front vest	4XL/5XL	Ea



## Class 3 Wicking Crew Neck Sweatshirt

Made of 9.4 oz., 100% ANSI wicking polyester to keep wearer warm and dry. Features elastic cuffs and waistband. Includes 2" 3M™ Scotchlite™ Reflective Material, (2) stripes on each arm, (2) vertical and (1) 360° horizontal. ANSI 107-2010 Class 3 compliant. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ LUX-SWT3-YL	325347121	Class 3 wicking crew neck sweatshirt	L	Ea
♦ LUX-SWT3-YXL	325347131	Class 3 wicking crew neck sweatshirt	XL	Ea
♦ LUX-SWT3-Y2X	325347141	Class 3 wicking crew neck sweatshirt	2XL	Ea
♦ LUX-SWT3-Y3X	325347151	Class 3 wicking crew neck sweatshirt	3XL	Ea
♦ LUX-SWT3-Y4X	325347161	Class 3 wicking crew neck sweatshirt	4XL	Ea



LUX-SSETPBK



## Classic Black Bottom T-Shirt

Made of 3.8 oz., 100% ANSI wicking birdseye fabric. Features 2" silver reflective tape, left chest pocket and black bottom front to hide dirt. ANSI 107-2010 Class 2 compliant. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
LUX-SSETPBK-L	325327571	Classic black bottom t-shirt	L	Ea
LUX-SSETPBK-XL	325327581	Classic black bottom t-shirt	XL	Ea
LUX-SSETPBK-2X	325377221	Classic black bottom t-shirt	2XL	Ea



LUX-SWT3-Y





## Class 3 Premium Wicking Zip-Up Sweatshirts

Made of 9.4 oz., 100% ANSI wicking polyester which keeps wearer warm and dry. Features elastic cuffs and waistband, zipper, attached hood and (2) pockets. Includes 2" 3M™ Scotchlite™ Reflective Material, (2) stripes on each arm, (2) vertical and (1) 360° horizontal. ANSI 107-2010 Class 3 compliant.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>Yellow</b>				
LUX-SWT3HZ-YL	325301541	Class 3 premium wicking zip-up sweatshirt	L	Ea
LUX-SWT3HZ-YXL	325301571	Class 3 premium wicking zip-up sweatshirt	XL	Ea
LUX-SWT3HZ-Y2X	325301581	Class 3 premium wicking zip-up sweatshirt	2XL	Ea
LUX-SWT3HZ-Y3X	325301591	Class 3 premium wicking zip-up sweatshirt	3XL	Ea
♦ LUX-SWT3HZ-Y4X	325301601	Class 3 premium wicking zip-up sweatshirt	4XL	Ea
<b>Orange</b>				
LUX-SWT3HZ-OL	325301471	Class 3 premium wicking zip-up sweatshirt	L	Ea
♦ LUX-SWT3HZ-OXL	325306741	Class 3 premium wicking zip-up sweatshirt	XL	Ea
♦ LUX-SWT3HZ-O2X	325301501	Class 3 premium wicking zip-up sweatshirt	2XL	Ea
♦ LUX-SWT3HZ-O3X	325301511	Class 3 premium wicking zip-up sweatshirt	3XL	Ea
♦ LUX-SWT3HZ-O4X	325301521	Class 3 premium wicking zip-up sweatshirt	4XL	Ea



LUX-SWT3HZ-Y

LUX-SWT3HZ-O



**More Winter items  
located on Page 194.**



## Class 3 Premium 4-Way Bomber Jacket

Convertible, 2-layer waterproof jacket in PU-coated polyester with 3M™ Scotchlite™ Reflective Material. Features snap-on, roll-up hood, flip-up collar, zipper/snap front, sealed seams, radio pocket, (2) outside hand pockets and (1) inside pocket. Collar and elasticized cuffs and waistband are dark to hide dirt. On warmer days, zip out inner fleece lining and wear bomber jacket as windbreaker jacket, still Class 3. Remove sleeves to wear as Class 2 vest alone, or with inner fleece jacket underneath. Non-compliant, black fleece jacket can be worn alone when working away from traffic. ANSI 107-2010 Class 3 compliant. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ LUX-TJBJ-BYL	325308441	Premium 4-way bomber jacket	L	Ea
♦ LUX-TJBJ-BYXL	325327191	Premium 4-way bomber jacket	XL	Ea
♦ LUX-TJBJ-BY2X	325308451	Premium 4-way bomber jacket	2XL	Ea
♦ LUX-TJBJ-BY3X	325308461	Premium 4-way bomber jacket	3XL	Ea



LUX-TJBJ-BY



## Classic Three-Way Bomber Jacket

Made of 100% ANSI polyester mesh with PU coating and 2" silver reflective tape. Features sealed seams, roll-away hood, (2) outer pockets, (1) inner pocket, (1) radio pocket, (1) pencil pocket, (2) mic tabs, and black bottom front, collar, cuffs and waistband. Waterproof. ANSI 107-2010 Class 3 compliant. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ LUX-ETBJR-YM	325357891	Classic 3-way bomber jacket	M	Ea
♦ LUX-ETBJR-YL	325357881	Classic 3-way bomber jacket	L	Ea
♦ LUX-ETBJR-YXL	325357901	Classic 3-way bomber jacket	XL	Ea
♦ LUX-ETBJR-Y2X	325357911	Classic 3-way bomber jacket	2XL	Ea

LUX-ETBJR-Y



# Plant & Workzone Safety

Employers are mandated by OSHA to provide all employees with jobs and work areas free from recognized hazards that are causing, or are likely to cause, death or serious physical harm. Among other actions, employers shall also comply with the OSHA statutory requirements, standards, and regulations found at [www.osha.gov](http://www.osha.gov).





## Instrumentation

210 – 213



## Showers & Eyewash

224 – 229



## Confined Space

214 – 217



## Lockout/ Tagout

230 – 231



## Heat Stress

218 – 221



## Wipes & Cleaners

232 – 233



## First Aid

222 – 223



## Sorbents

234 – 235



## Hazardous Storage

236 – 239





# Instrumentation

Employers are required to comply with OSHA regulations set forth to minimize employees' exposure to hazardous gases and vapors anywhere potentially present. Continuous and comprehensive air monitoring is also mandatory.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.



## ALTAIR® Single-Gas Detectors

Single-gas detection for carbon monoxide, hydrogen sulfide or oxygen that will operate for over 2 years. Offers superior dust/water protection and high resistance to RFI. Rubberized housing and 1-button operation provide durability and ease of use. Features triple alarm system with (2) bright LEDs and audible/vibrating alarms. Automatically records last 25 alarm events. MSA infrared adapter with built-in IR communication port enables user to read data or change alarm set points. Small, thin sensor profile provides high performance in very small package.

ITEM #	ORDER #	DESCRIPTION	UOM
10092521	3085885B1	ALTAIR: H2S, 10 ppm (1st alarm)-15 ppm (2nd alarm)	Ea
♦ 10092522	3085617D1	ALTAIR: CO, 25 ppm (1st alarm)-100 ppm (2nd alarm)	Ea
♦ 10092523	3085157D1	ALTAIR: O2, 19.5% vol. (1st alarm)-23% vol. (2nd alarm)	Ea



## ALTAIR® 2X Gas Detectors

Rugged, intrinsically-safe gas detector is available in (3) models to fit all situations. Features tough over-molded rubber armor that can survive 25' drops onto concrete. Agency certified dust and water IP67 construction.

- ALTAIR 2X single-gas detector incorporates proven XCell® sensor technology and records 150+ hours of periodic data
- ALTAIR 2XP single-gas detector with XCell Pulse Technology features stand-alone bump test anytime, anywhere without specific calibration gas; records 150+ hours of periodic data
- ALTAIR 2XT can monitor (2) gases and records 100+ hours of periodic data

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
♦ 10153986	308501591	ALTAIR 2X: CO w/ XCell sensor technology	Charcoal	Ea
♦ 10153984	308539841	ALTAIR 2XP: H2S w/ XCell Pulse technology	Charcoal	Ea
♦ 10154040	308500991	ALTAIR 2XT: CO/H2S w/ XCell Two-Tox sensors	Charcoal	Ea
♦ 10154181	308501381	ALTAIR 2XT: CO/H2S w/ XCell Two-Tox sensors	Phosphorescent	Ea



10107602



### ALTAIR® 4X Multi-Gas Detectors

Tough, functional detector for LEL, CO, H<sub>2</sub>S and O<sub>2</sub>. Rugged, IP67 certified housing provides unsurpassed durability, including ability to survive 20' drop. Easy to operate even in low-light conditions with large, glove-friendly buttons and high-contrast display. Features fast, high-performing sensors, exclusive MSA MotionAlert™ and InstantAlert™ and end-of-sensor-life warning. Sensor response and clear times under 15 seconds. Sixty-second span calibration time. Two-tox CO/H<sub>2</sub>S sensor with virtually no cross-channel interference. Digital output sensors provide less susceptibility to RF interference. Four-year sensor life with 24-hour run time. Includes quick-start card, datalogging, charger, calibration cap and tubing, and CD manual.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
♦ 10107602	3085400D1	ALTAIR 4X: LEL, O <sub>2</sub> , CO & H <sub>2</sub> S	Charcoal	Ea
♦ 10107603	3085535D1	ALTAIR 4X: LEL, O <sub>2</sub> , CO & H <sub>2</sub> S	Phosphorescent	Ea



### ALTAIR® 5X Multi-Gas Detectors

Measures up to 6 gases simultaneously and can be fitted with a wide range of both toxic and infrared sensors. Features MSA's XCell® sensors with extended range covering SO<sub>2</sub>, Cl<sub>2</sub> and NH<sub>3</sub>. Offers superior stability, accuracy, repeatability, fast response and longevity. Standard sensors designed for average life of more than 4 years (more than 3 years for SO<sub>2</sub>, Cl<sub>2</sub>, and NH<sub>3</sub>); allow for faster response/clear times, bump tests in less than 10 seconds, and span calibration time of 60 seconds for common configurations; provide greater signal stability and repeatability under changing or extreme environmental conditions; are plug-and-play-capable. End-of-sensor-life indicator gives advanced warning to user, eliminating service outages. Event/data log records up to 500 events. MotionAlert™ triggers alarm if user remains motionless for 20 seconds. InstantAlert™ allows users to manually activate all alarms to alert others to potential hazards. Includes triple alarm system (visual, audible and vibration), large hi-res LCD screen (color or monochrome), 24-hour bump test checkmark, rugged rubberized housing and ergonomic design, auto calibration, Li-polymer battery with up to 18 hours usage between charges, 10' sampling line and 1' probe. MSA Link™ software and Galaxy® system compatible. IP65 rated for dust and water ingress.



10116928

ITEM #	ORDER #	DESCRIPTION	UOM
♦ 10116926	3085842D1	ALTAIR 5X: LEL, O <sub>2</sub> , CO & H <sub>2</sub> S Industrial kit w/ monochrome display, 10' sampling line & 1' probe	Ea
♦ 10116928	3085686D1	ALTAIR 5X: LEL, O <sub>2</sub> , CO & H <sub>2</sub> S Deluxe kit w/ color display, 10' sampling line & 1' probe	Ea



### Galaxy® GX2 Automated Test System

Provides simple, intelligent testing and calibration of ALTAIR® 4X and ALTAIR 5X multi-gas detectors. Easy-to-use automated test stand offers high performance as either stand-alone unit or integrated portable detector management system, enabling total data access and control of the MSA ALTAIR family Gas Detector fleet. MSA Link™ Pro Software for proactive safety management; gas exposure email alerts, direct data input, live filtering, test and exposure queries, collecting and printing reports.

#### Features:

- Color touch screen for ease of setup and viewing
- Extremely simple to use; testing starts automatically without touching a single button
- Simultaneous testing of up to (10) instruments
- Galaxy GX2 System is optimized for use with MSA's XCell® Sensors; provides up to 50% cost of ownership reduction
- At-a-glance indicators include low calibration gas volume, expiration warnings and test stand status
- MSA Link Pro Software provides proactive safety management, dashboard overview and total record-keeping
- 18 Languages available for test stand and MSA Link Pro Software that simplifies usage and reduces training

ITEM #	ORDER #	DESCRIPTION	UOM
♦ 10128628	308586291	Galaxy GX2 w/ 1 valve for ALTAIR 5/5X	Ea
♦ 10128642	3085303E1	Galaxy GX2 w/ 1 valve for ALTAIR 4/4X	Ea



10128628

10128642



## Econo-Cal® Aluminum Calibration Cylinders - Reactive Gases

Aluminum cylinder has 500 psig and contains approximately 34 L at atmospheric pressure. Size: 13 3/4" x 3". Weighs 1 lb., 1 oz.

ITEM #	ORDER #	DESCRIPTION	UOM
♦ 711058	30851058	Multi-gas cylinder: CO 300 ppm, O2 15%, Methane 1.45%, H2S 10 ppm, balance N	Ea
♦ 10048280	30858280	Multi-gas cylinder: CO 60 ppm, O2 15%, Pentane 1.45%, H2S 20 ppm, balance N	Ea

### ECONO-CAL® ALUMINUM CALIBRATION CYLINDERS



**Confined Space  
Products Found  
on Page 214.**



## Model RP Aluminum Calibration Cylinders - Reactive Gases

Aluminum cylinder has 500 psig and contains approximately 58 L at atmospheric pressure.

ITEM #	ORDER #	DESCRIPTION	UOM
♦ 467897	308551731	Single-gas cylinder: H2S 40 ppm, balance N	Ea
♦ 804770	30854770	Multi-gas cylinder: CO 300 ppm, O2 15%, Methane 1.45%, H2S 10 ppm, balance N	Ea
♦ 10045035	308535101	Multi-gas cylinder: CO 60 ppm, O2 15%, Methane 1.45%, H2S 20 ppm, balance N	Ea



### MODEL RP ALUMINUM CALIBRATION CYLINDERS



710288



## Gas Miser® Demand Regulator

Constructed of nickel-plated brass and polished aluminum (especially important for reactive gases). Regulator can supply gas flow from 0.1 lpm to 3.0 lpm. Designed for use with any MSA Model RP Calibration cylinder except chlorine and ammonia and features automatic ON/OFF valve that releases gas only on demand, using only amount of gas needed to calibrate your MSA instrument. When calibration is complete, regulator shuts off automatically. Regulator can stay connected to cylinder where it remains in ready state, making it ideal for fixed installations such as work benches and calibration stations. Eliminates need to change regulators to accommodate different instruments or flow rates. Supplied with calibration tubing and special fitting.

ITEM #	ORDER #	DESCRIPTION	UOM
♦ 710288	308586011	Model RP Gas Miser regulator, 0.1-3.0 lpm	Ea





## MSA Fixed Flow Regulator

Model RP regulator with fixed flow rate of 0.25 lpm. Fixed flow design provides constant and accurate flow to the instrument pump or aspirator. Approved for all MSA calibration gases.



467895

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 467895	30857895	Model RP cylinder regulator, 0.25 lpm	Ea



## Honeywell ToxiPro® Single-Gas Detectors

Compact, rugged in design and fully serviceable with simple 1-button operation. Available sensors: O<sub>2</sub>, CO, H<sub>2</sub>S, PH<sub>3</sub> and NH<sub>3</sub>. Three highly-visible, chasing yellow and red alarm LEDs plus vibration. Max, STEL and TWA readings are accessible by pressing the MODE button. Datalogging included. Continuous real-time gas readings. Includes black-box recorder and event logger (100 events). Meets IP66/IP67 ingress protection. Compatible with the IQ Express Docking Station. C-UL®-US. Classified for Class I, Div. I, Groups A, B, C, and D T4; Class II, Div. I, Groups E, F, and G.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 54-45-01VD	C23500011	ToxiPro: CO	Ea
◆ 54-45-02VD	C23545041	ToxiPro: H <sub>2</sub> S	Ea
◆ 54-45-13VD	C23545131	ToxiPro: PH <sub>3</sub>	Ea
◆ 54-45-21VD	C23545221	ToxiPro: NH <sub>3</sub>	Ea
◆ 54-45-90VD	C23545911	ToxiPro: O <sub>2</sub>	Ea



477149



## Model RP Calibration Check Kit

Kit includes 0.25 lpm regulating valve with gauge to measure container pressure, 30' tubing (without sampling line connection), calibration plug for MSA electrochemical sensors, zero plugs for MSA electrochemical sensors and calibration plug for MSA electrochemical sensors, adapter hose, instructions and case fitted with room for (2) Model RP cylinders of calibration check gas.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 477149	30857149	Calibration check kit	Ea

## When to Bump Test and When to Calibrate



According to the International Safety Equipment Association (ISEA), "A bump test or full calibration of direct-reading portable gas monitor should be made before each day's use in accordance with manufacturer's instructions, using an appropriate test gas." If the instrument fails a bump test, it must be adjusted through a full calibration before it is used. The acceptable interval between testing should never exceed 30 days. Only use certified calibration test gases in the proper concentration before the expiration date.

To learn more, visit [www.osha.gov](http://www.osha.gov) or [www.safetysystem.org](http://www.safetysystem.org) for further information on portable gas monitor bump testing and calibration.



# Confined Space

Areas with restricted means of entry and/or exit are dangerous and require very specific safety precautions including training, ventilation and PPE.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.



9513



9506-01



## AC/DC Axial Blowers with Canisters

AC Axial blower offers lightweight design and high output from an AC electric motor. Easy-to-use ventilation system is designed with tough steel construction, a durable grill, convenient carry handle and rubber feet. DC Axial blower is perfect when electricity is not available and may be operated off a truck battery. Features same durable construction as AC model except with a 12 VDC electric motor with thermal protector, single speed performance. Both systems can be stored vertically. Units sold individually or as a kit with choice of 15' or 25' of ducting with durable canister.

ITEM #	ORDER #	DESCRIPTION	FREE AIR	ONE 90° TURN	TWO 90° TURNS	UOM
9513	334203181	AC axial blower only	1,275 CFM	661 CFM	582 CFM	Ea
9514	334203231	AC axial blower w/ canister & 15' ducting	1,275 CFM	661 CFM	582 CFM	Ea
9514-25	334203271	AC axial blower w/ canister & 25' ducting	1,275 CFM	661 CFM	582 CFM	Ea
9506	334203041	DC axial blower only	1,150 CFM	800 CFM	650 CFM	Ea
9506-01	334203051	DC axial blower w/ canister & 15' ducting	1,150 CFM	800 CFM	650 CFM	Ea
9506-25	334203061	DC axial blower w/ canister & 25' ducting	1,150 CFM	800 CFM	650 CFM	Ea

Ships Direct **FOB Mfg.**



## 12" Plastic Axial Blowers

Made of durable, lightweight, corrosion-, UV- and chemical-resistant polyethylene material. Sturdy, easy-grip handles molded directly into blower and canister housing provide convenient, reliable transport. Choice of 15' or 25' ducting with quick-connect clipping system that provides tools-free connection to canister. Use on input side for powerful extraction or output side for ventilation. Ducting stores conveniently within canister. 1 hp, 110/220 VAC, 50/60 Hz. Safety orange color.



9543



9543-15

Ships Direct **FOB Mfg.**

ITEM #	ORDER #	DESCRIPTION	FREE AIR	ONE 90° TURN	TWO 90° TURNS	UOM
9543	33429543	12" Plastic axial blower	1,842 CFM	1,004 CFM	933 CFM	Ea
9543-15	33429544	12" Plastic axial blower w/ canister & 15' ducting	1,842 CFM	1,004 CFM	933 CFM	Ea
9543-25	33429545	12" Plastic axial blower w/ canister & 25' ducting	1,842 CFM	1,004 CFM	933 CFM	Ea



## 16" and 20" Axial Blowers

Designed for large confined spaces. Delivers high output for drawing or pushing air. Constructed with durable orange metal housing. Standard and explosion-proof 16" blowers have a 1/2 hp motor. High-output blowers have a 2 hp motor with 3-blade impeller on the 16" model and 4-blade impeller on the 20" model. Explosion-proof blowers include single phase motor and are UL®/CSA listed and NEMA rated 115 V plug. Meet Class I, Division 1 and 2, Group C and D, Class II, Division 1 and 2, Group F and G.

ITEM #	ORDER #	DESCRIPTION	FREE AIR	ONE 90° TURN	TWO 90° TURNS	UOM
<b>16" Axial Blowers</b>						
9515	334203291	16" Axial blower	3,400 CFM	2,800 CFM	2,300 CFM	Ea
9516	334203321	16" High-output axial blower	5,500 CFM	4,950 CFM	4,400 CFM	Ea
9515-01	334203311	16" Explosion-proof axial blower	2,900 CFM	1,800 CFM	1,750 CFM	Ea
<b>20" Axial Blowers</b>						
9525	33429525	20" Axial blower	4,650 CFM	3,150 CFM	2,950 CFM	Ea
9525-50	33422550	20" High-output axial blower	7,500 CFM	6,700 CFM	6,130 CFM	Ea
9525-01	33422501	20" Explosion-proof axial blower	4,650 CFM	3,150 CFM	2,950 CFM	Ea



9515

Ships Direct **FOB Mfg.**



## 8" Plastic COM-PAX-IAL Blowers

Made of durable, lightweight, corrosion-, UV- and chemical-resistant polyethylene material. Sturdy, easy-grip handles molded directly into blower and canister housing provide convenient, reliable transport. Choice of 15' or 25' ducting with quick-connect clipping system that provides tools-free connection to canister. Use on input side for powerful extraction or output side for ventilation. Ducting stores conveniently within canister. Safety orange color.

**AC blower:** Electric, single-phase motor is 1/3 hp, 3 A/115 VAC. UL®/CSA listed.

**DC blower:** Versatile system features the 8" COM-PAX-IAL 1/3 hp, 22 VAC/12 VDC blower with canister and can run off of a truck battery.

**AC explosion-proof blower:** includes NEMA rated 115 V plug for use with explosion-proof socket (sold separately). Meets Class I, Divisions 1 and 2, Groups C and D and Class II, Divisions 1 and 2, Groups F and G Hazardous Location Requirements.



9536

9533-15

Ships Direct **FOB Mfg.**

ITEM #	ORDER #	DESCRIPTION	FREE AIR	ONE 90° TURN	TWO 90° TURNS	UOM
9533	334203461	8" AC blower only	831 CFM	709 CFM	586 CFM	Ea
9533-15	334203481	8" AC blower w/ canister & 15' ducting	831 CFM	709 CFM	586 CFM	Ea
9533-25	334203491	8" AC blower w/ canister & 25' ducting	831 CFM	709 CFM	586 CFM	Ea
9536	334203561	8" DC blower	816 CFM	526 CFM	442 CFM	Ea
9536-15	334203571	8" DC blower w/ canister & 15' ducting	816 CFM	526 CFM	442 CFM	Ea
9536-25	334203581	8" DC blower w/ canister & 25' ducting	816 CFM	526 CFM	442 CFM	Ea
9538	334295381	8" Explosion-proof AC blower only	900 CFM	650 CFM	625 CFM	Ea
9538-15	33423815	8" Explosion-proof AC blower w/ canister & 15' statically-conductive ducting	900 CFM	650 CFM	625 CFM	Ea
9538-25	33423825	8" Explosion-proof AC blower w/ canister & 25' statically-conductive ducting	900 CFM	650 CFM	625 CFM	Ea



## Air Bag Blowers with Ducting

Blower built into heavy-duty bag with zippered ends that allows use without removing from bag. Constructed with 9-blade polypropylene fan, steel/powder-coated housing and grill, and carry handle with molded-in 2-speed switch. Includes single-ply, lightweight vinyl/polyester PVC-coated 15' ducting.

ITEM #	ORDER #	DESCRIPTION	FREE AIR	UOM
9535-08	334205381	8" Air bag blower, 1/4 hp	760 CFM	Ea
9535-12	334235121	12" Air bag blower, 1/2 hp	1,840 CFM	Ea

Ships Direct **FOB Mfg.**



9535-08





9520-04M



## Complete Axial and Centrifugal MVP Blower Systems

Includes choice of 8" blowers, 6' and 15' of ducting with storage bag and manhole ventilation pass-thru (MVP) that combines low-profile manhole air vent, 90° elbow and built-in mounting into a single assembly. Offers lightweight portability with highest output available. CFM on 2-speed blower is low speed/high speed.

ITEM #	ORDER #	DESCRIPTION	FREE AIR	ONE 90° TURN	TWO 90° TURNS	UOM
9520-33M	334203431	AC plastic blower system	831 CFM	709 CFM	586 CFM	Ea
9520-36M	334203441	DC plastic blower system	816 CFM	526 CFM	442 CFM	Ea
9520-14M	334203421	AC metal blower system	1,275 CFM	661 CFM	582 CFM	Ea
9520-06M	334203401	DC metal blower system	1,150 CFM	800 CFM	650 CFM	Ea
9520-04M	334203381	Standard blower system	1,066 CFM	839 CFM	745 CFM	Ea
9520-07M	33422007	2-Speed blower system	760/1,850 CFM	500/1,050 CFM	360/800 CFM	Ea

Ships Direct **FOB Mfg.**



## Manhole Accessories

- **Shield:** Constructed of rugged, lightweight polyethylene with bright yellow material that resists fading. Fits 28", 30" and 32" dia. manholes with inflatable, watertight seal. Designed with (4) outrigger support gussets that stabilize shield and is 12" tall to keep out water and mud. Can be used with Allegro® guard rail.
- **Guard rail:** Strong 1" tubular .078 gauge steel construction is powder-coated in safety yellow for durable finish and high visibility. Rail locks open and (2) hooking chains provide protected entry and exit. For safety, rail accommodates signs, flags or lights, and for convenience, can be used with a guard rail tent, umbrellas or winch. Protects an area of 33" x 33" for added safety. The 42" high guard rail collapses to only 44" square x 4" for easy storage. Single-piece construction assembles easily without tools. Weighs 34 lbs.
- **Lid lifter:** All-steel handle provides necessary leverage to lift heaviest lids. For safe storage, alloy-steel hook recesses and locks into pole. Rubber grips on handle and foot prevent slips. Cadmium plating resists rust.
- **Deluxe umbrella:** Heavy-duty, yellow vinyl with a sturdy, 92" 2-part metal pole. Can be pushed into the ground or strapped to manhole guard rail.
- **Economy umbrella:** Heavy-duty, yellow vinyl with strong, pointed 84" 2-part wood pole. 68" dia. collapses to 4' x 6" in dia.

ITEM #	ORDER #	DESCRIPTION	UOM
9401-12	334202681	Manhole shield	Ea
9401	334202661	Manhole guard rail	Ea
9401-20	334202691	Manhole lid lifter	Ea
9403	334202781	Deluxe umbrella	Ea
9403-01	334202791	Economy umbrella	Ea



Ships Direct **FOB Mfg.**



9401-25



## Magnetic Manhole Lid Lifters

Quickly and safely removes and replaces manhole covers up to 36" without needing a pry bar. Minimizes stress and strain on back and body. Collapsible for easy storage and transport. Can access uneven textured surface found on manhole covers with dual-position lifting points to provide the power to break loose stubborn covers. For safety, the magnet must be in contact with manhole cover to be engaged. Available with steel or aluminum dolly.

ITEM #	ORDER #	DESCRIPTION	UOM
9401-25	33422127	Steel dolly & magnet, 660-lb. lift weight	Ea
9401-26	33422128	Steel dolly & magnet, 900-lb. lift weight	Ea
9401-25A	33422129	Aluminum dolly & magnet, 660-lb. lift weight	Ea
9401-26A	33422130	Aluminum dolly & magnet, 900-lb. lift weight	Ea

Ships Direct **FOB Mfg.**



## Work Tents and Heater

- **Economy tent:** Utility shelter springs from backpack into full-size tent in seconds. Water-resistant, flame-retardant, UV-treated nylon with 360° reflective striping. Quick set-up from inside or outside with (2) floor-to-floor fiber poles. Features large door, (2) large windows and open bottom. Hi-viz green with (12) yellow 9" plastic stakes. Folds to 31" L x 2 1/2" H. Weighs 22 lbs.
- **Deluxe portable work tents:** Easy-to-use, durable and features quick set-up from inside or outside with fiberglass rod frame and handy attached roll-up flap for compact storage and easy transport. One-door design has zipper closure; 2-door design has (1) zipper and (1) roll-up door. Pitch roof style. Frame rods are bolted and unbreakable hinges are made of rolled steel. Blower duct tube in rear of tent and covered window included. Flame-retardant. Hi-viz green.
- **Heater:** Lightweight with rugged, heavy-duty design of all-steel housing with enclosed heating elements and sealed, 110 VAC motor. Produces 5,000 BTU, with 115 CFM airflow and will raise the temperature 50° F in a work tent. Weighs 14 lbs. Hi-viz green. UL® Listed, CSA Approved.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
9403-66	334202811	Economy work tent	7' H x 6' W x 6' D	Ea
9401-66	334202721	Deluxe work tent w/ 1 door	6 1/2' H x 6' W x 6' D	Ea
9401-88	334202741	Deluxe work tent w/ 1 door	7 1/2' H x 8' W x 8' D	Ea
9402-66	334202751	Deluxe work tent w/ 2 doors	6 1/2' H x 6' W x 6' D	Ea
9402-88	334202771	Deluxe work tent w/ 2 doors	7 1/2' H x 8' W x 8' D	Ea
9401-50	334202711	Tent heater	12" H x 8" W x 12" D	Ea

Ships Direct **FOB Mfg.**

9403-66



9401-66



9401-50



**Gas Detection products on pages 210.**



## Dewatering and Sludge Pumps

Portable, submersible 110 VAC single phase pumps are excellent for manholes, vaults, construction sites, industrial wastewater site drainage and effluent transfer. Offer quick, high-volume discharging and allow continuous operation at low water levels and extended dry runs without overheating. Include synthetic rubber wear parts and vortex impellers for durability. Pumps and hoses feature 2" fire hose style quick-connect fittings, and a V-ring system to protect the shaft seal from abrasives. Also available in DC model.

ITEM #	ORDER #	DESCRIPTION	UOM
9404-02	334202831	Standard submersible dewatering pump, 2/3 hp, 39 1/2" head, rated 63 1/2 gpm	Ea
9404-04	334202851	Sludge pump, 1/2 hp, 39" head, rated 50 gpm	Ea
9404-50	334202861	Pump discharge hose, 50' x 2" dia.	Ea



**DEWATERING AND SLUDGE PUMPS**

Ships Direct **FOB Mfg.**



# Heat Stress

Prolonged exposure to heat can cause illness and even death. The most serious heat illness is heat stroke. Employers are required to provide preventative measures for employees against heat related illnesses.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.



931-BL

937-BL



936-BL



933-BL



934-BL



932-BL



## MiraCool® Heat Stress Prevention Products

PVA material absorbs sweat and provides instant cooling relief. Increases alertness and productivity by keeping workers cool. Works without freezing or ice and is reusable thousands of times. Simply soak in water. Reusable and machine washable. UPF 50+ rated. Blue.

ITEM #	ORDER #	DESCRIPTION	UOM
935-BL	325319351	Snap-On hard hat sweatbands	5/Pk
930-BL	325309301	Cooling neck wrap	Ea
931-BL	325309391	Cooling towel	Ea
932-BL	325319321	PVA bandana	Ea
936-BL	325319365	PVA sweatbands	10/Pk
♦ 933-BL	325319331	PVA neck shade	Ea
♦ 934-BL	325319341	PVA hard hat pad w/ shade	Ea
♦ 937-BL	325319371	PVA 2-in-1 multifunctional towel	Ea

Hard Hats not included



940-WAV



## MiraCool® Heat Stress Prevention Products

Increase alertness and productivity by keeping workers cool. Soak in cool water to activate. Works without freezing or ice and is reusable. Available in assorted styles and colors.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
940-12	325305081	Bandanas, assorted prints		12/Pk
940-WAV	325305091	Bandana	Wavy flag	Ea





## Powder Mix Lite™, 3-Gallon

Naturally sweetened, naturally flavored, lower calories and lower sugar than regular Squwincher®, and contains no added color. Quickly mixes with water and is convenient enough to take anywhere. Replace lost fluids, lost electrolytes and avoid dangerous dehydration in high-heat environments. 19.1 oz. Package yields 3 gals.

ITEM #	ORDER #	DESCRIPTION	UOM
016850-GR	33176806	Grape	20/Cs
016851-OR	33176807	Orange	20/Cs
016852-FP	33176808	Fruit Punch	20/Cs
016853-LL	33176809	Lemon-Lime	20/Cs

016851-OR



016852-FP



016853-LL

016850-GR



## Powder Mix

Replace lost fluids and electrolytes and avoid dangerous dehydration in high-heat environments. Quickly mixes with water and is convenient enough to take anywhere.

ITEM #	ORDER #	DESCRIPTION	UOM
<b>23.83 oz. Powder Pack Dry Mix Makes 2 1/2 Gals.</b>			
016040-LA	33174854	Lemonade	32/Cs
016041-OR	33174856	Orange	32/Cs
016042-FP	33174857	Fruit Punch	32/Cs
016043-LL	33174858	Lemon-Lime	32/Cs
016044-AS	33170030	Assorted	32/Cs
♦ 016045-TE	33170031	Tea	32/Cs
016046-GR	33174855	Grape	32/Cs
016047-CH	33170032	Cherry	32/Cs
016048-MB	33170033	Mixed Berry	32/Cs
016049-TC	33170034	Tropical Cooler	32/Cs
016050-CC	33170035	Cool Citrus	32/Cs

ITEM #	ORDER #	DESCRIPTION	UOM
<b>47.66 oz. Powder Pack Dry Mix Makes 5 Gals.</b>			
016400-MB	33170036	Mixed Berry	16/Cs
016401-CH	33170037	Cherry	16/Cs
016402-CC	33170038	Cool Citrus	16/Cs
016403-LA	33170039	Lemonade	16/Cs
016404-OR	33170040	Orange	16/Cs
016405-FP	33170041	Fruit Punch	16/Cs
016406-GR	33170042	Grape	16/Cs
016408-LL	33170043	Lemon-Lime	16/Cs
016409-TC	33170044	Tropical Cooler	16/Cs



016040-LA



016403-LA



## Single Serve Fast Pack®

Offers workers fluid and electrolyte replenishment anywhere, anytime. Mixes easily with water and packet becomes drinking cup. Handy size is more convenient than carrying a cooler. Yield: 0.6 oz. packet makes 6 oz. drink.

ITEM #	ORDER #	DESCRIPTION	UOM
015300-MB	33170007	Mixed Berry	200/Cs
015301-CH	33170008	Cherry	200/Cs
015302-GR	33170009	Grape	200/Cs
015303-LA	33170010	Lemonade	200/Cs
015304-OR	33170011	Orange	200/Cs
015305-FP	33170012	Fruit Punch	200/Cs
015306-TE	33170013	Tea	200/Cs
015308-LL	33170014	Lemon-Lime	200/Cs
015309-TC	33170015	Tropical Cooler	200/Cs
015310-CC	33170016	Cool Citrus	200/Cs



FAST PACK® LIQUID CONCENTRATE



015500-OR



015501-FP

## Single Serve Fast Pack® Zero

Single-serving packs contain no calories or sugars, providing an ideal solution for diabetics or any consumers monitoring their daily intake. Mixes easily with water and packet becomes drinking cup. Yield: 0.6 oz. packet makes 6 oz. drink.

ITEM #	ORDER #	DESCRIPTION	UOM
♦ 015500-OR	33170017	Orange	200/Cs
♦ 015501-FP	33170018	Fruit Punch	200/Cs



040202-GR

040208-LL

030319-SL

030329-TC

030330-CC

ITEM #	ORDER #	DESCRIPTION	UOM
<b>64 oz. Liquid Concentrate Makes 5 Gals.</b>			
♦ 030319-SL	33170319	Strawberry Lemonade	6/Cs
030320-MB	33170055	Mixed Berry	6/Cs
030321-CH	33170056	Cherry	6/Cs
030322-GR	33178663	Grape	6/Cs
030323-LA	33178662	Lemonade	6/Cs
030324-OR	33178664	Orange	6/Cs
030325-FP	33178665	Fruit Punch	6/Cs
030328-LL	33178666	Lemon-Lime	6/Cs



## Liquid Concentrate Zero

Contains no calories or sugars, providing an ideal solution for diabetics or consumers monitoring their daily intake. Includes the same electrolyte content as regular Squawcher® (high in potassium and low in sodium to aid the body in replenishing essential elements lost to heat stress and fatigue). Mixes quickly and easily with water. Yield: 64 oz. concentrate makes 5 gals.



050102-FP

050104-LL

ITEM #	ORDER #	DESCRIPTION	UOM
050102-FP	33170098	Fruit Punch	6/Cs
050103-GR	33170099	Grape	6/Cs
050104-LL	33170100	Lemon-Lime	6/Cs
♦ 050106-MB	33170102	Mixed Berry	6/Cs
050107-OR	33170103	Orange	6/Cs



## Liquid Concentrate

Great tasting, scientifically formulated electrolyte replacement drink restores important mineral salts and fluids lost through dehydration, physical exertion and heat stress. More satisfying than water or soft drinks because it is readily absorbed by the body. Mixes quickly and easily with water.

ITEM #	ORDER #	DESCRIPTION	UOM
<b>64 oz. Liquid Concentrate Makes 5 Gals., continued</b>			
030329-TC	33170058	Tropical Cooler	6/Cs
♦ 030330-CC	33170059	Cool Citrus	6/Cs
<b>128 oz. Liquid Concentrate Makes 6 Gals.</b>			
♦ 040202-GR	33170070	Grape	4/Cs
♦ 040204-OR	33170072	Orange	4/Cs
♦ 040205-FP	33170073	Fruit Punch	4/Cs
♦ 040208-LL	33170075	Lemon-Lime	4/Cs



## Single Serve Lite™ Stiks

Perfect for those looking for less calories, no color and no artificial flavor or additives. Contains the perfect electrolyte blend, naturally flavored and naturally sweetened and contains no added color. 1 oz. Package yields 16.9-20 oz. drink.

ITEM #	ORDER #	DESCRIPTION	UOM
060280-GR	331768105	Grape	8/Bg
060281-OR	331768115	Orange	8/Bg
060282-FP	331768125	Fruit Punch	8/Bg
060283-LL	331768135	Lemon-Lime	8/Bg



060280-GR

060281-OR

060282-FP

060283-LL





060119-AS



## Single Serve Qwik Stik™ Zero

Offer the same great taste and electrolyte content as regular Sqwincher® (high in potassium and low in sodium) with no calories or sugar. Simply tear open the convenient, single-serve pouch, add to bottled water, shake and enjoy. Individual packet yields 20 oz. drink.

ITEM #	ORDER #	DESCRIPTION	UOM
060099-SL	331760995	Strawberry Lemonade	50/Bg
060100-OR	331701195	Orange	50/Bg
060101-MB	331701205	Mixed Berry	50/Bg
060102-FP	331701215	Fruit Punch	50/Bg
060103-LA	331701225	Lemonade	50/Bg

ITEM #	ORDER #	DESCRIPTION	UOM
060104-PT	331701405	Peach Tea	50/Bg
060106-LL	331711065	Lemon-Lime	50/Bg
060107-GR	331711075	Grape	50/Bg
060109-CC	331711095	Cool Citrus	50/Bg
060119-AS	33176119	Qwik Stik Tube, assorted flavors, 10 Pk/Tube	200/Cs



## Single Serve QwikServ™

Electrolyte replacement drink is low in sodium, non-carbonated and contains no caffeine. Simply pour powder mix from the convenient pack into 16.9 oz. bottled water and shake.



ITEM #	ORDER #	DESCRIPTION	UOM
060900-OR	33170900	Orange	96/Cs
060901-FP	33170901	Fruit Punch	96/Cs
060902-LL	33170902	Lemon-Lime	96/Cs
060904-GR	33170904	Grape	96/Cs



## Squeeze Pops

Reduce core body temperature and protect from heat stress and fatigue. Scientifically developed formulation is absorbed at a significantly faster rate than water, allowing the body to replenish electrolytes and minerals needed for proper rehydration. Mixed case of Orange, Grape, Lemon-Lime, Cherry and Mixed Berry. Also available in Zero sugar-free flavors. 3 oz. each.

ITEM #	ORDER #	DESCRIPTION	UOM
159200201	33170128	Assorted flavors	150/Cs
159200228	33170228	Zero Fruit Punch	150/Cs
159200229	33170229	Zero Tangerine Orange	150/Cs

159200201



## Coolers and Accessories

Durable insulated beverage coolers with rotating handles, screw-off lid and push-button spigot for easy product dispensing. Custom imprinted Sqwincher® 12 oz. cups have pre-measured fill lines for easy liquid concentrate mixing right in the cup. Cups packaged as (20) tubes of (100).

ITEM #	ORDER #	DESCRIPTION	UOM
♦ 400103	33171103	3-Gal. cooler	Ea
♦ 158400104	331701331	5 1/2-Gal. cooler w/ screw-on lid	Ea
♦ 200101	33170129	Sqwincher cups, 12 oz.	2,000/Cs
♦ 205200	331752001	Plastic cup dispenser	Ea



400103

205200

200101





# First Aid

First aid is emergency care provided for injury or sudden illness before emergency medical treatment is available. OSHA requires employers to implement a first aid program specific to their particular workplace.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.



## Construction Bulk First Aid Kits

Provides a wide variety of items that meet the needs for most minor injuries encountered in a construction environment. Economical, weatherproof kits made of tough polypropylene are latex-free and comply with OSHA 1926.50 requirements.



019742-0029L

### CONSTRUCTION BULK FIRST AID KITS

DESCRIPTION	10-PERSON 019742-0029L	25-PERSON 019743-0030L	50-PERSON 019744-0031L
Adhesive bandage, 1" x 3", plastic	16	32	100
Knuckle bandage, cloth	-	-	8
Adhesive tape, 1/2" x 2 1/2 yds.	1	1	2
Triangular bandage, non-sterile	1	1	1
Gauze pads, 3" x 3", sterile	4	6	10
Roller bandage, 3" x 6 yds., non-sterile	1	2	3
Bloodstopper® bandage	-	-	1
Trauma pad, 5" x 9", sterile	1	1	2
Antiseptic wipes, BZK	10	10	20
Antibiotic ointment pouch	6	6	12
Sting relief wipes	6	6	12
First aid/burn cream w/ aloe	6	6	12
Buffered eyewash	-	-	1
Eye pad, sterile	2	3	4
Ammonia inhalants, 2/Pk	-	-	10
Aypanal non-aspirin	3	3	6
Forceps, pointed, plastic	1	1	1
Scissors, angled, red handle	1	1	1
Instant cold pak	1	1	2
Medical gloves, synthetic, pair	2	2	4

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
019742-0029L	347627481	10-Person construction bulk kit	8" W x 5 1/8" H x 2 3/4" D	Ea
019743-0030L	347627491	25-Person construction bulk kit	7" W x 10 1/4" H x 3" D	Ea
019744-0031L	347627501	50-Person construction bulk kit	10" W x 10" H x 3" D	Ea



## First Aid Station

Large quantity and assortment of first aid medical supplies for most minor injuries, aches and pains. Medicinals are packaged in single-dose, tamper-evident units. Ideal for large office and manufacturing settings. Contains CPR barriers and trauma dressings. 10 1/2" W x 15" H x 4 3/4" D. ANSI Z308.1-2009 compliant.



019720-0009L

### FIRST AID STATION

DESCRIPTION	019720-0009L
Adhesive bandage, 3/4" x 3", cloth	100
Adhesive bandage, 1" x 3", plastic	200
Adhesive bandage, extra large, plastic	25
Fingertip bandage, cloth	40
Knuckle bandage, cloth	40
Adhesive tape, 1" x 5 yds., spool	1
Conforming bandage, 2" x 6 yds., non-sterile	4
Conforming bandage, 3" x 6 yds., non-sterile	4
Elastic bandage, 3"	1
Bloodstopper® bandage	1
Triangular bandage, non-sterile	1
Gauze pads, 3" x 3", sterile	1
Gauze pads, 2" x 2", sterile	1
Non-adherent pads, 2" x 3"	2
Alcohol prep pads, 10/Pk	2
Antiseptic pump spray, 2 oz.	1
PVP iodine wipes, 10/Pk	4
Antibiotic ointment, 10/Pk	1
Burn pump spray, 2 oz.	1
Eyewash, 4 oz.	1
Eye dressing pads w/ adhesive strips	1
Aypanal non-aspirin, 100/Bx	1
CPR Microshield® w/ 1 pair gloves & wipes, unitized	1
Forceps, pointed, plastic	1
Scissors, angled, red handle	1
Instant cold pak	2
Medical gloves, synthetic	5 pr.
First aid guide	1

ITEM #	ORDER #	DESCRIPTION	UOM
019720-0009L	34761009	First aid station, 100-person	Ea



## Body Fluid Cleanup Kit

For the safe removal and disposal of body fluids.

### BODY FLUID CLEANUP KIT

DESCRIPTION	55NA123P
Chlorine concentrate, 8 oz.	1
Disposable towel & wipes	3
Hibistat® towelette	1
Latex gloves	1 pr.
Pick-up scoop w/ scraper	1
Red biohazard bags, 2/Pk	1

ITEM #	ORDER #	DESCRIPTION	UOM
55NA123P	004708911	Body fluid disposal kit w/ mask & goggles	Ea



55NA123P



## First Aid Kits

Contains economical supplies that are readily accessible. Ideal for settings where a wide variety of first aid items are required. Available in weatherproof plastic, steel or metal. ANSI Z308.1-2009 compliant.



FIRST AID KITS

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 019759-0035L	347697351	3-Person small vehicle kit, metal	8" W x 5 1/3" H x 2 5/8" D	Ea
♦ 019730-0017L	347627361	8-Person construction kit, steel	9 1/2" W x 6 3/8" H x 2 1/2" D	Ea
♦ 019748-0033L	34762752	10-Unit BBP response kit, plastic	5 1/8" W x 8" H x 2 3/4" D	Ea
019700-0001L	347627131	10-Person bulk kit, plastic	8" W x 5" H x 2 3/4" D	Ea
019701-0001L	347627141	10-Person bulk kit, steel	8" W x 5" H x 2 3/4" D	Ea
♦ 019709-0005L	347627221	10-Person ANSI kit, steel	5" W x 8" H x 2 5/8" D	Ea

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
019702-0002L	347627151	25-Person bulk kit, plastic	10 1/4" W x 7" H x 3" D	Ea
019703-0002L	347627161	25-Person bulk kit, steel	10 1/4" W x 7" H x 3" D	Ea
019704-0003L	347627171	50-Person bulk kit, plastic	15 3/4" W x 11" H x 3" D	Ea
019705-0003L	347627181	50-Person bulk kit, steel	15 3/4" W x 11" H x 3" D	Ea
♦ 019707-0004L	347627201	75-Person bulk kit, steel	9 1/2" W x 14" H x 2 1/3" D	Ea

### FIRST AID KITS

DESCRIPTION	019700-0001L 019701-0001L	019702-0002L 019703-0002L	019704-0003L 019705-0003L	019707-0004L	019709-0005L	019730-0017L	019748-0033L	019759-0035L
Adhesive bandage, 1" x 3", plastic	16	32	100	100	16	32	-	16
Adhesive bandage, extra large, plastic	1	1	2	3	-	-	-	-
Fingertip bandage, cloth	1	3	4	8	-	-	-	-
Knuckle bandage, cloth	-	2	3	6	-	-	-	-
Adhesive tape, 1/2" x 2 1/2 yds.	2	2	2	3	2	2	-	1
Compress bandage, 4" offset	-	-	-	-	-	1	-	-
Conforming bandage, 2" x 6 yds., non-sterile	1	2	3	4	-	-	-	-
Conforming bandage, 3" x 6 yds., non-sterile	1	1	2	2	-	-	-	-
Elastic bandage, 2"	-	-	1	1	-	-	-	-
Triangular bandage, non-sterile	1	1	1	1	1	1	-	-
Gauze compress, 36" sq.	-	-	-	-	1	-	-	-
Gauze pads, 2" x 2", sterile	4	4	10	10	-	-	-	-
Gauze pads, 3" x 3", sterile	4	4	4	10	4	4	-	4
Gauze roller bandage, sterile	-	-	-	-	-	-	-	1
Trauma pad, 5" x 9", sterile	1	1	1	1	-	-	-	1
Alcohol prep pads	-	-	-	-	-	10	-	-
Antiseptic wipes, BZK	6	6	12	12	-	-	1	6
PVP iodine wipes	-	-	-	-	10	10	-	-
Antibiotic ointment pouch	6	6	12	12	10	-	-	6
Insect repellent	-	-	-	-	-	-	-	2
Sting relief wipes	6	6	12	12	-	-	-	6
First aid/burn cream with aloe	6	6	12	12	6	6	-	6
Eye-Lert® eyewash, 1 oz.	-	1	1	2	-	1	-	-
Eye pad, sterile	-	1	2	3	-	-	-	-
Eye dressing w/ (4) adhesive strips	-	-	-	-	-	4	-	-
Ammonia inhalant	-	-	-	-	-	10	-	-
Aypanal non-aspirin	3	3	6	6	-	-	-	3
CPR Filtershield™	-	1	1	1	-	-	-	-
Forceps, pointed, plastic	1	1	1	1	-	1	-	-
Scissors, angled, red handle	1	1	1	1	1	-	-	1
Instant cold pak	1	1	2	2	1	1	-	-
Medical gloves, synthetic	2 pr.	2 pr.	2 pr.	5 pr.	2 pr.	2 pr.	1 pr.	2 pr.
First aid guide	1	1	1	1	1	-	-	1
Wire Splint	-	-	-	1	-	-	-	-
Absorbent towel	-	-	-	-	-	-	1	-
Biohazard bag, 24" x 24" w/ twist-tie	-	-	-	-	-	-	1	-
Germicidal surface wipe	-	-	-	-	-	-	1	-
Shovel	-	-	-	-	-	-	1	-
Vital 1® absorbent, 2 oz.	-	-	-	-	-	-	1	-



## BugX® 30 Towelettes

Individually packaged in convenient, leak-proof, foil pouches. Formulated with 30% DEET to repel mosquitoes, ticks, fleas, chiggers, black flies and deer flies. 8" x 5".

BugX is a registered trademark of ISIS Investment Corp.



122004XA

ITEM #	ORDER #	DESCRIPTION	UOM
122004XA	347629961	BugX towelettes	50/Bx



## Protective Skin Cream

Protect skin in wet or dry work environments. Barrier against many sticky, staining, irritating industrial substances. Contains silicone. 4 oz.



272204

ITEM #	ORDER #	DESCRIPTION	UOM
272204	347622041	Barrier cream w/ silicone	Ea



# Showers & Eyewash

Eyewashes and showers should be located as close as possible to the hazard. The more hazardous the material, the closer the unit should be and no further than 10 seconds travel time from the hazard. Go to [www.osha.gov](http://www.osha.gov) for complete information.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.



32-000462-0000

32-000461-0000

## Honeywell Personal Eyewashes and Wall Stations

Sealed, sterile bottles contain Eyeline® – a buffered, saline solution superior to tap water for emergency eye care. Blow-fill-seal bottles are tamper-resistant, yet easily removed in an emergency. Extended flow opening provides longer flow rate than conventional bottles. Durable, open face design holds bottles firmly in place with easy access to bottles in an emergency. Mounts to wall with provided screws. Durable plastic is easy-to-clean. Simple, highly visible operating instructions are provided on each unit. 16 oz. and 32 oz. bottles feature trilingual instructions. Ensured quality and lasting value with FDA-grade polyethylene bottles featuring lot numbers and expiration dates. DOES NOT MEET the current ANSI Z358.1 15-minute flushing requirement.

ITEM #	ORDER #	DESCRIPTION	UOM
32-000460-0000	341501091	Single wall station, 16 oz. bottle	Ea
32-000461-0000	341501101	Single wall station, 32 oz. bottle	Ea
32-000465-0000	34156501	Double wall station, 16 oz. bottles	4/Cs
32-000462-0000	341501111	Double wall station, 32 oz. bottles	Ea

## Honeywell

### Fendall 2000™ Eyewash Station

Delivers 100% sterile Eyeline® eyewash solution via a 100% sterile delivery system. Each portable unit comes complete with emergency eyewash station sign, bracket, installation DVD and tamper seals. Integrated waste containment prevents spillage and is easily emptied. Built-in alarm sounds when the unit is activated and again when the 15-minute flush has been completed. Deactivation button allows easy maintenance. Sleek design measures 34 3/4" H x 17 1/2" W x 15 1/2" D. Sterile Eyeline solution cartridges sold separately; cartridges have 24-month life. One-year warranty. Meets ANSI Z358.1-2009 15-minute flush requirement for primary eyewash stations.



32-002000-0000

ITEM #	ORDER #	DESCRIPTION	UOM
32-002000-0000	341556331	Fendall 2000 eyewash station	Ea
32-ST2050-0000	341556341	Sterile Eyeline refill cartridge	Ea



32-001000-0000



32-001050-0000

## Honeywell

### Fendall Pure Flow 1000® Eyewash Station

Saline is physiologically correct, buffered to the eye and delivered from factory-sealed cartridges. No costly plumbing required. Integral reservoir captures waste fluid. Stop valve allows easy draining of reservoir after use. Cartridges have 2-year shelf life; sold separately. Provides a constant ribbon fluid flow rate of 0.4 gpm for the entire 15-minute flushing period required by industry standards. Meets ANSI Z358.1-2009.

ITEM #	ORDER #	DESCRIPTION	UOM
32-001000-0000	341554681	Fendall Pure Flow 1000 eyewash station, English	Ea
32-001050-0000	341500791	Purified saline refill cartridges, trilingual	Pr





## Honeywell

### Fendall Porta Stream® I Eyewash Station

Portable, lightweight and delivers 6 minutes of uninterrupted, hands-free flushing without costly plumbing. Gravity-fed flow begins immediately when the nozzle pull strap is removed. Supplied with 70 oz. of Eyesaline® concentrate which, when mixed with tap water provides 6 gals. of saline solution. May be mounted on a wall, mobile cart or mobile stand for easy and affordable safety near most workplace hazards. Nozzle strap is easily removed, leaving hands free to hold eyelids open. Large fill hole simplifies refilling and cleaning. Illustrated operating instructions printed on the unit. Suitable for nuisance situations such as dust or particle flushing where a 15-minute flushing device is not a requirement. Hi-viz green.



32-000100-0000

ITEM #	ORDER #	DESCRIPTION	UOM
32-000100-0000	341500761	Fendall Porta Stream I eyewash station w/ saline concentrate	Ea

## Honeywell

### Fendall Porta Stream® II Eyewash Station

Portable, self-contained design may be mounted on a wall or mobile cart. Nozzle strap is easily removed to activate flushing, leaving hands free to hold eyelids open. Molded handle accepts hanging bracket for vertical or horizontal surface installation. Supplied with Eyesaline® concentrate; when mixed provides 14-16 gals. of preserved, buffered saline solution. Industry-compliant 15-minute flow cycle from a large 16-gal. reservoir permits thorough eye flushing by providing a 0.4 gpm flow rate over the eyes. Large fill hole with lockable fill cap simplifies refilling and cleaning and reduces risk of possible tampering. Includes Emergency Eyewash sign. Meets ANSI Z358.1-2014 15-minute flushing requirements for primary eyewash stations. Hi-viz green.



32-000200-0000

ITEM #	ORDER #	DESCRIPTION	UOM
32-000200-0000	341500881	Fendall Porta Stream II eyewash station w/ saline concentrate	Ea

## Honeywell Eyesaline® Personal Eyewashes

Bottles contain Eyesaline saline solution for use in personal eyewash devices that offer secondary response and are intended to supplement, not replace, primary eyewash units. Also used for continued irrigation when moving an injured person from a primary eyewash unit to medical care. Easy-open top is tamper-resistant, yet easily removed in an emergency. User-controlled volume delivers drops or an irrigating stream of solution, depending on the squeeze pressure applied to the bottle. Made of FDA-grade polyethylene with lot numbers and expiration dates to ensure quality. Three-year shelf life.

ITEM #	ORDER #	DESCRIPTION	CASE QTY.	UOM
32-000451-0000	34150105	Eyesaline personal eyewash, 1 oz.	24/Cs	Cs
32-000454-0000	341501071	Eyesaline personal eyewash, 16 oz.	12/Cs	Ea
32-000455-0000	341501081	Eyesaline personal eyewash, 32 oz.	12/Cs	Ea



32-000454-0000

32-000455-0000

32-000451-0000



**Protective Eyewear,**  
starting on Page 22.

## Honeywell Eyesaline® Concentrate

Physiologically balanced to match natural tears and aid in reducing additional damage to the injured eye when flushed properly. Specifically formulated to be mixed with clean, potable water (10:1 ratio) and provides a cost-effective solution for the eyewash refills. May be used with Porta Stream® I, II & III (sold separately). The 180 oz. bottle makes 14-16 gals.; 70 oz. bottle makes 5-7 gals.

ITEM #	ORDER #	DESCRIPTION	CASE QTY.	UOM
32-000502-0000	341501141	Saline solution premix, 1 gal., for use w/ Fendall Porta Stream I, II & III	4/Cs	Ea
32-000509-0000	341501151	Saline concentrate, 70 oz., for use w/ Fendall Porta Stream I	6/Cs	Ea
32-000513-0000	341501171	Saline concentrate, 180 oz., for use w/ Fendall Porta Stream II & III	4/Cs	Ea



32-000502-0000

32-000513-0000



## Portable Low-Profile Eyewash Station

One of the top OSHA citations is lacking an emergency eyewash station. As required by law, protect employees and guard against personal injury claims. Operates with one motion, one hand. Gravity fed 15-minute flow time. No plumbing required. Flow rate: 0.4 gpm for 15 minutes. Includes mounting bracket, inspection tag and preservative. Change water every 90 days. Measures 11 1/2" x 19 1/2" x 25". Meets ANSI Z358.1.

ITEM #	ORDER #	DESCRIPTION	UOM
5135	G73551351	Portable eyewash station	Ea
♦ 5136	G7355136	Eyewash preservative, 8 oz.	4/Cs

5135



## G1100 and G1101 EyeSafe™ and EyeSafe-X™ Faucet-Mounted Eyewashes

Features EyeSafe and EyeSafe-X mounts, easy installation and an unlimited supply of potable water for rinsing user's eyes. EyeSafe spray head outlets mount 3" apart to fit most faucets; EyeSafe-X large profile spray head outlets mount

5" apart to fit gooseneck faucets. Adjustable outlet heads deliver a soft, aerated flow of water. Includes forged brass diverter valve, inlet body with 55/64"-27 female thread and three adapters plus furnished outlet with removable aerator on bottom. Requires two motions to operate (turn on water, pull knob to activate eyewash flow). Intended solely as supplemental units for use with plumbed eyewash equipment already installed in the workplace. Should be used with cold or warm water only. Fully assembled and 100% tested.

ITEM #	ORDER #	DESCRIPTION	UOM
G1100	B73101021	EyeSafe faucet-mounted eyewash	Ea
G1101	B73101031	EyeSafe-X faucet-mounted eyewash, gooseneck version	Ea



## G1806 Deck-Mounted Eyewashes with 90° Swivel

Eyewash swings horizontally out over the sink for operation. Flow is activated with flag handle and remains in operation until handle is released. Two large GS-Plus™ spray-type outlet heads deliver a flood of water for rinsing eyes and face. Each head has a "flip top" dust cover, internal flow control and filter to remove impurities. Polished chrome-plated brass construction. Meets ANSI Z358.1-2014 Classified Primary.

ITEM #	ORDER #	DESCRIPTION	UOM
♦ G1806	B73101981	Deck-mounted eyewash, right hand mount	Ea
♦ G1806LH	B73101991	Deck-mounted eyewash, left hand mount	Ea



## G1540 AquaGuard 16-Gal. Portable Eyewashes

Self-contained, 16-gal. gravity-flow eyewash unit uses gravity to deliver water through dual spray heads. Unit delivers over 8 gals. (30 liters) of water for 15 minutes, thus complying with the provisions of ANSI Z358.1-2014 for eyewashes. Rugged plastic tank can be installed in a wide variety of locations. Ideal for use where a continuous supply of potable water is not available, especially in remote plant areas, low traffic and/or low hazard areas. Tank has built-in carrying handle, heavy wall construction and reinforced ribs to support weight of unit. Eyewash delivers over .5 gallons per minute for 15 minutes. Water flow is activated by pulling down on bright yellow eyewash tray. Integral full flow nozzles deliver soft spray of water. Swing tray up to storage position to stop flow. Can be wall-mounted or used on countertop. Heated, freeze-resistant unit also available.

ITEM #	ORDER #	DESCRIPTION	UOM
G1540	B73101151	AquaGuard gravity-flow portable eyewash	Ea
♦ G1540HTR	B7311546	AquaGuard gravity-flow portable eyewash, heated	Ea
G1540BA	B73101161	AquaGuard bacteriostatic additive, 8 oz.	Ea



G1635



### Guardian **G1600 Series Emergency Showers**

Orange, ABS plastic shower head is 10" in diameter. Furnished with stainless steel actuating arm, 29" pull rod, and 1" IPS chrome-plated brass, stay-open ball valve with Teflon® seals. 1" NPT female inlet supply. Tested to meet ANSI Z358.1.

ITEM #	ORDER #	DESCRIPTION	UOM
♦ G1635	B73101271	Emergency shower, vertically mounted	Ea
♦ G1643	B73101311	Emergency shower, horizontally mounted	Ea



### Guardian **G1814 Series Wall-Mounted Eyewashes**

Features (2) GS-Plus™ spray-type heads with "flip-top" dust cover, internal flow control and filter to remove impurities from the water flow. Includes signage and inspection tag. Fully assembled and 100% tested to meet ANSI Z358.1. Classified Primary.

ITEM #	ORDER #	DESCRIPTION	UOM
G1814	B73102031	Eyewash w/ stainless steel bowl	Ea
G1814P	B73102041	Eyewash w/ ABS plastic bowl	Ea
♦ G1814BC	B73111141	Eyewash w/ stainless steel bowl & cover	Ea



G1814

G1814BC

G1814P



G1750P



### Guardian **G1750 Series Eye/Face Washes**

Specially designed for wall mounting. Two large FS-Plus™ spray-type outlet heads deliver a flood of water for rinsing eyes and face. Spray head assembly features internal flow control and filter to remove impurities from the water flow. Furnished with 1/2" IPS chrome-plated brass, stay-open ball valve with Teflon® seals and 1/2" NPT female inlet supply. Heavy-duty cast aluminum wall bracket is corrosion-resistant with powder-coated finish. Includes ANSI-compliant identification sign. Fully assembled and 100% tested to meet ANSI Z358.1. Classified Primary.

ITEM #	ORDER #	DESCRIPTION	UOM
♦ G1750	B73101661	Eye/face wash w/ stainless steel bowl	Ea
♦ G1750BC	B7310332	Eye/face wash w/ stainless steel bowl & cover	Ea
♦ G1750P	B73101671	Eye/face wash w/ plastic bowl	Ea





## GFR3100 Heated Safety Station with Eyewash

Electric heat-traced station prevents freezing even in extreme conditions. Thermostat regulated unit heated by self-limiting heat-tracing cable wrapped around internal pipe. Intended for cold weather use down to -20° F. Features 10" dia. orange ABS plastic shower head with 20 gpm flow control. Supplies are: 1 1/4" NPT female top supply inlet; 1" IPS brass stay-open ball shower valve with stainless steel actuating arm and 29" stainless steel pull rod; and 1/2" IPS brass three-way self-draining stay-open ball eyewash valve with 1/2" NPT port to drain water from spray heads after use. Valves made in USA with brass ball and Teflon® seals. Galvanized steel pipe and fittings, UV-resistant, orange, ABS plastic jacket with polyethylene foam insulation, and freeze-resistant spray head assembly with float-off dust covers and internal flow control. Units approved for Class I, Division 2, Groups B, C, and D. Electrical components are FM, UL®, and CSA approved.

ITEM #	ORDER #	DESCRIPTION	UOM
♦ GFR3100	B7313100	Heated safety station w/ eyewash	Ea

GFR3100



G1902P FEATURING EYEWASH USE



G1902P FEATURING SHOWER USE



G1902



## G1902 Series Safety Stations with Eyewash

Features 10" diameter, ABS plastic shower head and (2) GS-Plus™ spray-type outlet heads with "flip-top" dust cover, internal flow control and filter to remove impurities. G1902BC eyewash has a stainless steel bowl and cover to protect spray heads from dust, dirt and other contaminants. Cover is raised automatically when flag handle is activated. Includes signage and inspection tags. 100% Tested to meet ANSI Z358.1.

ITEM #	ORDER #	DESCRIPTION	UOM
♦ G1902	B7311903	Safety station eyewash & shower w/ stainless steel bowl	Ea
♦ G1902BC	B73103251	Safety station eyewash & shower w/ stainless steel bowl & cover	Ea
♦ G1902P	B7311902	Safety station eyewash & shower w/ plastic bowl	Ea



## G1825 Series Pedestal-Mounted Eyewashes

Free-standing, pedestal-mounted eyewash. Two GS-Plus™ spray-type spray heads. Each head has a “flip top” dust cover, internal flow control and filter to remove impurities from the water flow. Water flow is activated by flag handle; optional bowl cover (on G1825BC model) is automatically raised when unit is activated. Includes ANSI-compliant identification sign. 100% Tested to meet ANSI Z358.1. Classified Primary.



G1825



G1825BC



G1825P

ITEM #	ORDER #	DESCRIPTION	UOM
♦ G1825P	B73102121	Eyewash w/ ABS plastic bowl	Ea
♦ G1825	B73102101	Eyewash w/ stainless steel bowl	Ea
♦ G1825BC	B7311825	Eyewash w/ stainless steel bowl & cover	Ea



G5022

G5026



## G5000 Series Eyewash/Drench Hose Units

Dual-purpose eyewash/drench hose for wall or deck mounting. Can be used as a fixed eyewash, leaving hands free. Unit may be removed for use as a drench hose to rinse any part of user's eyes, face or body. Fully assembled and 100% tested to meet ANSI Z358.1 as both an eyewash and a drench hose.

ITEM #	ORDER #	DESCRIPTION	UOM
♦ G5026	B73102851	Eyewash/drench hose unit, wall-mounted	Ea
♦ G5022	B73102811	Eyewash/drench hose unit, deck-mounted	Ea



## G1562 15-Gal. Portable Eyewash/Drench Hose Units

Self-contained eyewash/drench hose units ideal for use where a continuous supply of potable water is not available, especially in remote plant areas, and low traffic areas where installation of plumbed equipment is not cost-effective. 15-Gal. units provide approximately 10 usable gals. (37.9 liters) of water for effective rinsing of the eyes, face or body, for fifteen minutes, thus complying with the provisions of ANSI Z358.1-2014 for eyewashes. Stainless steel pressurized tank includes built-in carrying handles, air intake fitting, pressure gauge and pressure relief valve. Unit features (2) GS-Plus™ spray heads, each with a “flip top” dust cover, internal flow control and filter, and a 1/2" IPS chrome-plated, brass stay-open ball valve with flag handle. Pressure regulator controls eyewash flow to 0.65 GPM for 15 minutes. Drench hose features single GS-Plus spray head with “flip top” dust cover, internal flow control and filter; chrome-plated, brass squeeze valve with stainless steel lever handle and 6' reinforced PVC hose. Heated, freeze-resistant model also available.

ITEM #	ORDER #	DESCRIPTION	UOM
G1562	B7311562	Portable eyewash/drench hose	Ea
♦ G1562HTR	B7311547	Portable eyewash/drench hose, heated	Ea



G1562

G1562HTR




# Lockout/Tagout

Proper lockout/tagout practices and procedures safeguard workers from the release of hazardous energy. OSHA outlines specific action and procedures for addressing and controlling hazardous energy.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.



Honeywell




Honeywell

## B-Safe Ball Valve Lockouts

Made of durable polypropylene plastic and is fully dielectric. Highly resistant to many solvents and other chemical products. Easy-to-use design is available in three different sizes. Only the BS01 can lock in the open position. Resistant to extreme temperature changes (-50° F to 360° F). Red.

BS01R

ITEM #	ORDER #	DESCRIPTION	UOM
BS01R	347600031	Ball valve lockout, 3/8"-1 1/4"	Ea
BS02R	347699021	Ball valve lockout, 1 1/2"-2 1/2"	Ea
BS03R	347605991	Ball valve lockout, 2"-8"	Ea
◆ BS04R	347606051	Universal butterfly valve lockout	Ea



VS04

## Honeywell V-Safe Valve Lockouts

Helps to properly lockout valve wheels from 1" up to 14" dia. Designed with (2) flattened half-moons that completely cover valve wheel. Made from polypropylene plastic. Fully dielectric and resistant to extreme temperature changes (-50° F to 360° F). Resistant to cracking and abrasion. Meets OSHA 29 CFR 1910.147 regulations and ANSI Z353.1. Red.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
VS02	347620021	V-Safe valve cover	1"-2 1/2"	Ea
VS04	347620041	V-Safe valve cover	2 1/2"-5"	Ea
VS06	347626071	V-Safe valve cover	5"-6 1/2"	Ea
VS09	347626111	V-Safe valve cover	6 1/2"-10"	Ea
VS13	347626151	V-Safe valve cover	10"-14"	Ea



CBLOK06R

CBLOK10R


## Honeywell Cable Lockouts

Hasp is constructed of tough and durable nylon for strength and durability. Can accommodate up to (6) padlocks. Highly visible red color identifies padlock for lockout use. All metal parts are zinc-coated or non-corroding. The 3/16" steel cable is rated at 1,000 lbs. minimum pull strength at the weakest point, which prevents accidental energizations. Cables are PVC-coated for wear resistance. Available in 6' or 10' cable lengths.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ CBLOK06R	347607411	Cable lockout	6'	Ea
CBLOK10R	347607421	Cable lockout	10'	Ea



**Honeywell**



**C-Safe Circuit Breaker Lockouts**

Constructed of rigid plastic. Available for single or double pole circuit breaker lockout applications. Red color helps to identify from a distance.

- **CB01R** single pole lockout requires a switch breaker with a recessed hole in it
- **CB02R** double pole lockout requires the breakers to be connected with a cross bar for lockout application
- **CB03R** single pole lockout that does not require a switch breaker with a recessed hole in it

ITEM #	ORDER #	DESCRIPTION	UOM
◆ CB01R	347600075	Single pole lockout	6/Pk
◆ CB02R	347607455	Double pole lockout	6/Pk
◆ CB03R	347600135	Single pole lockout	6/Pk

**Honeywell**

**M-Safe Nylon Lockout Hasp**

Heavy-duty hasp is made entirely of dielectric nylon. Holds 1-6 padlocks allowing users to properly lockout equipment and prevent accidental operation. Non-conductive and chemical-resistant for strength and durability. Hi-viz red.



ITEM #	ORDER #	DESCRIPTION	UOM
MS01	347619881	Nylon lockout hasp	Ea

**Honeywell**


**E-Safe Plug Lockouts**

Completely encloses plug from any accidental reconnection. Electrical cable is inserted through the opening and then closed. Made of polypropylene plastic, which is totally dielectric and resists cold or hot temperatures.

**LP110** accepts 110 V and certain models of the 220 V plugs (up to 1 3/4" x 1 3/4" x 1 3/4") with a maximum cable diameter of 1/2".

**LP550** accepts 220 V and 550 V plugs (up to 3" x 3" x 6 3/4") with a maximum cable diameter of 1".

ITEM #	ORDER #	DESCRIPTION	UOM
LP110	347601101	Single entry, accepts 110 V & certain models of the 220 V plugs	Ea
LP550	347605501	Multiple entry, accepts 220 V & 550 V plugs	Ea



**Honeywell**

**Group Lock Box**

Used for work team situations where multiple employees, energy sources, machines and processes need to be locked out. All keys are securely stored in the tamper-resistant heavy steel lock box. A single person (group leader or foreman) locks the box until the job is complete and all group members are cleared from work area. Helps to simplify lockout procedures for large equipment. Once the equipment or process is locked out, the key or keys are placed in the box. Then, each authorized work team member places a personal lock or tagout device to the group lock box. This ensures that no single person has access to the box unless all employees have removed their locks or tags. Accepts up to (13) individual locks. Bilingual. Red.

ITEM #	ORDER #	DESCRIPTION	UOM
GLB03	347617041	Group lock box	Ea





# Wipes & Cleaners

Employers shall provide hand washing facilities. When hand washing facilities are not feasible, employers shall provide either an appropriate antiseptic hand cleaner in conjunction with clean cloth/paper towels or antiseptic towelettes.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.

41041



## Wypall\* X80 Wipers

Wypall\* X80 are the wiper of choice for the toughest jobs. For heavy industrial tasks, cleaning grease, grime and oil, solvent wiping, cleaning rough surfaces, or any other challenging task. Blue.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
41041	15401041	Brag* Box, 160/Bx	12.5" x 16.8"	Ea



05812



## Wypall\* L30 Wipers

Ideal for general-purpose, light-duty cleanups. Removes soils and liquid from face and hands. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
05812	15405812	Wipers, 1/4 Fold, 90/Pk	12.5" x 12"	12/Cs



34015



## Wypall\* X60 Wipers

Wypall\* X60 in the popular Brag\* box format bring the absorbing power of Hydroknit\* material technology to a lightweight wiper, combining versatile performance and economy for light-duty tasks. Designed to reduce waste, which means you spend less. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
34015	15404015	Brag* Box, 180/Bx	12.5" x 16.8"	Ea





75260

### Scott® Rags in a Box

Soft, absorbent towels that perform like a cloth. Multi-purpose for thousands of projects. Pop-Up® Box with built-in handle allows the product to be taken to the job while keeping rags clean. Ideal for painting, wiping up spills, staining and refinishing furniture. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
75260	15405260	Rags, 200/Bx	10" x 13"	8 Bx/Cs



### Wypall® Waterless Cleaning Wipes

Natural solvents cut through grease, grime and oil while soothing ingredients aid in moisturizing the skin. The ideal pre-saturated cleaner for on-the-go cleaning of hands, tools, parts and non-porous work surfaces. Green. Orange/citrus fragrance.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
91371	154013711	Waterless Cleaning Wipes, 75/bucket	9.5" x 12"	Ea
♦ 58310	15408310	Waterless Cleaning Wipes, 50/canister	12" x 10"	Ea



58310

91371

75130



75190

### Scott® Shop Towels

Whether faced with automotive detail, cleaning the garage or simply wiping windows, Scott® shop towels are exactly what are needed to get the job done. Each towel is strong, durable and absorbent. Blue.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
75130	15405130	Shop Towels On A Roll, 55/Rl	11" x 10.4"	30 Rl/Cs
75190	15405190	Shop Towels In A Pop-Up® Box, 200/Bx	10" x 12"	8 Bx/Cs



36101

### Kimtech® Wettask® Dual Performance Wiping System

Innovative wipes feature a purple, textured side to make cleaning hard to remove substances easier. Use white side for regular cleaning and purple side for tougher jobs when extra scrubbing power is needed. Leaves surfaces looking and feeling cleaner. Purple.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 36101	15400234	Kimtech® Wettask® Dual Performance Wiping System, 90/Rl	12" x 12.5"	Ea





**3M**

# Sorbents

The Hazardous Waste Operations and Emergency Response Standard (HAZWOPER) applies to distinct groups of employers and their employees. This includes any employees who are exposed or potentially exposed to hazardous substances, including hazardous waste.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.

## **3M™ Petroleum Sorbent Boom T-270 and Double Boom T-280**

Petroleum sorbents repel water while absorbing oil and petroleum-based liquids from spills and effluent discharges. Booms are scrim-encased tubes of particulate sorbent material secured by UV-resistant netting. T-280 is double-constructed with (2) 4" booms secured in UV-resistant netting. Built-in attachment clips on ends of booms allow them to be linked together and overlapped, helping to reduce seepage between the segments. T-270 absorbs approximately 20 gals. per boom, T-280 absorbs approximately 10 gals. per boom. 4 Booms/case. Pink.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ T-270	66550855	Boom	8" x 10'	Cs
♦ T-280	66550856	Double boom	4" x 10'	Cs



**T-270**



**T-151**

**3M**

## **3M™ Petroleum Sorbent Pads**

Used extensively for controlling, cleaning up and recovering oil and petroleum-based liquids. Conveniently sized pads allow user to quickly spread sorbent over and in the path of a spill. May also be used on a work surface in anticipation of a spill or as a wipe. High-capacity sorbents have a scrim on one side to increase strength and help reduce linting. Standard pads (200 count) absorb approximately 43 1/2 gals. per case; high-capacity pads (100 count) absorb approximately 37 1/2 gals. per case. 17" x 19". White.

ITEM #	ORDER #	DESCRIPTION	UOM
T-151	66550853	Standard sorbent pads	Cs
HP-156	66559156	High-capacity sorbent pads	Cs

### **WARNING**

Failure to properly handle and dispose of sorbents contaminated by hazardous materials could result in serious physical injury or death. For proper handling, consult the *Material Safety Data Sheet* for the material absorbed, applicable safety and health standards, contact your supervisor, or call 3M CSD Technical Service in the USA at 1-800-626-8578.



### 3M™ Maintenance Sorbent Folded M-FL550DD, High-Capacity

Easy-to-use for containing and cleaning up spills, drips and fluid leaks. Scrim on one side increases strength and helps reduce linting. Dispensed from a carrying/dispenser box on a perforated roll. Utilizes folded sorbent technology and can be used as a pillow, pad, roll or boom. Each box absorbs approximately 10 1/2 gals. 5" x 50'. 3 Boxes/case. Gray.

ITEM #	ORDER #	DESCRIPTION	UOM
M-FL550DD	66550793	Maintenance sorbent, folded	Cs



P-110

### 3M 3M™ Chemical Sorbent Pads P-110

Powerful enough to handle acids (including hydrofluoric acid), bases, coolants and most other hazardous fluids without reacting to most hazardous chemicals. Absorb petroleum-based fluids, non-aggressive chemicals and water-based solutions, reducing the need for different sorbent types. Convenient dispenser box can be wall-mounted. High-capacity chemical sorbent pads absorb approximately 17 gals./case. 11" x 13". 50 Pads/box, 4 boxes/case. Yellow.

ITEM #	ORDER #	DESCRIPTION	UOM
P-110	66550802	Chemical sorbent pads	Cs

**OSHA's standards for general industry and the construction industry on hazardous waste operations and emergency response (29 CFR 1910.120 or 29 CFR 1926.65) cover all employees involved in:**

- Clean-up operations of hazardous substances at uncontrolled hazardous waste sites required by Federal, state, local or other governments;
- Corrective actions involving clean-up procedures at sites covered by the Resource Conservation and Recovery Act (RCRA);
- Voluntary clean-up operations at sites recognized as uncontrolled hazardous waste sites by Federal, state, local or other governments;
- Operations involving hazardous waste that are conducted at treatment, storage and disposal facilities licensed under RCRA;
- Emergency response operations for hazardous substance releases or substantial threats of releases.

Other requirements include controls to reduce and monitor exposure levels of hazardous materials, an informational program describing any exposure during operations and the inspection of drums and containers prior to removal or opening. Decontamination procedures and emergency response plans (described under Emergency Response) must be in place before employees begin working in hazardous waste operations. Employers must also create safer environments by developing and implementing effective new technologies.

*For complete information about hazardous waste operations and emergency response, please visit OSHA's Hazardous Waste page at [www.osha.gov](http://www.osha.gov).*





# Hazardous Storage

Chemicals require very specific and specialized storage which minimizes risk and personal injury and damage to property and equipment. Safe storage of chemicals also requires that all chemicals be properly identified including statement of hazards.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.

JUSTRITE

896020

894500



893020

JUSTRITE

## Sure-Grip® EX Safety Cabinets for Flammables

Double-wall, 18-gauge steel construction has (2) vents with flame arresters that allow hazardous vapors to be piped away if required. Integral leak-proof well contains accidental spills. Features self-latching doors with 3-point stainless steel bullet latches to help reduce fire risks. Includes U•Loc™ padlockable handle, reflective Haz-Alert™ warning labels for visibility in the dark and SpillSlope® safety shelves that direct incidental spills to the back and bottom of a leaktight 2" sump. Ten-year warranty. Models with self-closing doors comply with the International Fire Code and NFPA 1 Fire Code. Meets NFPA Code 30 and OSHA regulations. FM Approved. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
893000	B6168930	30-Gal. cabinet w/ 2 doors & 1 shelf, manual close	44" H x 43" W x 18" D	Ea
893020	B6163020	30-Gal. cabinet w/ 2 doors & 1 shelf, self-close	44" H x 43" W x 18" D	Ea
894500	B61611021	45-Gal. cabinet w/ 2 doors & 2 shelves, manual close	65" H x 43" W x 18" D	Ea
894520	B6164520	45-Gal. cabinet w/ 2 doors & 2 shelves, self-close	65" H x 43" W x 18" D	Ea
896000	B6166000	60-Gal. cabinet w/ 2 doors & 2 shelves, manual close	65" H x 34" W x 34" D	Ea
896020	B6161795	60-Gal. cabinet w/ 2 doors & 2 shelves, self-close	65" H x 34" W x 34" D	Ea

Ships Direct FOB Mfg.



891200

JUSTRITE

## Sure-Grip® EX Countertop and Compac Safety Cabinets for Flammables

Allow increased access to often-used flammable liquids without compromising safety. Portable size keeps work areas flexible. Fit almost anywhere and provide protection when space is at a premium. Includes (1) adjustable shelf. Complies with OSHA and NFPA regulations. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
890400	B6164400	4-Gal. countertop cabinet, manual close	22" H x 17" W x 17" D	Ea
890420	B6161801	4-Gal. countertop cabinet, self-close	22" H x 17" W x 17" D	Ea
891200	B6161796	12-Gal. compac cabinet, manual close	35" H x 23 1/4" W x 18" D	Ea
891220	B6161803	12-Gal. compac cabinet, self-close	35" H x 23 1/4" W x 18" D	Ea

Ships Direct FOB Mfg.







## Sure-Grip® EX Blue Steel Countertop Cabinets for Corrosives

Allows increased access to often-used corrosive liquids without compromising safety. Portable size keeps work areas flexible. Fits almost anywhere and provides protection when space is at a premium. Includes (1) adjustable shelf. 22" H x 17" W x 17" D. Complies with OSHA and NFPA regulations. Blue.



890402

Ships Direct **FOB Mfg.**

ITEM #	ORDER #	DESCRIPTION	UOM
890402	B6162402	4-Gal. countertop cabinet, manual close	Ea
890422	B6162422	4-Gal. countertop cabinet, self-close	Ea



## Blue Polyethylene Countertop Storage Cabinet for Corrosives

Hollow-bodied, polyethylene cabinet withstands highly corrosive acids and offers maximum protection against chemical corrosion and leaks. Clearly labeled for ACID contents and accepts a padlock (not included) for added security. Stores up to (2) 4 L bottles. Door can be hinged from either side for best worktop space utilization. Polyethylene spill tray inside contains leaks and can be removed for easy cleaning. Separate polyethylene tray stores under the cabinet and can be used as a handy work tray. 19 1/2" H x 14 1/4" W x 16 1/4" D. Blue.



24040

Ships Direct **FOB Mfg.**

ITEM #	ORDER #	DESCRIPTION	UOM
24040	B61609581	Countertop cabinet	Ea



26800D

26800B

26800



## Smokers Cease-Fire® Cigarette Butt Receptacles

Self-extinguishing design safely collects unsightly cigarette butts and reduces risk of fire. Made of low-maintenance, flame-retardant polyethylene that won't rust, dent or crack. Unique rain bonnet opening keeps rain out and discourages other trash. Lift-off lid to empty galvanized steel pail. Tie-down notches offer security and stability. In high-humidity environments, "drip-lip" internal construction prevents tar condensation from escaping. 16 1/2" dia. x 38 1/2" H. FM Approved.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
♦ 26800	B6160010	Cigarette butt receptacle	Pewter gray	Ea
♦ 26800B	B6160001	Cigarette butt receptacle	Adobe beige	Ea
♦ 26800D	B6160003	Cigarette butt receptacle	Deco black	Ea



## Oilly Waste Cans

Dispose of oil-soaked rags and protect from fires that start due to spontaneous combustion, sparks or careless use of smoking material. Rags and cloths soaked with flammable liquids present a serious fire risk when improperly discarded. Specially designed, foot-operated lid opens no more than 60° and stays closed when not in use, isolating contents from fire sources and limiting oxygen, virtually eliminating risk of spontaneous combustion. Round construction and elevated bottom encourage circulation of air around can to disperse heat and reduce moisture buildup and rusting. Galvanized steel body with a durable, red powder-coat paint finish. FM tested and approved. UL® Listed. TÜV certified.



09100

09300

09500

09700

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 09100	B61606921	6-Gal. oily waste can	11 7/8" OD x 15 7/8" H	Ea
♦ 09300	B61606971	10-Gal. oily waste can	13 15/16" OD x 18 1/4" H	Ea
♦ 09500	B61607011	14-Gal. oily waste can	16 1/16" OD x 20 1/4" H	Ea
♦ 09700	B61607041	21-Gal. oily waste can	18 3/8" OD x 23 7/16" H	Ea





## Type I Steel Safety Cans

Fully compliant safety can with ergonomically counter-balanced design for easy pouring with rounded, swinging comfort handle. Protection features include a long-lasting, stainless steel flame arrester that dissipates heat to prevent flashback ignition and leak-proof, positive pressure-relief cap that automatically vents to guard against rupture or explosion. Large ID zone provided for identifying content mixtures and/or department location, work shift, crew or individual user. Heavy-duty, 24-gauge galvanized steel body and handle with powder-coat paint finish. Ten-year warranty. Meets OSHA and NFPA. FM approved, UL®/ULC® listed, CARB compliant and TÜV certified.



ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
♦ 10301	B61607181	1-Gal. safety can w/ trigger handle, flammables	7 1/4" dia. x 11 1/2" H	Red	Ea
♦ 7110100	B61621001	1-Gal. safety can, flammables	9 1/2" dia. x 11" H	Red	Ea
♦ 7120100	B61631001	2-Gal. safety can, flammables	9 1/2" dia. x 13 3/4" H	Red	Ea
♦ 7125100	B61651001	2 1/2-Gal. safety can, flammables	11 3/4" dia. x 11 1/2" H	Red	Ea
♦ 7150100	B61618091	5-Gal. safety can, flammables	11 3/4" dia. x 16 7/8" H	Red	Ea
♦ 7150110	B61651101	5-Gal. safety can w/ 11202Y poly funnel, flammables	11 3/4" dia. x 16 7/8" H	Red	Ea
♦ 7150200	B61652001	5-Gal. safety can, diesel	11 3/4" dia. x 16 7/8" H	Yellow	Ea
♦ 11202Y	B61608451	Poly funnel for Type I steel cans, 1-gal. & above	1/2" dia. x 11 1/4" L		Ea



## Type II AccuFlow™ Safety Cans

Offer additional convenience with 2 openings; top opening with lift lever for easy filling, second opening equipped with flexible metal hose for targeted pouring. Hose also provides a safe bonding path to the receiving vessel. Manifold automatically vents to provide fast, precise, plug-free pouring. Long-lasting, stainless steel flame arrester dissipates heat to prevent flashback ignition. Gasketed, self-closing leak-tight lid automatically vents to guard against pressure buildup at elevated temperatures. Warning label with extra large ID zone for identifying contents, department location, or individual user name. Heavy-duty, lead-free coated steel with reinforcing ribs and tough, red powder-coat paint finish for durability. 11 3/4" dia. x 17 1/2" H. Ten-year warranty. Meets OSHA and NFPA. FM approved, UL®/ULC® listed, CARB compliant and TÜV certified.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 7250120	B61661201	5-Gal. AccuFlow™ safety can w/ 5/8" hose	11 3/4" dia. x 17 1/2" H	Ea
♦ 7250130	B61631301	5-Gal. AccuFlow™ safety can w/ 1" hose	11 3/4" dia. x 17 1/2" H	Ea



## Bench Cans

Help make cleaning small parts with solvents much easier and safer. Simply place parts on the spring-loaded, perforated dasher plate, press down and agitate, then release to return dasher to drain position. Plated steel dasher also serves as an effective flame arrester and hinged cover minimizes evaporation losses. Designed with a protected rim to reduce possible hand injury. Constructed of sturdy, 24-gauge, lead-free coated steel, can is finished in tough powder-coat paint finish for added durability. FM tested and approved. Red.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
10175	B61607131	1-Qt. steel bench can	4 7/8" OD x 5 1/2" H	Ea
10295	B61607171	2-Qt. steel bench can	9 3/8" OD x 3 1/4" H	Ea

Ships Direct **FOB Mfg.**



## Drum Cover

Economical way to convert open-top 55-gal. steel drums into fire-safe receptacles for combustible trash. Easily attaches using only a screwdriver and wrench. Easy to remove. Steel with a highly chemical-resistant powder-coat paint finish. Fits drums with 22 1/2" to 22 3/4" dia. Replaceable fusible-link assembly inside cover melts at 165° F to automatically close cover and extinguish flame in the event of a fire in the drum. FM Approved. Red.

ITEM #	ORDER #	DESCRIPTION	UOM
26750	B61614361	Self-close drum cover	Ea

Ships Direct **FOB Mfg.**



26750



28623



## EcoPolyBlend™ 2-DrumSpill Control-Pallet

Durable, UV-protected EcoPolyBlend™ polyethylene is made of black, 100% recycled material that is nearly impervious to chemical attack from hazardous acids, caustics and solvents. Seamless construction and oversized, leak-proof sump prevent leaks even if a 55-gal. drum fails and completely empties its contents. Sturdy, self-locating grates are nearly 2 1/2" thick for superior crack resistance and can be removed for quick sump inspection and cleaning. Includes wide forklift pockets for easy relocation; may be equipped with an optional ramp to facilitate loading and unloading of heavy drums. 18" H x 49" W x 25" D. Meets or exceeds EPA 40, NFPA 1 and the International Fire Code, Spill Prevention, Control and Countermeasures (SPCC) Compliant, NFPA 30 and OSHA 29 CFR.

ITEM #	ORDER #	DESCRIPTION	UOM
28623	B6168623	2-Drum in-line pallet w/out drain	Ea

Ships Direct **FOB Mfg.**



## EcoPolyBlend™ Accumulation Centers

Economical, low-profile secondary containment platforms are eco-friendly. Made of black, 100% recycled, post-industrial, durable polyethylene. Yellow version is made from 45% recycled content. Nearly impervious to chemicals, including acids and corrosives. Seamless design ensures any leaks or spills are captured in sump before reaching floor drains or creating a slip hazard. Sturdy grates are nearly 2 1/2" thick for superior crack resistance, self-locating, reduce chance of grate "ride-up" and remove for easy cleaning.

Ships Direct **FOB Mfg.**



28657

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
28653	B6168653	1-Drum accumulation center	5 1/2" H x 25" W x 25" D	Black	Ea
28655	B61618071	2-Drum accumulation center	5 1/2" H x 49" W x 25" D	Black	Ea
28657	B6168657	4-Drum accumulation center	5 1/2" H x 49" W x 49" D	Black	Ea
28656	B6168656	4-Drum accumulation center	5 1/2" H x 49" W x 49" D	Yellow	Ea





# Safety Resources

Worker safety must be the top priority in every workplace.

There are numerous resources readily accessible to both employers and employees which can be relied on to help identify risks, protect people, train safety solutions and to enforce rules without prejudice to workers and employers.

## Safety Resource Hotlines

**CAS Substance Identification** ..... (800) 848-6538  
(Identify chemical substances by CAS number or name.)

**NIOSH Technical Information** ..... (800) 232-4636

**OSHA Hotline** ..... (800) 321-6742  
(24-hour access line to report unsafe work practices.)

## American Safety Resources

### ABIH - American Board of Industrial Hygiene

6015 W. St. Joseph, Ste. 102  
Lansing, MI 48917-3980  
(517) 321-2638  
[www.abih.org](http://www.abih.org)

### ACGIH - American Conference of Governmental Industrial Hygienists

1330 Kemper Meadow Dr., Ste. 600  
Cincinnati, OH 45240  
(513) 742-2020  
[www.acgih.org](http://www.acgih.org)

### AIHA - American Industrial Hygiene Association

3141 Fairview Park Dr., Ste. 777  
Falls Church, VA 22042  
(703) 207-3561  
[www.aiha.org](http://www.aiha.org)

### ANSI - American National Standards Institute

25 West 43rd St. (4th Floor)  
New York, NY 10036  
(212) 642-4900  
(212) 398-0023 (Fax)  
[www.ansi.org](http://www.ansi.org)

### ASSE - American Society of Safety Engineers

**Customer Service**  
520 N. Northwest Hwy., Park Ridge, IL 60068  
(847) 699-2929  
(847) 768-3434 (Fax)  
[www.asse.org](http://www.asse.org)

### AWMA - Air and Waste Management Association

1 Gateway Center, 3rd Floor  
420 Fort Duquesne Blvd.  
Pittsburgh, PA 15222-1435  
(412) 232-3444  
(800) 270-3444  
[www.awma.org](http://www.awma.org)

## American Safety Resources, continued

### CDC - Centers for Disease Control and Prevention

1600 Clifton Rd. NE  
Atlanta, GA 30329-4027  
(800) 232-4636 CDC public inquiries  
(800) 222-1222 Regional Poison Control Centers  
[www.cdc.gov](http://www.cdc.gov)

### DOT - United States Department of Transportation

1200 New Jersey Ave., SE  
Washington, DC 20590  
(202)-366-4000  
[www.dot.gov](http://www.dot.gov)

### EPA - Environmental Protection Agency

Regulates and enforces environmental laws, such as the Clean Air Act, Superfund and Resource Conservation and Recovery Act (RCRA).

1200 Pennsylvania Ave., NW  
Washington, D.C. 20460  
(202) 272-0167  
[www.epa.gov](http://www.epa.gov)

### FCIC - Federal Citizen Information Center

An office of GSA that provides information directly to the public.

**U.S. General Services Administration**  
1800 F St., NW, Washington, DC 20405  
(800) 333-4636  
<http://gsa.gov/portal/category/101011>

### FDA - United States Food and Drug Administration

Food and Drug Administration  
10903 New Hampshire Ave.  
Silver Spring, MD 20993-0002  
(888) 463-6332  
[www.fda.gov](http://www.fda.gov)

### HHS - Department of Health and Human Services

The HHS researches aspects of human health, and regulates the FDA, CDC and NIH.

200 Independence Ave. SW  
Washington, D.C. 20201  
(877) 696-6775  
[www.hhs.gov](http://www.hhs.gov)

### IGA - International Glove Association

P.O. Box 146  
Brookville, PA 15825  
(814) 328-5208  
[www.iga-online.com](http://www.iga-online.com)



## American Safety Resources, continued

### MSHA - Mine Safety & Health Administration

Regulates the mining industry and sets safety and health standards for mines.

US Department of Labor  
Mine Safety and Health Administration  
201 12th St. S., Arlington, VA 22202  
(202) 693-9400  
[www.msha.gov](http://www.msha.gov)

### NIOSH - National Institute for Occupational Safety and Health

NIOSH is responsible for research and recommendations concerning the prevention of work-related illness and injury.

Division of the CDC  
1600 Clifton Rd.  
Atlanta, GA 30329-4027  
(800) 232-4636 NIOSH Information Line  
[www.cdc.gov/niosh](http://www.cdc.gov/niosh)

### NLAAC - National Lead Assessment & Abatement Council

Office of Pollution and Toxics  
1200 Pennsylvania Ave. NW  
Mailcode: 7404T  
Washington, DC 20460  
(800) 424-5323  
<http://www.epa.gov/lead/abatement.html>

### NSC - National Safety Council

The NSC offers periodicals and reference sources; safety software; consulting services; training resources on safety and health, youth concerns, off-the-job safety, driving safety and specialty fields; and posters, award programs, incentives and recognition awards. They also sponsor and conduct safety courses throughout the year through the National Safety Council.

1121 Spring Lake Dr.  
Itasca, IL 60143-3201  
(800) 621-7615  
(630) 285-1315 (Fax)  
[www.nsc.org](http://www.nsc.org)

### OSHA - Occupational Safety & Health Administration

OSHA creates and enforces safety and health regulations to ensure that employees work in environments that are free of recognized hazards.

200 Constitution Ave. NW, Rm. N-3647  
Washington, D.C. 20210  
(800) 321-6742  
[www.osha.gov](http://www.osha.gov)

### SEI - Safety Equipment Institute

The SEI certification program is voluntary and available to any manufacturer of safety equipment.

1307 Dolley Madison Blvd., Ste. 3A  
McLean, VA 22101  
(703) 442-5732  
(703) 442-5756 (Fax)  
[www.seinet.org](http://www.seinet.org)

## American Safety Resources, continued

### SCAA - Spill Control Association of America

103 Oronoco St., Ste. 200  
Alexandria, VA 22314  
Phone: 571-451-0433  
[www.scaa-spill.org](http://www.scaa-spill.org)

### USCG - United States Coast Guard

US Coast Guard Headquarters  
Commandant, U.S. Coast Guard,  
2703 Martin Luther King Jr. Ave. SE  
Washington, DC 20593-7000  
(202) 372-2100  
[www.uscg.mil](http://www.uscg.mil)

### WSO - World Safety Organization

P.O. Box 518  
Warrensburg, MO 64093  
(660) 747-3132  
(660) 747-2647 (Fax)  
[www.worldsafety.org](http://www.worldsafety.org)

## Canadian Safety Resources

### CCOHS - Centre for Occupational Health & Safety

135 Hunter Street East,  
Hamilton, ON  
Canada L8N 1M5  
(905) 572-2981  
Toll-free: 800-668-4284  
(905) 572-4500 (Fax)  
[www.ccohs.ca](http://www.ccohs.ca)

### CSA - Canadian Standards Association Central Office

178 Rexdale Blvd.  
Toronto, ON  
Canada M9W 1R3  
(416) 747-4000  
(800) 463-6727  
[www.csa.ca](http://www.csa.ca) or  
[www.csa-international.org](http://www.csa-international.org)

### CSSE - Canadian Society of Safety Engineering

468 Queen St. East, LL-02  
Toronto, ON  
Canada M5A 1T7  
(416) 646-1600  
Toll-free: 877-446-2674  
(416) 646-9460 (Fax)  
[www.csse.org](http://www.csse.org)

### ECGC - Environment Canada

Environment Canada Inquiry Centre  
10 Wellington, 23rd Floor  
Gatineau, QC  
Canada K1A 0H3  
(819) 997-2800  
(800) 668-6767 (Canada only)  
[www.ec.gc.ca](http://www.ec.gc.ca)




# Manufacturer Index



**3M** 3M Company  
[www.mmm.com](http://www.mmm.com)

Eye Protection ..... 33 – 35, 38, 42, 44  
 Head & Face Protection ..... 56  
 Hearing Protection ..... 60 – 63, 69 – 71  
 Respiratory Protection ..... 74 – 77, 82 – 83, 88  
 Sorbents ..... 234 – 235  
 Welding & FR Safety ..... 132, 134



**ALLEGRO** Allegro Industries  
[www.allegrosafety.com](http://www.allegrosafety.com)

Confined Space ..... 214 – 217  
 Respiratory Protection ..... 89



**Ansell** Ansell Edmont Industrial Inc.  
[www.ansellpro.com](http://www.ansellpro.com)

Hand Protection ..... 90 – 91, 96, 99 – 101, 103,  
 107 – 108, 112, 115  
 Cold Weather Gear ..... 196



**Bullard**  
[www.bullard.com](http://www.bullard.com)

Head & Face Protection ..... 50 – 51, 59





## Capital Safety

[www.capitalsafety.com](http://www.capitalsafety.com)



### DBI Sala

Fall Protection ..... 155 – 163  
New Products ..... 18



### DBI Sala Python Safety

Fall Protection ..... 154 – 156  
New Products ..... 2 – 3



### Protecta

Fall Protection ..... 156, 159-160, 163



## DeWalt

[www.Dewalt.com](http://www.Dewalt.com)

Eye Protection ..... 37 – 38



DuPont  
Personal Protection

## DuPont Personal Protection

[www.Dupont.com](http://www.Dupont.com)

Protective Clothing ..... 180 – 185, 190 – 193



## Ergodyne

[www.ergodyne.com](http://www.ergodyne.com)

Ergonomics ..... 150 – 153  
Hand Protection ..... 131

**Gateway Safety**[www.gatewaysafety.com](http://www.gatewaysafety.com)

Eye Protection .....	37, 42
Head & Face Protection .....	57
Respiratory Protection .....	80

**Gerson, Inc.**[www.gersonco.com](http://www.gersonco.com)

Respiratory Protection .....	81
------------------------------	----

**Guardian Equipment**[www.gesafety.com](http://www.gesafety.com)

Showers & Eyewash .....	224, 226 – 229
-------------------------	----------------

**Honeywell**[www.honeywell.com](http://www.honeywell.com)

Hand Protection .....	94, 103
Instrumentation .....	213
Lockout/Tagout .....	230 – 231
Protective Clothing .....	192
Respiratory Protection .....	77, 85
Showers & Eyewash .....	224 – 225

**Fibre-Metal**

Head & Face Protection .....	55 – 56
Welding & FR Safety .....	135

**Howard Leight**

Hearing Protection .....	64 – 66, 69, 72 – 73
--------------------------	----------------------

**Miller**

Fall Protection .....	154, 166 – 173
-----------------------	----------------

**North Safety Products**

Eye Protection .....	27
First Aid .....	222 – 223
Hand Protection .....	92, 109 – 110, 114 – 115
Head & Face Protection .....	54
Respiratory Protection .....	84 – 85

**Servus**

Foot Protection .....	149
-----------------------	-----

**Uvex**

Eye Protection .....	22 – 28, 39 – 41, 45
Head & Face Protection .....	54
New Products .....	4 – 8
Welding & FR .....	135





### John Tillman & Co.

[www.jtillman.com](http://www.jtillman.com)

Cold Weather Gear.....	197 – 198
Hand Protection .....	119 – 120, 123 – 124
New Products .....	12, 14
Welding & FR Safety .....	135 – 141



### Justrite Manufacturing Company

[www.justritemfg.com](http://www.justritemfg.com)

Hazardous Storage .....	236 – 239
-------------------------	-----------



### Kimberly-Clark Corporation

[www.kcprofessional.com](http://www.kcprofessional.com)

Cold Weather Gear.....	201
Eye Protection.....	36, 39, 44
Hand Protection .....	93, 102, 112 – 113
Head & Face Protection .....	52 – 53
New Products .....	13, 16
Protective Clothing.....	180, 185 – 189
Welding & FR Safety .....	132 – 135
Wipes & Cleaners .....	232 – 233



### Mack Boots

[www.mackboots.com](http://www.mackboots.com)

Foot Protection .....	142 – 149
New Products .....	9





## Majestic Gloves

[www.majesticglove.com](http://www.majesticglove.com)

Cold Weather Gear .....	196
Hand Protection .....	94, 103, 115, 121 – 122, 128 – 130



## Mechanix Wear

[www.mechanix.com](http://www.mechanix.com)

Hand Protection .....	97, 118, 124 – 127
-----------------------	--------------------



## MCR Safety

[www.mcrcsafety.com](http://www.mcrcsafety.com)



### Crews

Eye Protection .....	29 – 32, 39, 42, 45
Head & Face Protection .....	57
New Products .....	11



### Memphis Glove

New Products .....	13, 15
Hand Protection . . . . .	90, 95 – 96, 98, 101 – 102, 104 – 105, 115, 119, 121, 123, 130 – 131
Protective Clothing .....	192
Cold Weather Gear .....	197



### River City

Protective Clothing .....	192 – 193
---------------------------	-----------



## Moldex-Metric, Inc.

[www.moldex.com](http://www.moldex.com)

Hearing Protection .....	66 – 68, 73
New Products .....	17
Respiratory Protection .....	78 – 80, 86 – 87



**MSA**  
The Safety Company [www.msasafety.com](http://www.msasafety.com)

Cold Weather Gear.....	201
Fall Protection.....	164 – 165
Head & Face Protection.....	46 – 49
Instrumentation.....	210 – 213
New Products.....	14
Respiratory Protection.....	87 – 88



**Occunomix International Inc.**  
[www.occunomix.com](http://www.occunomix.com)

Cold Weather Gear.....	194 – 195, 199 – 200
Ergonomics.....	150 – 153
Head & Face Protection.....	58
Heat Stress.....	218
Hi-Viz Apparel.....	202 – 207
New Products.....	12, 17



**Radians**  
[www.radians.com](http://www.radians.com)

Eye Protection.....	37 – 38
---------------------	---------



**SAS Safety Corp.**  
[www.sassafety.com](http://www.sassafety.com)

Eye Protection.....	28 – 29, 43
Hand Protection.....	111
Hi-Viz Apparel.....	205
New Products.....	10, 19
Respiratory Protection.....	80
Showers & Eyewash.....	226





**Showa**

[www.showagloves.com](http://www.showagloves.com)

New Products .....	10, 12
Hand Protection .....	92, 100 – 101, 108 – 109, 113 – 114



**Stearns**

[www.stearnsflotation.com](http://www.stearnsflotation.com)

New Products .....	19
Water Safety .....	174 – 179



**Sqwincher Corporation**

[www.sqwincher.com](http://www.sqwincher.com)

Cold Weather Gear .....	201
Heat Stress .....	218 – 221
New Products .....	19



**Weldas Company**

[www.weldas.com](http://www.weldas.com)

Head & Face Protection .....	57
------------------------------	----



**Wells Lamont Industry Group**

[www.wellslamontindustry.com](http://www.wellslamontindustry.com)

Cold Weather Gear .....	198
Hand Protection . . .	93, 104 – 105, 110, 116 – 119, 121 – 122, 128



# Product Index

## A

### Accessories

- eye protection . . . . . **44 – 45**
- fall protection . . . . . **155 – 156**
- respirator . . . . . **89**
- welding . . . . . **135**
- Accumulation Centers, drum . . . . . **239**
- Adapters & Brackets,  
faceshield . . . . . **48 – 49, 51 – 57**
- Air Blowers, confined space  
ventilation . . . . . **214 – 216**
- Air Quality, detection . . . . . **210 – 213**
- Anchors & Connectors,  
fall protection . . . **162 – 163, 165, 169 – 170, 173**
- ANSI Class Apparel . . . . . **202 – 207**



Pg. 179



- Anti-exposure Immersion Suits . . . . . **179**
- Anti-vibration Gloves . . . . . **124 – 127**
- Apparel, workwear . . . . . **136 – 138, 180 – 207**
- Aprons**
  - disposable . . . . . **190**
  - leather & FR . . . . . **136 – 138**
- Arc Flash Protection . . . . . **14, 18, 157, 159, 165, 167**
- Automatic Inflation Vests . . . . . **178**
- Axial Blowers, ventilation . . . . . **214 – 216**

## B

- Backhand Pads . . . . . **117, 141**
- Back Supports, ergonomics . . . . . **150 – 152**
- Bags, welding gear . . . . . **135**
- Ball Valve Lockout Devices . . . . . **230**
- Bandanas & Doo Rags . . . . . **17, 218**
- Banded Earplugs . . . . . **63, 66, 68**
- Beam Anchors,  
fall protection . . . . . **161, 163, 170**
- Belts, fall protection . . . . . **170**
- Bench Cans, hazardous storage . . . . . **238**
- Beverage Coolers . . . . . **221**
- Bibs, leather . . . . . **137**
- Blowers, confined space . . . . . **214 – 216**
- Body Belts, fall protection . . . . . **170**
- Body & Eyewash Shower Units . . . . . **224 – 229**
- Body Fluid Cleanup Kits . . . . . **222**
- Booms, sorbent . . . . . **234**
- Booties, disposable . . . . . **185, 190**
- Boots & Overshoes . . . . . **9, 143 – 149**



Pg. 54



- Brackets, headgear  
& faceshield . . . . . **48 – 49, 51 – 57**



Breaker Lockouts .....	231
Buckets, tool .....	2, 155
Bug Repellent Wipes .....	223
Bulk First Aid Kits .....	222
Butt Receptacles, cigarette .....	237

---

**C**


---


Cabinets, flammable storage .....	236 – 238
Cable Lockouts .....	230
Cable Sleeves, fall protection .....	162, 173
Calibration, gas .....	212 – 213
Cans, safety .....	237 – 238
Cap Mount Earmuffs .....	70 – 71
Caps & Hard Hats .....	47 – 52, 55, 57 – 58
Cape Sleeves, welding .....	137 – 138
Carabiners, fall protection .....	162, 170
Cartridges & Filters, respiratory .....	83, 85 – 88
Chaps, leather welding .....	137
Chemical Protection Apparel .....	181 – 191
Chemical-Resistant Gloves .....	106 – 110
Chemical Sorbents .....	234 – 235
Cigarette Butt Receptacles .....	237
Circuit Breaker Lockout Devices .....	231
Cleaning, lens .....	45

**Clothing**

aprons .....	190
booties .....	190
cold weather .....	12, 194 – 201
coveralls .....	16, 181 – 189
disposable .....	190 – 191
frocks & lab coats .....	191
hi-viz .....	194 – 195, 202 – 207
shoe covers .....	254
sleeves .....	13, 105, 117, 192 – 193
SOLAS .....	19, 174 – 179
rainwear .....	192 – 193
welding .....	136 – 138
winter liners .....	199 – 201
Coil Tethers, <i>fall protection</i> .....	155
Cold Water Immersion Suits .....	179

<b>Cold Weather Gear .....</b>	<b>194 – 201</b>
apparel .....	12, 19, 194 – 195
drinks .....	19
gloves .....	196 – 198
head liners .....	199 – 201

Combination Shower & Eyewash Units .....	227 – 229
Compaxial Blowers, <i>confined space</i> .....	215



<b>Confined Space .....</b>	<b>214 – 217</b>
blowers .....	214 – 216
heaters .....	217
manhole accessories .....	216
pumps .....	217
tents .....	217
Construction First Aid Kits .....	222
Containment & Spill Control .....	234 – 235, 239
Coolers, beverage .....	221
Corrosive Storage Cabinets .....	237
Countertop Storage Cabinets .....	236 – 237
Coveralls .....	16, 181 – 189
Cut-Resistant Gloves & Sleeves .....	13, 97 – 106
Cylinders, calibration gas .....	212

---

**D**


---

D-rings & tie-offs,  
*fall protection* . . . . . **156, 159, 161 – 162, 170**

Detectors, gas . . . . . **210 – 213**

Dewatering & Sludge Pumps . . . . . **217**

**Dispensers**

ear plugs . . . . . **64, 66**

hand warmers . . . . . **199**

lens cleaning . . . . . **45**

**Disposable Products**

apparel . . . . . **181 – 191**

booties . . . . . **185, 190**

earplugs . . . . . **61 – 68**

gloves . . . . . **13, 111 – 115**

respirators . . . . . **75 – 81**

wipes, hand . . . . . **232 – 233**

Drinks, electrolyte . . . . . **19, 201, 219 – 221**

Doo Rags, Sweatbands & Winter Liners . . . . . **17,**  
**49, 51, 57 – 58, 199 – 201, 218**

Drench Hose, eyewash units . . . . . **229**

Drivers & Work Gloves . . . . . **14 – 15, 119 – 121**

Drum Accumulation Centers . . . . . **239**

Drum Covers . . . . . **239**

---

**E**


---

Ear Protection  
(*See Hearing Protection*) . . . . . **17, 60 – 73**

Electrical Safety,  
lockout/tagout devices . . . . . **230 – 231**

Electrolyte Drinks . . . . . **19, 201, 219 – 221**

Emergency Escape Respirator . . . . . **85**

**Emergency Response**

eyewash & showers . . . . . **224 – 229**

first aid . . . . . **222 – 223**

water safety / rescue . . . . . **174 – 179**

**Ergonomics** . . . . . **150 – 153**

anti-vibration gloves . . . . . **124 – 127**

back supports . . . . . **150 – 152**

knee pads . . . . . **152 – 153**

**Eye Protection** . . . . . **22 – 45**

cleaners & accessories . . . . . **44 – 45**

eyewash units . . . . . **224 – 229**

goggles . . . . . **40 – 44, 135**

readers & magnifiers . . . . . **39**

safety glasses . . . . . **4 – 8, 10 – 11, 22 – 39**

welding . . . . . **132 – 135**

Eyeglass Cords . . . . . **45**

**Eyewash & Showers**

drench hose units . . . . . **229**

permanent units . . . . . **226 – 229**

personal . . . . . **225**

portable . . . . . **224 – 226**

refill solution . . . . . **225**

---

**F**


---

Faceshields & Visors . . . . . **44, 48 – 49, 51, 53 – 57**

**Fall Protection** . . . . . **154 – 173**

anchors & connectors . . . . . **162 – 163, 165,**  
**169 – 170, 173**

arc flash & welding . . . . . **157, 159, 165, 167**

beam anchors . . . . . **161, 163, 170**

body belts . . . . . **170**

carabiners . . . . . **162, 170**

D-rings & tie-offs . . . . . **156, 159, 161 – 162, 170**

harnesses . . . . . **14, 18, 156 – 159, 162,**  
**164-167, 172 – 173**

hoist systems . . . . . **163**

kits . . . . . **163, 172 – 173**

lanyards . . . . . **159 – 160, 164, 167, 170 – 172**

lifelines . . . . . **160 – 161, 168 – 169**

rope grabs & restraints . . . . . **162, 173**

SRLs . . . . . **157, 160 – 161, 165, 168 – 169**

tool safety . . . . . **2 – 3, 155 – 156, 172**

Faucet-Mounted Eyewash Units . . . . . **226**

Filters & Cartridges, respiratory . . . . . **83, 85 – 88**

Filters & Welding Plates . . . . . **134 – 135**

**First Aid** . . . . . **222 – 223**

eyewash & showers . . . . . **224 – 229**

heat stress . . . . . **218 – 221**

kits . . . . . **222 – 223**

Fit Testing, respiratory . . . . . **89**

Flame-Resistant Apparel . . . . . **12, 136 – 138, 200**

Flammable Storage . . . . . **236 – 239**





Flotation Gear, <i>water safety</i> . . . . .	19, 174 – 179
<b>Footwear</b> . . . . .	142 – 149
booties . . . . .	185, 190
boots & shoes . . . . .	9, 143 – 149
overshoes . . . . .	149
Freezer Pops, electrolytes . . . . .	221
Frocks & Lab Coats . . . . .	191
Full Face Respirators . . . . .	82 – 84, 86 – 88

---

**G**


---

Gas Detection . . . . .	210 – 213
Glasses, safety . . . . .	4 – 11, 22 – 39
<b>Gloves</b> . . . . .	
accessories . . . . .	131
anti-vibration . . . . .	124 – 127
chemical resistant . . . . .	106 – 110
cold weather . . . . .	196 – 198
cut-resistant . . . . .	15, 97 – 105, 125
disposable . . . . .	13, 19, 111 – 115
general purpose, light-duty . . . . .	10, 12, 15, 91 – 96
hand pads . . . . .	117, 141
heat-resistant . . . . .	116 – 118
hi-viz . . . . .	93 – 94, 98, 103, 121 – 122, 124 – 126, 130, 196
leather & drivers . . . . .	14 – 15, 119 – 122
sleeves . . . . .	13, 105, 117, 192 – 193
trade & utility . . . . .	123 – 131
welders . . . . .	139 – 141
Goggles . . . . .	40 – 44, 135
Group Lock Box . . . . .	231
Guard Rails, manhole . . . . .	216

---

**H**


---

Half Mask Respirators . . . . .	77, 82, 84, 86 – 87
---------------------------------	---------------------

<b>Hand Protection</b> . . . . .	90 – 131
accessories . . . . .	131
anti-vibration . . . . .	124 – 127
chemical-resistant . . . . .	12 – 13, 19, 106 – 110
cold weather . . . . .	196 – 198
cut-resistant . . . . .	15, 97 – 105, 125
disposable . . . . .	13, 19, 111 – 115
general purpose, light-duty . . . . .	10, 12, 15, 91 – 96
hand pads . . . . .	117, 141

**Hand Protection, continued**

hand warmers . . . . .	199
heat-resistant . . . . .	116 – 118
hi-viz . . . . .	93 – 94, 103, 121 – 122, 124 – 126
leather & drivers . . . . .	14 – 15, 119 – 122
sleeves . . . . .	13, 105, 117, 192 – 193
trade & utility . . . . .	123 – 131
welders . . . . .	139 – 141
wipes & cleaners . . . . .	232 – 233
Hard Hats & Caps . . . . .	47 – 52, 55, 57 – 58
Harnesses, <i>fall protection</i> . . . . .	14, 18, 156 – 159, 162, 164 – 167, 172 – 173
Harness Belts, <i>fall protection</i> . . . . .	170
Hasps, lockout . . . . .	231

**Hazardous Storage . . . . . 236 – 239**

cabinets & cans . . . . .	236 – 238
containment . . . . .	239

**Head & Face Protection . . . . . 46 – 59**

brackets & adapters . . . . .	48 – 49, 51 – 57
faceshields & visors . . . . .	48 – 49, 51, 53 – 57
hard hats & caps . . . . .	47 – 52, 55, 57 – 58
spray socks . . . . .	89
sweatbands & doo rags . . . . .	51, 57 – 58, 135, 218
welding helmets . . . . .	132 – 135
winter liners . . . . .	199 – 201

<b>Hearing Protection</b> . . . . .	<b>60 – 73</b>
banded earplugs . . . . .	63, 66, 68
detectable . . . . .	63, 65
earmuffs . . . . .	17, 70 – 73
earplugs . . . . .	61 – 68
noise indicator . . . . .	71
radio headsets . . . . .	71, 73
Heaters, work tent . . . . .	217

## Heat-Resistant

apparel . . . . .	136 – 138
gloves . . . . .	116 – 118, 139 – 141

## Heat Stress . . . . . 218 – 221

bandanas & doo rags . . . . .	17, 218
coolers . . . . .	221
drinks . . . . .	201, 219 – 221
shelters . . . . .	217
sweatbands . . . . .	49, 51, 57 – 58, 135, 218

Helmets, welding . . . . .	132 – 135
----------------------------	-----------

Highway Safety, apparel . . . . .	202 – 207
-----------------------------------	-----------

## Hi-Viz Apparel . . . . . 202 – 207

class 2 apparel . . . . .	202 – 206
class 3 apparel . . . . .	194 – 195, 206 – 207
gloves . . . . .	93, 94, 98, 103, 121 – 122, 124 – 126, 130, 196
non-compliant apparel . . . . .	204 – 205
rainwear . . . . .	193
SOLAS . . . . .	19, 174 – 179

Hoist Systems, fall protection . . . . .	163
--	-----

Holster, tool . . . . .	2, 155 – 156
-------------------------	--------------

Horizontal Lifelines, fall protection . . . . .	161, 173
---	----------

## I

Ice Rescue Suits, water safety . . . . .	179
--	-----

Immersion Suits, water safety . . . . .	179
---	-----

Industrial First Aid Kits . . . . .	222
-------------------------------------	-----

Insect Repellent, skin . . . . .	222
----------------------------------	-----

## Instrumentation . . . . . 210 – 213

gas detection . . . . .	210 – 213
noise indicator . . . . .	71

Insulated Gloves . . . . .	196 – 198
----------------------------	-----------

## J

### Jackets

ANSI Class . . . . .	12, 195, 207
cold weather . . . . .	194 – 195
flotation . . . . .	19, 177
FR, welding . . . . .	136 – 138
rainwear . . . . .	192 – 193

## K

### Kits

calibration, gas . . . . .	212 – 213
fall protection . . . . .	163, 172 – 173
first aid . . . . .	222 – 223
respiratory . . . . .	88 – 89

Knee Pads, ergonomics . . . . .	152 – 153
---------------------------------	-----------

Kneeling Pads . . . . .	153
-------------------------	-----

## L

Lab Coats & Frocks . . . . .	191
------------------------------	-----

Ladder Safety, fall protection . . . . .	162
--	-----



Pg. 165

MSA  
The Safety Company

Lanyards, fall protection . . . . .	159 – 160, 164, 167, 170 – 172
-------------------------------------	-----------------------------------

Leather Apparel . . . . .	136 – 138
---------------------------	-----------

Leather & Driver Gloves . . . . .	119 – 124, 139 – 141,
-----------------------------------	-----------------------

Leggings, leather . . . . .	137
-----------------------------	-----

Lens Cleaning, eyewear . . . . .	45
----------------------------------	----

Lid Lifters, manhole . . . . .	216
--------------------------------	-----

Life Jackets, water safety . . . . .	174 – 178
--------------------------------------	-----------




Lighted Eyewear .....	35
Limiters, <i>fall protection</i> .....	165, 168 – 169
Lock Box, padlock .....	231
<b>Lockout/Tagout</b> .....	230 – 231
devices .....	230 – 231
Lumbar & Back Supports .....	150

---

**M**


---

Magnifiers & Readers, eyewear .....	39
Maintenance Sorbents .....	234 – 235
<b>Manhole Safety</b>	
accessories .....	216
dewatering pumps .....	217
lid lifter .....	216
ventilation .....	214 – 216
work tents .....	217
Maritime Safety .....	174 – 179
Mold Remediation Respirator Kit .....	88
Mounted Eyewash & Shower Units ...	226 – 229



Mouthbit Respirator .....	85
Multi-gas Detectors .....	210 – 212

---

**N**


---

<b>New Products</b> .....	2 – 19
Noise Indicator .....	71

---

**O**


---

Oily Waste Cans .....	237
Overshoes & Boots .....	9, 143 – 149

---

**P**


---

Pads, sorbent .....	234 – 235
Pants & Shirts, disposable apparel .....	191
PAPRs, respiratory .....	88
Particulate Respirators .....	75 – 81
Pedestal-Mounted Eyewash Units .....	228 – 229
Permanent Showers & Eyewash Units ..	226 – 229
Personal Eyewash Units .....	224
Petroleum Sorbents .....	234
PFDs, <i>water safety</i> .....	174 – 179
Plug Lockouts .....	231
Ponchos, rain .....	192
Portable Eyewash Units .....	224 – 226
Pouches, tool .....	2, 155
<b>Protective Clothing</b> .....	180 – 193
aprons .....	190
booties .....	190
cold weather .....	12, 194 – 201
coveralls .....	181 – 189
disposable .....	181 – 191
flame-resistant .....	12, 136 – 138, 200
hi-viz .....	12, 193 – 195, 202 – 207
shoe covers .....	254
sleeves .....	13, 105, 117, 192 – 193
SOLAS .....	19, 174 – 179
rainwear .....	192 – 193
welding .....	136 – 138
Pumps, sludge .....	217

---

**R**


---

Radio Earmuffs .....	71, 73
Rags, shop .....	233
Rainwear .....	192 – 193
Readers, eyewear .....	38 – 39
Reflective Apparel .....	193 – 195, 202 – 207
Regulators, gas detection .....	212



Remediation Kits, mold	88
Rescue Bags, <i>water safety</i>	178
Rescue Suits & Vests, <i>water safety</i>	174 – 179
Receptacles, cigarette butt	237



<b>Respiratory Protection</b>	<b>74 – 89</b>
cartridges & filters	83, 85 – 88
disposable	75 – 81
fit testing & accessories	89
mold remediation	88
PAPRs	88
respirator lockers	80
reusable	74, 82 – 87
spray socks	89
welding	76, 80

<b>Resources</b>	<b>240 – 241</b>
American & Canadian	240 – 241
Hotlines	240

Retractable Lifelines, <i>fall protection</i>	157, 160 – 161, 165, 168 – 169
Ring Buoy, <i>water safety</i>	178
Roof Anchors, <i>fall protection</i>	173
Rope Grabs & Restraints, <i>fall protection</i>	162, 173

---

## S

---

Safety Cabinets & Cans, <i>hazardous storage</i>	236 – 238
Safety Eyewear (See <i>Eye Protection</i> )	4 – 8, 10 – 11, 22 – 39
Safety Footwear	9, 142 – 149

Saline, eyewash	224 – 225
Search & Rescue, maritime	177 – 179
Shelters Work Tents	217
Shield, manhole	217
Shirts & Pants, disposable apparel	191
Shoe Covers, disposable	185, 190
Shoes & Boots	142 – 149
Shop Rags	232 – 233

### Showers & Eyewash Units

drench hose units	229
permanent units	226 – 229
personal	225
portable	224 – 226
refill solution	225

Single-gas Detectors	210, 213
Skin Creams	223

Sleeves, protective	13, 105, 137 – 138, 192 – 193
------------------------	-------------------------------

Sludge Pumps, dewatering	217
SOLAS Products, <i>water safety</i>	19, 174 – 179

<b>Sorbents</b>	<b>234 – 235</b>
accumulation centers	239
pads & booms	234 – 235

Spats, leather	137
Specialty-coated / cut-resistant gloves	97 – 105

Spill Control & Containment	234 – 235, 239
Spray Socks	89

Storage, hazardous	236 – 239
--------------------	-----------

SRLs, <i>fall protection</i>	157, 160 – 161, 165, 168 – 169
---------------------------------	--------------------------------

Stations, <i>first aid</i>	222 – 223
----------------------------	-----------

Steel Toe Footwear	9, 143 – 147
--------------------	--------------

Storage Bags, respirator	89
--------------------------	----

Storage Cabinets, hazardous	236 – 237
-----------------------------	-----------


Strobe Light, PFDs	178
--------------------	-----

Sweatbands, Doo Rags & Winter Liners	49, 51, 57 – 58, 199 – 201, 218
---	---------------------------------

Sweatshirts	195, 206 – 207
-------------	----------------

**T**

T-Shirts . . . . .	206
Tents & Shelters, work . . . . .	217
Tethers, <i>fall protection</i> . . . . .	155
Tool Holsters . . . . .	2 – 3, 155
Tool Lanyards, <i>fall protection</i> . . . . .	155, 172
Towels, shop . . . . .	232 – 233



Trade & Utility Gloves . . . . .	123 – 131
----------------------------------	-----------

**U**

Umbrellas, work . . . . .	216
---------------------------	-----

**V**

Valve Lockouts . . . . .	230
Ventilation, <i>confined space</i> . . . . .	214 – 216
<b>Vests</b>	
flotation . . . . .	174 – 178
hi-viz . . . . .	202 – 206
Visors & Faceshields . . . . .	44, 48 – 49, 51, 53 – 57

**W**

Wall-Mount Eyewash Units . . . . .	227
<b>Water Safety . . . . .</b>	<b>174 – 179</b>
automatic vests . . . . .	178
flotation jackets . . . . .	177
flotation vests . . . . .	19, 174 – 178
immersion suits . . . . .	179
welders vest . . . . .	175
<b>Welding &amp; FR Safety . . . . .</b>	<b>132 – 141</b>
accessories . . . . .	135
apparel . . . . .	136 – 138
fall protection . . . . .	157, 159, 165, 167
flotation vest . . . . .	175
lenses & goggles . . . . .	135
gloves . . . . .	139 – 141
helmets & filters . . . . .	132 – 135
respiratory . . . . .	76, 80
Winter Apparel & Gloves . . . . .	194 – 201
Winter Liners . . . . .	199 – 201
<b>Wipes &amp; Hand Cleaners . . . . .</b>	<b>232 – 233</b>
cleaners . . . . .	233
wipes . . . . .	16, 232 – 233



Work Gloves . . . . .	12 – 15, 90 – 131, 139 – 141
Work Suits, anti-exposure . . . . .	179
Work Tents & Shelters . . . . .	217
Workwear Apparel . . . . .	136 – 138, 180 – 207

20  
200

SEE

1

20  
100

3M

2

20  
50

EYE

3

PROTECTION

4

20  
20

SOLUTIONS

5



## 3M has a mission to help you protect your vision

At 3M, we've seen the impact of eye injuries and look to help you prevent them by offering products with progressive designs, advanced features and exceptional materials. With your safety in our sights, we research and develop high-quality eye protection solutions for your work, your environment and your unique optical requirements. And, with our focus on fit, we see to it that our versatile line of protective eyewear accommodates diverse face shapes and sizes.

With 3M, there's so much to see – and we don't want you to miss a thing. For more insight, visit [3M.com/See3M](http://3M.com/See3M)